

**ONLINE SUPPLEMENTARY MATERIAL FOR
THE RED QUEEN AND COURT JESTER IN GREEN LACEWING EVOLUTION:
BAT PREDATION AND GLOBAL CLIMATE CHANGE**

S. Bruce Archibald, Vladimir N. Makarkin, David R. Greenwood, and Gregg F. Gunnell

- **Figure S1: Modern Nothochrysinae species densities**
- **Table S1: Modern Chrysopidae habitat mean annual temperature (MAT)**
- **Table S2: Modern Chrysopidae habitat coldest quarter mean temperature (CQMT)**
- **Table S3: Modern Chrysopidae habitat mean annual precipitation (MAP)**
- **Table S4: Modern Nothochrysinae occurrences used in climate analysis**
- **References for Table S4**
- **Table S5: Modern Chrysopinae occurrences used in climate analysis**
- **References for Table S5**




Figure S1—Modern Nothochrysinae species densities, taken from precise locality data in Tables S4 and S5, and general, regional distributions described by Aspöck et al. (1980), Zakharenko and Krivokhatsky (1993), Aspöck and Aspöck (2001), Yang and Yang (2005) and Duelli et al. (2010).

REFERENCES FOR FIGURE S1

- ASPÖCK, H., ASPÖCK, U., and HÖLZEL, H., 1980, Die Neuropteren Europas, vol. 2: Göcke and Evers, Krefeld, 495 p.
- ASPÖCK, H., HÖLZEL, H., and ASPÖCK, U., 2001, Kommentierter Katalog der Neuropterida (Insecta: Raphidioptera, Megaloptera, Neuroptera) der Westpalaarktis: Denisia, v. 2, p. 1–606.
- DUELLI, P., HÖLZEL, H., and MANSELL, M.W., 2010, Habitat and larvae of the enigmatic genus *Kimochrysa* Tjeder (Neuroptera: Chrysopidae) in South Africa, in Devetak, D., Lipovsek, S., and Arnett, A.E., eds., Proceedings of the Tenth International Symposium on Neuropterology, Piran, Slovenia, 2008: Maribor, Slovenia, p. 153–158.
- YANG, X., YANG, C., and LI, W., 2005, Neuroptera, Chrysopidae in Chen, Y.Y., chief ed., Fauna Sinica Insecta: Science Press, Beijing, v. 39, p. 1–398.
- ZAKHARENKO, A.V., and KRIVOKHATSKY, V.A., 1993, Neuroptera from the European part of the former USSR: Izvestiya Kharkovskogo Entomologicheskogo Obshchestva, v. 1, p. 34–83.

Table S1—Modern Chrysopidae habitat mean annual temperature (MAT). Median, 25th and 75th percentiles, minimum and maximum MAT values in °C for Chrysopinae, Nothochrysinae and genera of Nothochrysinae from occurrence data (occurrence numbers in parentheses) in Tables S4 and S5. See figure 2.

Taxon	MAT med	MAT 25 %	MAT 75 %	MAT min	MAT max
Chrysopinae (9278)	10.0	8.9	18.8	-16.3	30.1
Nothochrysinae (366)	9.8	8.5	11.4	4.0	24.1
<i>Dictyochrysa</i> (40)	12.8	9.1	15.3	4.0	19.2
<i>Triplochrysa</i> (4)	15.8	-	-	15.4	9.0
<i>Kimochrysa</i> (3)	17.3	-	-	15.2	18.1
<i>Pamochrysa</i> (1)	13.2	-	-	-	-
<i>Pimachrysa</i> (12)	16.7	15.0	18.4	13.3	20.6
<i>Asthenochrysa</i> (2)	22.6	-	-	21.2	24.1
<i>Leptochrysa</i> (1)	18.7	-	-	-	-
<i>Hypochrysa</i> (30)	9.6	7.7	10.8	6.5	13.5
<i>Nothochrysa</i> (273)	9.6	8.5	10.5	4.0	17.6

Table S2—Modern Chrysopidae habitat coldest quarter mean temperature (CQMT). Median, 25th and 75th percentiles, minimum and maximum CQMT values in °C for Chrysopinae, Nothochrysinae and genera of Nothochrysinae (occurrence numbers in parentheses) from occurrence data in Tables S4 and S5. See figure 2.

Taxon	CQMT med	CQMT 25 %	CQMT 75 %	CQMT min	CQMT max
Chrysopinae (9278)	4.1	2.4	12.6	-44.4	28.0
Nothochrysinae (366)	3.6	0.9	5.0	-11.6	22.1
<i>Dictyochrysa</i> (40)	7.2	4.0	9.3	-2.1	11.9
<i>Triplochrysa</i> (4)	9.0	-	-	9.0	9.1
<i>Kimochrysa</i> (3)	12.1	-	-	11.6	14.0
<i>Pamochrysa</i> (1)	13.2	-	-	-	-
<i>Pimachrysa</i> (12)	9.5	7.7	12.0	5.9	15.7
<i>Asthenochrysa</i> (2)	19.4	-	-	16.7	22.1
<i>Leptochrysa</i> (1)	18.1	-	-	-	-
<i>Hypochrysa</i> (30)	-0.4	-1.8	2.7	-3.2	8.2
<i>Nothochrysa</i> (273)	3.4	0.9	4.4	-11.6	11.8

Table S3—Modern Chrysopidae habitat mean annual precipitation (MAP). Median, 25th and 75th percentiles, minimum and maximum MAP values in mm/year for Chrysopinae, Nothochrysinae and genera of Nothochrysinae (occurrence numbers in parentheses) from occurrence data in Tables S4 and S5. See figure 2.

Taxon	MAP med	MAP 25 %	MAP 75 %	MAP min	MAP max
Chrysopinae (9278)	742	596	1038	0	5033
Nothochrysinae (366)	774	648	934	87	1846
<i>Dictyochrysa</i> (40)	959	697	1348	256	1840
<i>Triplochrysa</i> (4)	730	-	-	662	795
<i>Kimochrysa</i> (3)	730	-	-	662	795
<i>Pamochrysa</i> (1)	920	-	-	-	-
<i>Pimachrysa</i> (12)	306	281	401	87	548
<i>Asthenochrysa</i> (2)	1467	-	-	1204	1730
<i>Leptochrysa</i> (1)	928	-	-	-	-
<i>Hypochrysa</i> (30)	779	644	917	336	1362
<i>Nothochrysa</i> (273)	769	651	911	424	1846

Table S4—Modern Nothochrysinae occurrences used in climate analysis. Country and taxon names are given as reported. Some country names have been subsequently changed and taxon names revised.

species	latitude	longitude	MAT	CQMT	MAP	country	reference
<i>Dictyochrysa fulva</i>	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980
<i>Dictyochrysa fulva</i>	-35.28204	149.12858	12.8	6.1	654	Australia	New 1980
<i>Dictyochrysa fulva</i>	-35.57412	150.03394	15.1	9.9	971	Australia	New 1980
<i>Dictyochrysa fulva</i>	-36.56086	146.72390	13.9	7.5	971	Australia	New 1980
<i>Dictyochrysa fulva</i>	-37.64017	145.19248	14.4	9.3	754	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.43072	148.33098	4.6	-1.5	1729	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.45234	148.28685	4.0	-2.1	1686	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-29.73744	151.73726	13.5	7.2	882	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-34.54085	116.02646	15.0	11.3	1154	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-34.43103	115.87892	14.9	11.2	1138	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-34.18051	140.27024	16.9	10.7	256	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-35.88213	140.05383	15.6	10.8	457	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-41.70375	146.91376	11.0	6.4	959	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-35.28204	149.12858	12.8	6.1	654	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-31.54023	148.92895	16.4	9.1	668	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-31.90085	149.11283	16.2	9.0	665	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.27038	149.48686	10.0	4.2	806	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-32.15207	151.52160	15.3	9.4	1100	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-35.51262	149.15216	11.4	4.9	774	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-35.86961	148.48778	7.8	1.3	1515	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-33.64487	151.28435	17.0	11.9	1293	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-30.83333	146.55000	19.2	11.6	418	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.45537	148.26696	4.0	-2.1	1686	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-37.29793	143.29410	12.2	6.8	756	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.36629	143.54389	14.6	8.4	510	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.05001	142.72454	15.4	9.3	384	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-37.84571	144.07680	12.7	7.9	706	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-35.06531	142.31762	16.4	10.1	356	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-36.56086	146.72390	13.9	7.5	971	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-37.55576	145.47823	12.6	7.3	1224	Australia	New 1980
<i>Dictyochrysa peterseni</i>	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980

<i>Dicyochrysa</i>	<i>peterseni</i>	-36.50000	148.20000	8.5	2.2	1514	Australia
<i>Dicyochrysa</i>	<i>peterseni</i>	-36.29990	148.50000	7.6	1.4	1593	Australia
<i>Dicyochrysa</i>	<i>peterseni</i>	-36.50000	148.30000	5.3	-0.8	1734	Australia
<i>Dicyochrysa</i>	<i>peterseni</i>	-36.50000	148.20000	8.5	2.2	1514	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-42.01284	147.80085	9.3	5.1	864	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-42.91269	147.24511	6.2	2.4	1018	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-42.90230	147.27045	10.4	6.4	958	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-41.27286	145.61341	9.9	6.3	1678	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-42.20000	146.10000	7.4	3.5	1840	Australia
<i>Dicyochrysa</i>	<i>latifasciata</i>	-28.86308	151.86732	15.4	9.0	795	Australia
<i>Triplochrysa</i>	<i>kimminsi</i>	-28.86308	151.86732	15.4	9.0	795	Australia
<i>Triplochrysa</i>	<i>kimminsi</i>	-31.89767	149.11204	16.2	9.0	665	Australia
<i>Triplochrysa</i>	<i>kimminsi</i>	-31.87990	149.08000	16.3	9.1	662	Australia
<i>Kimochrysa</i>	<i>impar</i>	-34.32993	18.98928	15.2	11.6	818	S. Africa
<i>Kimochrysa</i>	<i>impar</i>	-17.50691	30.97473	18.1	14.0	901	Zimbabwe
<i>Kimochrysa</i>	<i>africana</i>	-33.64504	19.44375	17.3	12.1	414	S. Africa
<i>Panochrysa</i>	<i>stellata</i>	-28.90257	29.17022	13.2	8.8	920	S. Africa
<i>Pimachrysa</i>	<i>grata</i>	31.72509	-110.88009	15.2	7.5	548	USA
<i>Pimachrysa</i>	<i>albicoستales</i>	29.11329	-114.66654	20.6	15.7	87	Mexico
<i>Pimachrysa</i>	<i>albicoستales</i>	32.21407	-111.00569	20.3	11.5	309	USA
<i>Pimachrysa</i>	<i>fusca</i>	35.36829	-117.90790	18.2	8.8	105	USA
<i>Pimachrysa</i>	<i>fusca</i>	34.03360	-116.30440	13.4	5.9	401	USA
<i>Pimachrysa</i>	<i>fusca</i>	34.04610	-116.26400	15.9	7.8	285	USA
<i>Pimachrysa</i>	<i>fusca</i>	33.78298	-118.11421	17.5	13.5	289	USA
<i>Pimachrysa</i>	<i>fusca</i>	33.72696	-117.83311	17.4	13.3	302	USA
<i>Pimachrysa</i>	<i>intermedia</i>	33.88847	-116.68692	18.8	11.3	267	USA
<i>Pimachrysa</i>	<i>nigra</i>	33.78648	-117.36107	16.0	10.2	506	USA
<i>Pimachrysa</i>	<i>nigra</i>	36.53080	-121.14520	14.5	8.4	401	USA
<i>Pimachrysa</i>	<i>nigra</i>	34.84165	-118.86482	13.3	6.2	351	USA
<i>Pimachrysa</i>	<i>viridula</i>	-25.59716	-54.57860	21.2	16.7	1730	Argentina
<i>Pimachrysa</i>	<i>viridula</i>	-18.91668	-40.00000	24.1	22.1	1204	Brazil
<i>Leptochrysa</i>	<i>prisca</i>	-5.87570	-77.96749	18.7	18.1	928	Peru
<i>Hypochnrysa</i>	<i>elegans</i>	47.41667	0.80000	11.3	4.2	675	France
<i>Hypochnrysa</i>	<i>elegans</i>	43.08516	-2.22484	12.2	6.8	1177	Spain
<i>Hypochnrysa</i>	<i>elegans</i>	42.14010	-0.40890	11.8	4.8	477	Spain
<i>Hypochnrysa</i>	<i>elegans</i>	42.76891	25.31881	7.2	-2.3	715	Bulgaria

<i>Hypochorysa elegans</i>	43.29298	-1.81151	13.5	8.2	1362	Spain
<i>Hypochorysa elegans</i>	42.90855	-2.49142	11.6	5.6	927	Spain
<i>Hypochorysa elegans</i>	42.87528	-4.09288	9.8	3.9	808	Spain
<i>Hypochorysa elegans</i>	43.08017	-4.45801	7.7	1.8	947	Spain
<i>Hypochorysa elegans</i>	46.61667	14.46667	7.8	-2.6	1031	Austria
<i>Hypochorysa elegans</i>	46.55528	14.29583	7.3	-2.8	1093	Austria
<i>Hypochorysa elegans</i>	47.07667	15.58222	7.8	-2.2	888	Austria
<i>Hypochorysa elegans</i>	47.20000	15.61667	7.7	-2.2	873	Austria
<i>Hypochorysa elegans</i>	47.06333	15.42861	8.3	-1.8	858	Austria
<i>Hypochorysa elegans</i>	47.07028	15.43889	8.3	-1.8	858	Austria
<i>Hypochorysa elegans</i>	48.06667	16.16667	8.5	-0.8	698	Austria
<i>Hypochorysa elegans</i>	41.36528	48.52639	10.8	0.5	499	Azerbaijan
<i>Hypochorysa elegans</i>	41.46806	48.80278	13.5	2.9	336	Azerbaijan
<i>Hypochorysa elegans</i>	50.56667	4.68333	9.6	2.3	835	Belgium
<i>Hypochorysa elegans</i>	50.23250	8.45889	6.5	-1.3	948	Germany
<i>Hypochorysa elegans</i>	50.22167	8.44583	6.5	-1.3	952	Germany
<i>Hypochorysa elegans</i>	42.68333	26.33333	10.9	1.0	634	Bulgaria
<i>Hypochorysa elegans</i>	42.87459	25.31636	9.7	-0.5	634	Bulgaria
<i>Hypochorysa elegans</i>	42.72673	25.92954	7.0	-2.3	749	Bulgaria
<i>Hypochorysa elegans</i>	47.82806	19.97167	9.2	-1.3	579	Hungary
<i>Hypochorysa elegans</i>	48.11667	20.53333	6.7	-3.2	701	Hungary
<i>Hypochorysa elegans</i>	47.47747	18.51609	10.4	0.1	563	Hungary
<i>Hypochorysa elegans</i>	41.73300	15.75000	11.2	3.8	606	Italy
<i>Hypochorysa elegans</i>	44.87861	22.41417	9.6	-0.5	701	Romania
<i>Hypochorysa elegans</i>	44.90000	22.36667	9.7	-0.4	694	Romania
<i>Hypochorysa elegans</i>	44.60855	38.25290	9.7	0.5	875	Russia
<i>Nothochrysa capitata</i>	43.38333	6.31667	13.7	7.2	769	France
<i>Nothochrysa capitata</i>	45.35000	25.55000	5.7	-4.3	829	Romania
<i>Nothochrysa capitata</i>	39.87776	3.01719	15.9	10.1	675	Spain
<i>Nothochrysa capitata</i>	41.71298	14.13954	10.9	3.4	780	Italy
<i>Nothochrysa capitata</i>	43.76873	11.25690	14.5	6.0	859	Italy
<i>Nothochrysa capitata</i>	41.38792	2.16993	16.5	10.3	609	Spain
<i>Nothochrysa capitata</i>	41.78654	2.34867	11.2	4.9	876	Spain
<i>Nothochrysa capitata</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Nothochrysa capitata</i>	48.03000	14.65000	8.1	-1.4	899	Austria
<i>Nothochrysa capitata</i>	48.19000	15.90000	9.0	-0.3	675	Austria

<i>Nothochrysa</i>	<i>capitata</i>	48.38000	15.25000	5.7	-3.2	914	Austria	W-GBIF-3
<i>Nothochrysa</i>	<i>capitata</i>	48.18000	16.02000	8.6	-0.7	693	Austria	W-GBIF-3
<i>Nothochrysa</i>	<i>capitata</i>	47.07028	15.43889	8.3	-1.8	858	Austria	Gepp 1975
<i>Nothochrysa</i>	<i>capitata</i>	47.50444	15.44889	5.6	-3.7	974	Austria	Gepp 1977
<i>Nothochrysa</i>	<i>capitata</i>	46.59140	14.27650	8.0	-2.4	1023	Austria	Hölzel 1964
<i>Nothochrysa</i>	<i>capitata</i>	46.51667	14.23333	6.9	-2.8	1162	Austria	Hölzel 1964
<i>Nothochrysa</i>	<i>capitata</i>	46.52694	14.30194	7.6	-2.5	1089	Austria	Hölzel 1964
<i>Nothochrysa</i>	<i>capitata</i>	54.05528	9.59389	8.3	0.8	811	Germany	Ohm 1963
<i>Nothochrysa</i>	<i>capitata</i>	54.52700	9.55200	8.4	1.0	858	Germany	Ohm 1963
<i>Nothochrysa</i>	<i>capitata</i>	54.76700	9.96700	8.4	1.3	723	Germany	Ohm 1963
<i>Nothochrysa</i>	<i>capitata</i>	54.16222	10.42139	8.2	0.5	713	Germany	Ohm 1964
<i>Nothochrysa</i>	<i>capitata</i>	50.83611	8.76028	8.8	0.7	754	Germany	Ohm & Remane 1968
<i>Nothochrysa</i>	<i>capitata</i>	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-4
<i>Nothochrysa</i>	<i>capitata</i>	53.18333	-4.10000	9.0	4.0	1069	UK	Morgan 1976
<i>Nothochrysa</i>	<i>capitata</i>	53.21803	-3.79416	9.3	4.0	910	UK	Morgan 1976
<i>Nothochrysa</i>	<i>capitata</i>	51.44944	-0.27389	10.5	4.7	633	UK	Barnard et al. 1986
<i>Nothochrysa</i>	<i>capitata</i>	50.51740	-3.69400	9.8	4.8	940	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.79820	-2.56890	8.8	3.4	878	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.70960	-2.00130	10.0	4.7	792	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.88910	-1.71700	9.8	4.3	792	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.79950	-1.85940	9.9	4.6	793	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.61760	-1.29460	10.1	4.6	858	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.79920	-1.71750	9.9	4.5	806	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.88810	-1.43270	10.6	5.1	767	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.79880	-1.57560	10.3	4.9	780	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.97860	-1.57400	10.2	4.6	755	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	50.79920	-1.71750	9.9	4.5	806	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.42180	-3.29570	9.9	4.6	1030	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.15610	-2.85930	9.6	4.1	852	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.60660	-2.72330	9.9	4.4	846	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.78870	-2.00130	8.9	3.3	745	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.78830	-1.71140	9.2	3.4	650	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.60850	-1.71250	9.4	3.6	651	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.33590	-1.14010	9.6	3.6	739	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.15370	-0.85750	9.6	3.3	822	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	51.32850	-0.42250	10.1	3.9	652	UK	W-GBIF-5

<i>Nothochrysa</i>	<i>capitata</i>	51.96120	-0.69150	9.6	3.3	638	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.33350	-0.85300	9.7	3.0	752	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.50620	-0.27230	10.5	4.7	628	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.23860	-0.42560	9.5	3.3	702	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.33030	-0.56600	10.0	3.6	682	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.69310	-0.84390	9.4	3.0	687	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.96120	-0.69150	9.6	3.3	638	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.42340	-0.85080	9.9	3.2	709	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.23860	-0.42560	9.5	3.3	702	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.51010	-0.56040	10.2	3.6	648	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.33200	-0.70950	9.5	2.9	769	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.41830	-0.41940	10.4	4.1	627	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.51010	-0.56040	10.2	3.6	648	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.24040	-0.56880	9.9	3.5	705	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.42340	-0.85080	9.9	3.2	709	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.33030	-0.56600	10.0	3.6	682	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.32420	-0.13560	10.1	4.2	688	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.41410	-0.13200	10.8	5.0	639	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.68990	-0.55470	9.6	3.2	672	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.32420	-0.13560	10.1	4.2	688	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.78140	-0.69670	9.2	2.7	699	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.77790	-0.40690	9.7	3.4	670	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.41830	-0.41940	10.4	4.1	627	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.15220	-0.71450	9.4	3.1	817	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.40920	0.15530	10.3	4.4	641	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.58890	0.16380	10.4	4.3	609	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.85570	0.32180	9.7	3.4	588	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.58890	0.16380	10.4	4.3	609	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.21420	0.86220	9.6	3.7	695	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.59150	0.01960	10.6	4.5	618	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.21420	0.86220	9.6	3.7	695	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.84270	0.90190	9.8	3.8	544	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.30040	1.01100	9.9	4.1	635	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.11700	1.14200	9.8	4.0	671	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.29260	1.29740	10.3	4.6	579	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.20290	1.29100	9.9	4.1	633	UK

<i>Nothochrysa</i>	<i>capitata</i>	51.30040	1.011100	9.9	4.1	635	UK
<i>Nothochrysa</i>	<i>capitata</i>	51.71000	10.52870	5.6	-2.2	1157	Germany
<i>Nothochrysa</i>	<i>capitata</i>	52.13050	-4.04670	9.1	4.0	1261	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.93910	-4.08460	9.7	4.8	978	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.04310	-3.89690	8.4	3.0	1470	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.95140	-3.19210	7.7	2.1	1045	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.59030	-3.32990	8.3	2.6	1103	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.31270	-3.90840	8.5	3.2	1455	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.22280	-3.90450	8.5	3.2	1472	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.04310	-3.89690	8.4	3.0	1470	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.86660	-2.44700	8.9	3.1	726	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.95700	-2.29910	8.9	3.2	776	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.86710	-2.29850	9.0	3.3	733	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.32730	-1.56120	9.5	3.8	616	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.23370	-0.97640	9.6	3.5	612	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.66410	0.36440	9.6	3.4	572	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.83040	0.96730	9.8	3.7	641	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.65440	0.80750	9.4	3.3	625	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.03530	0.33110	9.4	3.2	578	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.55330	1.24370	9.9	3.9	630	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.91230	1.27050	10.5	4.3	652	UK
<i>Nothochrysa</i>	<i>capitata</i>	52.73290	1.25700	10.3	4.2	634	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.11600	-4.24260	8.9	4.0	1089	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.20860	-4.09770	9.6	4.6	967	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.20290	-4.39690	9.8	5.3	915	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.03970	-3.34370	8.1	2.6	1017	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.21350	-3.79840	9.3	4.0	910	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.12130	-3.94400	8.1	2.8	1188	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.13480	-2.74880	9.3	3.9	779	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.49430	-1.24780	9.5	3.8	661	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.13380	-1.10460	9.4	3.4	679	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.49330	-1.09700	9.7	4.0	604	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.31610	-1.55110	8.5	2.9	937	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.49330	-1.09700	9.7	4.0	604	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.49430	-1.24780	9.5	3.8	661	UK
<i>Nothochrysa</i>	<i>capitata</i>	53.49330	-1.09700	9.7	4.0	604	UK

<i>Nothochrysa</i>	<i>capitata</i>	53.58570	-1.54830	9.3	3.8	785	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	53.85150	-0.93730	9.4	3.8	613	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	53.29850	0.09920	9.6	3.5	625	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.12240	-1.08340	9.2	3.7	644	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.21560	-1.84810	7.2	1.7	1073	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.03560	-1.69610	8.7	3.2	845	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.12580	-1.84840	8.0	2.5	1001	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.84470	-1.84580	7.9	2.5	744	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.66350	-1.38130	8.6	3.3	675	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.29940	-0.77220	8.6	3.2	788	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.20780	-0.62160	9.4	4.1	737	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	54.82120	8.86250	8.1	1.1	834	Germany	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	55.56000	-2.95280	7.0	1.4	1016	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	56.54130	-3.62780	6.6	0.9	1028	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	56.36960	-2.81100	8.3	2.8	657	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	57.26790	-2.83060	6.4	1.3	894	UK	W-GBIF-5
<i>Nothochrysa</i>	<i>capitata</i>	47.70783	14.39042	4.4	-4.6	1284	Austria	Aspöck & Aspöck 1969
<i>Nothochrysa</i>	<i>capitata</i>	42.26444	23.60694	5.9	-2.8	654	Bulgaria	Hubenov et al. 1998
<i>Nothochrysa</i>	<i>capitata</i>	49.05000	13.78333	6.1	-3.0	946	Czech Rep.	Zelený 2008
<i>Nothochrysa</i>	<i>capitata</i>	43.38333	6.31667	13.7	7.2	769	France	Alrouechedi et al. 1980b
<i>Nothochrysa</i>	<i>capitata</i>	43.71779	7.26807	14.5	8.2	817	France	Séméria 1992
<i>Nothochrysa</i>	<i>capitata</i>	51.32278	-0.47722	10.2	3.9	656	UK	Briggs 1894
<i>Nothochrysa</i>	<i>capitata</i>	52.75477	0.39761	9.6	3.4	587	UK	Atmore 1907
<i>Nothochrysa</i>	<i>capitata</i>	50.87240	-2.45970	9.0	3.6	846	UK	Haines 1922
<i>Nothochrysa</i>	<i>capitata</i>	50.87268	-1.57660	10.3	4.8	783	UK	Lucas 1917
<i>Nothochrysa</i>	<i>capitata</i>	51.39300	-1.11500	9.7	3.6	723	UK	Lucas 1922
<i>Nothochrysa</i>	<i>capitata</i>	50.96667	-1.35000	10.5	4.7	766	UK	Lucas 1925
<i>Nothochrysa</i>	<i>capitata</i>	50.97790	-1.43750	10.3	4.6	768	UK	Lucas 1928
<i>Nothochrysa</i>	<i>capitata</i>	51.38000	-0.35260	10.4	4.4	630	UK	Lucas 1931
<i>Nothochrysa</i>	<i>capitata</i>	51.35600	-0.03800	10.3	4.4	672	UK	Wormald 1869
<i>Nothochrysa</i>	<i>capitata</i>	50.80000	-1.08300	10.5	4.6	818	UK	Killington 1926
<i>Nothochrysa</i>	<i>capitata</i>	50.97790	-1.43750	10.3	4.6	768	UK	Killington 1926
<i>Nothochrysa</i>	<i>capitata</i>	50.85444	-1.50472	10.4	4.9	776	UK	Killington 1931

<i>Nothochrysa</i>	<i>capitata</i>	52.56280	-3.14930	8.6	3.0	956	UK
<i>Nothochrysa</i>	<i>capitata</i>	43.78300	11.22800	14.4	6.1	863	Italy
<i>Nothochrysa</i>	<i>capitata</i>	41.60200	14.23100	13.1	5.8	813	Italy
<i>Nothochrysa</i>	<i>capitata</i>	42.08200	14.06000	6.8	-0.6	822	Italy
<i>Nothochrysa</i>	<i>capitata</i>	43.82772	11.86437	8.3	0.9	903	Italy
<i>Nothochrysa</i>	<i>capitata</i>	43.85998	11.74439	8.0	0.7	915	Italy
<i>Nothochrysa</i>	<i>capitata</i>	41.72649	12.40391	15.5	9.0	769	Italy
<i>Nothochrysa</i>	<i>capitata</i>	41.68333	12.45000	15.4	9.0	781	Italy
<i>Nothochrysa</i>	<i>capitata</i>	52.13712	4.33276	9.5	3.2	776	Netherlands
<i>Nothochrysa</i>	<i>capitata</i>	58.07131	7.97912	7.5	0.9	1256	Norway
<i>Nothochrysa</i>	<i>capitata</i>	45.74328	14.64516	7.4	-1.2	1353	Slovenia
<i>Nothochrysa</i>	<i>capitata</i>	41.76700	2.40000	12.4	6.0	841	Spain
<i>Nothochrysa</i>	<i>capitata</i>	41.55000	1.90000	15.2	8.7	616	Spain
<i>Nothochrysa</i>	<i>capitata</i>	36.74417	3.04250	17.6	11.8	701	Algeria
<i>Nothochrysa</i>	<i>capitata</i>	49.65356	19.99178	9.1	0.4	652	Poland
<i>Nothochrysa</i>	<i>capitata</i>	49.43944	19.85417	6.3	-3.7	930	Poland
<i>Nothochrysa</i>	<i>capitata</i>	50.54472	23.21528	7.0	-3.4	591	Poland
<i>Nothochrysa</i>	<i>capitata</i>	45.35000	25.55139	5.7	-4.3	829	Romania
<i>Nothochrysa</i>	<i>capitata</i>	46.30417	7.59139	8.0	-0.3	928	Switzerland
<i>Nothochrysa</i>	<i>fulviceps</i>	47.86667	-0.91667	11.3	4.9	701	France
<i>Nothochrysa</i>	<i>fulviceps</i>	46.23833	23.58333	8.9	-1.3	624	Romania
<i>Nothochrysa</i>	<i>fulviceps</i>	46.61667	21.51667	10.9	0.3	575	Romania
<i>Nothochrysa</i>	<i>fulviceps</i>	40.55537	-1.65293	8.3	0.8	590	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	42.08333	-7.58333	12.1	5.8	1081	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	40.74145	-4.05467	10.5	3.0	493	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	42.63050	-1.01277	10.3	3.4	860	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	43.24411	-4.56107	11.3	6.0	865	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	41.13333	-1.06667	10.8	3.3	439	Spain
<i>Nothochrysa</i>	<i>fulviceps</i>	44.37556	9.87830	11.8	3.7	894	Italy
<i>Nothochrysa</i>	<i>fulviceps</i>	47.86667	19.98333	7.6	-2.5	658	Hungary
<i>Nothochrysa</i>	<i>fulviceps</i>	46.97829	17.91877	10.7	0.3	561	Hungary
<i>Nothochrysa</i>	<i>fulviceps</i>	46.83330	17.55000	10.7	0.5	606	Hungary
<i>Nothochrysa</i>	<i>fulviceps</i>	46.91670	17.84820	10.8	0.4	566	Hungary
<i>Nothochrysa</i>	<i>fulviceps</i>	46.64169	14.94176	8.2	-1.9	1022	Austria
<i>Nothochrysa</i>	<i>fulviceps</i>	46.78611	15.45000	8.4	-1.6	953	Austria
<i>Nothochrysa</i>	<i>fulviceps</i>	46.86667	15.90000	9.1	-0.7	876	Austria

<i>Nothochrysa fulviceps</i>	46.82083	15.44889	8.4	-1.6	937	Austria	Gepp 1977
<i>Nothochrysa fulviceps</i>	46.99083	15.50861	8.4	-1.7	876	Austria	Gepp 1977
<i>Nothochrysa fulviceps</i>	47.07028	15.43889	8.3	-1.8	858	Austria	Gepp 1975
<i>Nothochrysa fulviceps</i>	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
<i>Nothochrysa fulviceps</i>	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
<i>Nothochrysa fulviceps</i>	52.35000	14.43333	8.7	-1.3	555	Germany	Ohm & Remane 1968
<i>Nothochrysa fulviceps</i>	50.10000	8.08333	7.6	-0.3	775	Germany	Ohm & Remane 1968
<i>Nothochrysa fulviceps</i>	54.16222	10.42139	8.2	0.5	713	Germany	Ohm 1964
<i>Nothochrysa fulviceps</i>	51.78720	-2.58130	9.6	4.1	805	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	51.42190	-0.70700	9.8	3.1	704	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	52.86660	-2.44700	8.9	3.1	726	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	52.13930	-0.54020	9.9	3.7	584	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	53.31610	-1.55110	8.5	2.9	937	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	53.29850	0.09920	9.6	3.5	625	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	54.75240	-2.77830	8.0	2.3	947	UK	W-GBIF-5
<i>Nothochrysa fulviceps</i>	55.23330	9.99990	8.0	0.9	675	Denmark	W-GBIF-2
<i>Nothochrysa fulviceps</i>	48.00000	16.23000	8.8	-0.6	686	Austria	W-GBIF-3
<i>Nothochrysa fulviceps</i>	50.63389	39.86722	6.9	-6.7	510	Russia	V.Krivokhatsky, pers. data
<i>Nothochrysa fulviceps</i>	56.29799	10.48214	7.5	0.2	595	Denmark	Schmidt Nielsen 1977
<i>Nothochrysa fulviceps</i>	44.45000	1.13333	12.3	5.1	806	France	Canard et al. 2007
<i>Nothochrysa fulviceps</i>	54.74710	-2.00600	7.3	1.8	909	UK	Lucas 1917
<i>Nothochrysa fulviceps</i>	47.86887	19.97796	7.6	-2.5	658	Hungary	Abrahám 1989
<i>Nothochrysa fulviceps</i>	46.07125	18.23311	11.2	0.6	637	Hungary	Abrahám 1991
<i>Nothochrysa fulviceps</i>	46.19062	18.36678	9.4	-0.8	693	Hungary	Abrahám 1991
<i>Nothochrysa fulviceps</i>	44.38333	9.88333	11.8	3.7	894	Italy	Monserrat 1980
<i>Nothochrysa fulviceps</i>	52.13712	4.33276	9.5	3.2	776	Netherlands	Geijskes 1972
<i>Nothochrysa fulviceps</i>	58.10580	7.93620	7.3	0.6	1290	Sweden	Hansen & Berggren 1999
<i>Nothochrysa fulviceps</i>	45.16667	23.38333	9.4	-0.9	661	Romania	Kis & Stamp 1964
<i>Nothochrysa fulviceps</i>	46.42583	21.83694	10.9	0.3	593	Romania	Kis & Stamp 1964
<i>Nothochrysa fulviceps</i>	54.31667	49.26667	4.0	-11.6	532	Russia	Rokhletsova 2000
<i>Nothochrysa fulviceps</i>	46.36891	16.02697	9.6	-0.2	942	Slovenia	Devetak 1984
<i>Nothochrysa fulviceps</i>	46.55717	15.64645	9.4	-0.3	986	Slovenia	Devetak 1984
<i>Nothochrysa fulviceps</i>	40.46667	-1.58333	7.5	0.1	651	Spain	Monserrat & Rogrigo 1992
<i>Nothochrysa fulviceps</i>	43.25000	-4.55000	10.4	5.0	911	Spain	Marín & Monserrat 1989
<i>Nothochrysa fulviceps</i>	42.86700	-3.93300	9.9	3.9	803	Spain	Marín & Monserrat 1989
<i>Nothochrysa fulviceps</i>	42.63333	-1.00000	10.3	3.4	860	Spain	Marín & Monserrat 1995

<i>Nothochrysa fulviceps</i>	40.73333	-4.06667	10.5	3.0	493	Spain
<i>Nothochrysa fulviceps</i>	56.02285	12.75504	7.8	0.3	671	Sweden
<i>Nothochrysa fulviceps</i>	56.28614	12.49744	7.7	-0.3	674	Sweden
<i>Nothochrysa fulviceps</i>	47.38031	7.94633	8.2	0.3	1086	Switzerland
<i>Nothochrysa fulviceps</i>	37.80000	30.90000	12.0	3.1	581	Turkey
<i>Nothochrysa fulviceps</i>	38.43333	31.11667	10.0	0.8	535	Turkey
<i>Nothochrysa californica</i>	37.87159	-122.27275	14.5	10.6	567	USA
<i>Nothochrysa californica</i>	37.80438	-122.27080	14.6	10.8	526	USA
<i>Nothochrysa californica</i>	37.87715	-122.17969	14.2	9.6	659	USA
<i>Nothochrysa californica</i>	37.90604	-122.54498	13.7	9.8	962	USA
<i>Nothochrysa californica</i>	37.89365	-122.57202	13.7	9.8	962	USA
<i>Nothochrysa californica</i>	38.01326	-122.66387	13.4	9.1	1042	USA
<i>Nothochrysa californica</i>	39.35528	-123.61386	11.8	7.6	1150	USA
<i>Nothochrysa californica</i>	39.27290	-123.76297	11.2	7.9	1108	USA
<i>Nothochrysa californica</i>	38.89796	-123.21445	12.6	7.4	1166	USA
<i>Nothochrysa californica</i>	37.44188	-122.14302	14.5	9.7	424	USA
<i>Nothochrysa californica</i>	37.42111	-122.14581	14.5	9.7	424	USA
<i>Nothochrysa californica</i>	44.56332	-123.26233	11.2	5.0	1108	USA
<i>Nothochrysa californica</i>	44.63318	-123.29399	10.2	4.0	1456	USA
<i>Nothochrysa californica</i>	44.63318	-123.29399	10.2	4.0	1456	USA
<i>Nothochrysa californica</i>	44.51254	-123.40956	10.8	4.5	1194	USA
<i>Nothochrysa californica</i>	44.36080	-123.41060	10.8	4.6	1261	USA
<i>Nothochrysa californica</i>	44.63791	-123.57871	10.2	4.3	1846	USA
<i>Nothochrysa californica</i>	48.47961	-116.84938	6.4	-3.3	782	USA
<i>Nothochrysa californica</i>	47.23706	-121.17898	6.6	-1.4	1356	USA
<i>Nothochrysa californica</i>	48.65000	-123.40000	9.7	4.2	1016	Canada
<i>Nothochrysa californica</i>	49.43333	-124.66667	9.8	3.4	1463	Canada
<i>Nothochrysa californica</i>	48.75000	-123.21667	9.7	4.4	875	Canada
<i>Nothochrysa californica</i>	48.43333	-123.36667	9.8	4.9	715	Canada
<i>Nothochrysa californica</i>	49.25000	-123.13300	9.9	3.5	1266	Canada
<i>Nothochrysa californica</i>	37.80440	-122.26990	14.6	10.8	526	USA
<i>Nothochrysa californica</i>	37.87160	-122.27200	14.5	10.6	567	USA
<i>Nothochrysa californica</i>	37.88300	-122.23890	14.1	9.5	715	USA
<i>Nothochrysa californica</i>	37.87160	-122.27200	14.5	10.6	567	USA
<i>Nothochrysa californica</i>	37.98710	-122.58890	13.7	9.3	1032	USA
<i>Nothochrysa californica</i>	37.90670	-122.54590	13.7	9.8	962	USA

<i>Nothochrysa</i>	<i>californica</i>	37.88160	-121.91400	14.6	8.6	588	USA	W-GBIF-2
<i>Nothochrysa</i>	<i>californica</i>	38.64770	-122.55500	13.0	6.9	1077	USA	W-GBIF-2
<i>Nothochrysa</i>	<i>sinica</i>	33.54361	108.54194	9.8	-1.0	878	China	Yang 1986
<i>Nothochrysa</i>	<i>sinica</i>	34.25000	108.93333	14.3	1.5	553	China	X. Liu, pers. comm.
<i>Nothochrysa</i>	<i>sinica</i>	30.20000	108.56667	11.2	1.8	1513	China	X. Liu, pers. comm.
<i>Nothochrysa</i>	<i>turcicus</i>	39.88000	28.91400	11.8	3.7	731	Turkey	Kovanci & Canbulat 2007
<i>Nothochrysa</i>	<i>turcicus</i>	39.80500	28.99600	10.9	2.8	801	Turkey	Kovanci & Canbulat 2007
<i>Nothochrysa</i>	<i>turcicus</i>	39.80700	28.99800	10.9	2.8	801	Turkey	Kovanci & Canbulat 2007
<i>Nothochrysa</i>	<i>turcicus</i>	39.78700	28.95300	11.4	3.3	729	Turkey	Kovanci & Canbulat 2007
<i>Nothochrysa</i>	<i>turcicus</i>	39.77900	28.89200	11.2	3.0	764	Turkey	Kovanci & Canbulat 2007
<i>Nothochrysa</i>	<i>turcicus</i>	39.79300	28.91300	11.5	3.4	737	Turkey	Kovanci & Canbulat 2007

WEB REFERENCES FOR TABLES S4 AND S5

RMCA (Royal Museum for Central Africa) occurrence data were accessed through the website of the RMCA, Tervuren, Belgium, Metafro Infosys Illustrated database of Neuroptera (insects):
<http://www.metafro.be/neuroptera/collection>.

W-RMCA-1: Royal Museum for Central Africa, Tervuren, Belgium.

W-RMCA-2: South African National Collection, Pretoria.

W-RMCA-3: Natural History Museum, London.

W-RMCA-4: Koen Maes Collection, Belgium.

W-RMCA-5: Herbert Hözel Collection, Austria.

W-RMCA-6: Durban Museum, South Africa.

W-RMCA-7: State Museum Windhoek, Namibia.

W-RMCA-8: Natal Museum, Pietermaritzburg.

W-RMCA-9: Transvaal Museum, Pretoria.

W-RMCA-10: Zoological Institute Lund University, Sweden.

W-RMCA-11: Ministry of Agriculture, Harare.

W-RMCA-12: Jonathan B Ball Collection.

W-RMCA-13: National Museum of Zimbabwe, Bulawayo.

GBIF (Global Biodiversity Information Facility) occurrence data were accessed through the GBIF data portal <http://data.gbif.org/welcome.htm> for the following collections listed in Tables S4 and S5 as:

W-GBIF-1: Australian Museum provider for OZCAM (Online Zoological Collections of Australian Museums).

W-GBIF-2: Texas A&M University Insect Collection.

W-GBIF-3: Biologiezentrum Linz.

W-GBIF-4: GEO-Hauptveranstaltung im Nationalpark Bayerischer Wald.

W-GBIF-5: Biological Records Centre - Lacewings and allied insects records from Britain and Ireland to 1999.

W-GBIF-6: Instituto Nacional de Biodiversidad (Costa Rica).

W-GBIF-7: South African National Biodiversity Institute.

W-GBIF-8: Spain, BDBCV - IV Semana de la Biodiversidad (Alicante, Spain), 2009.

W-GBIF-9: KBIF Data repository.

W-GBIF-10: National Museum of Nature and Science, Japan.

W-GBIF-11: inatura - Erlebnis Naturschau Dornbirn.

W-GBIF-12: University of Alberta.

W-GBIF-13: Service du Patrimoine naturel, Muséum national d'Histoire naturelle, Paris.

W-GBIF-14: GEO-Tag der Artenvielfalt.

W-GBIF-15: UK National Biodiversity Network.

W-GBIF-16: National Biodiversity Data Centre.

W-GBIF-17: Sweden, Bugs (GBIF-SE: Artdatabanken).

W-GBIF-18: The Norwegian Biodiversity Information Centre (NBIC)

W-GBIF-19: Natural History Museum, University of Oslo.

W-GBIF-20: Finnish Museum of Natural History.

W-GBIF-21: Musée national d'histoire naturelle Luxembourg.

W-GBIF-22: Botanic Garden and Botanical Museum Berlin-Dahlem.

W-GBIF-23: Discover Life.

REFERENCES FOR TABLE S4 (WEB REFERENCES ABOVE)

- ABRAHÁM, L., 1989, A Mátra Múzeum Neuropteroidea gyűjteménye (Neuropteroidea: Megaloptera, Raphidioptera, Planipennia): *Folia Historico-Naturalia Musei Matraensis*, v. 14, p. 81–86.
- ABRAHÁM, L., 1991, On the Neuropteroidea and Mecoptera of Baranya County, Hungary: A Janus Pannonius Múzeum évkönyve, v. 35, p. 13–18.
- ADAMS, P.A., and PENNY, N.D., 1992, New genera of Nothochrysinae from South America (Neuroptera: Chrysopidae): *The Pan-Pacific Entomologist*, v. 68, p. 216–221.
- ALROUECHDI, K., CANARD, M., PRALAVORIO, R., and ARAMBOURG Y., 1980a, Repartition des adultes et des pontes de chrysopides (Neuroptera) recoltes dans une oliveraie de Provence: *Neuroptera International*, v. 1, p. 65–74.
- ALROUECHDI, K., LYON, J.-P., CANARD, M., and FOURNIER, D., 1980b, Les chrysopides (Neuroptera) récoltés dans une oliveraie du Sud-Est de la France: *Acta Oecologica-Oecologia Applicata*, v. 1, p. 173–180.
- ANDERLE, F., and ASPÖCK, U., 2007, Neuropterida (Insecta Endopterygota) of the Nature Reserve Eichkogel (Lower Austria): arguments for protecting an insular biocoenosis in the south of Vienna: *Annali del Museo Civico di Storia Naturale di Ferrara*, v. 8, p. 139–144.
- ASPÖCK, H., and ASPÖCK, U., 1969, Die Neuropteren Mitteleuropas. Ein Nachtrag zur synopsis der Systematik, Ökologie und Biogeographien der Neuropteren Mitteleuropas: *Naturkundliches Jahrbuch der Stadt Linz*, v. 1969, p. 17–68.
- ATMORE, E.A., 1907, Note on *Nothochrysa capitata*, F.: *Entomologist's Monthly Magazine*, v. 43, p. 68.
- BARNARD, P.C., BROOKS, S.J., and STORK, N.E., 1986, The seasonality and distribution of Neuroptera, Raphidioptera and Mecoptera on oaks in Richmond Park, Surrey, as revealed by insecticide knock-down sampling: *Journal of Natural History*, v. 20, p. 1321–1331.
- BOZSIK, A., MIGNON, J., and GASPAR, C., 2000, Contribution à la connaissance des Chrysopidae de Belgique: bilan des captures réalisées à Gembloux: *Notes Fauniques de Gembloux*, v. 41, p. 3–10.
- BRIGGS, C.A., 1894, *Nothochrysa capitata* and other Neuroptera in Surrey: *Entomologist's Monthly Magazine*, v. 30, p. 186.
- CANARD, M., MAZEL, R., TILLIER, P., DANFLOUS, S., and THIERRY, D., 2007, Cartographie de chrysopes en France (Neuroptera, Chrysopidae): *Revue de l'Association Roussillonnaise d'Entomologie*, v. 16, p. 9–21.
- CANBULAT, S., and KIYAK, S., 2004, Four species of lacewings (Insecta; Neuroptera) new to the fauna of Turkey: *Zoology in the Middle East*, v. 32, p. 113–114.
- DEVETAK, D., 1984, Megaloptera, Raphidioptera and Planipennia in Slovenia (Yugoslavia). Faunistical contribution: *Neuroptera International*, v. 3, p. 55–72.
- DÍAZ-ARANDA, L.M., and MONSERRAT, V.J., 1988, Contribución al conocimiento de los neurópteros de Teruel (Insecta, Neuropteroidea): *Boletín de la Asociación Española de Entomología*, v. 12, p. 215–231.
- DUELLI, P., 1987, Eine isolierte Reliktpopulation von *Chrysoperla mediterranea* (Planipennia: Chrysopidae) in der Schweiz: *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, v. 60, p. 301–306.
- DUELLI, P., OBRIST, M.K., and FLÜCKIGER, P.F., 2002, Forest edges are biodiversity hotspots - also for Neuroptera: *Acta Zoologica Academiae Scientiarum Hungaricae*, v. 48(Suppl. 2), p. 75–87.
- GEIJSKES, D.C., 1972, Over de Neuroptera-Fauna van Meijendel: *Zoologische Bijdragen*, v. 13, p. 43–58.

- GEPP, J., 1975, Die Neuropteren von Graz: Ein Beitrag zur Kenntnis der mitteleuropäischen Grossstatfauna: Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark, v. 105, p. 265–278.
- GEPP, J., 1977, Die Planipennier der Steiermark (Neuroptera s. str., Neuropteroidea, Insecta): Autökologie und Regionalfaunistik: Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark, v. 107, p. 171–206.
- HAINES, F.H., 1922, Neuroptera in Dorset: Entomologist (London), v. 55, p. 84–85.
- HANSEN, L.O., and BERGGREN, K., 1999, The genus *Nothochrysa* (Planipennia, Chrysopidae) in Norway: Norwegian Journal of Entomology, v. 46, p. 57–60.
- HÖLZEL, H., 1964, Die Netzflügler Kärntens: Carinthia II, v. 74, p. 97–156.
- HUBENOV, Z., BESHOVSKI, V., BESHKOV, S., KOLAROV, J., KUMANSKI, K., POPOV, A., and VASSILEVA, E., 1998, Insects of Bulgaria, Part 2: Blattoidea, Mantoidea, Isoptera, Orthoptera, Dermaptera, Embioptera, Megaloptera, Raphidioptera, Neuroptera, Mecoptera, Hymenoptera, Trichoptera, Lepidoptera and Diptera, in Meine, C., ed., Bulgaria's Biological Diversity: Conservation Status and Needs Assessment, Biodiversity Support Program, Washington, DC, v. 1–2, p. 211–259.
- JOHNSON, J.B., 1995, Lacewings (Insecta: Neuroptera) of the Columbia River Basin: Interior Columbia Basin Ecosystem Management Project Contract # 43-0E00-4-9222, p. 1–16.
- KILLINGTON, F.J., 1926, Notes on Neuroptera taken in 1925: Entomologist (London), v. 59, p. 110–112.
- KILLINGTON, F.J., 1931, Notes on British Neuroptera: Entomologist (London), v. 64, p. 73–76.
- KIS, B., 1959, Faunenkatalog der bisher in der Rumänischen Volksrepublik bekannten Neuropteren und Mecopteren: Folia Entomologica Hungarica (NS), v. 12, p. 331–347.
- KIS, B., 1965, Beiträge zur Kenntnis der Neuropteridenfauna Rumäniens: Folia Entomologica Hungarica (NS), v. 18, p. 359–366.
- KIS, B., and STAMP, H.M., 1964, Katalog der Neuropterensammlung des Brukenthalmuseums in Sibiu (Hermannstadt): Entomologische Abhandlungen Staatliches Museum für Tierkunde Dresden, v. 32, p. 53–60.
- KOVANCI, B., and CANBULAT, S., 2007, A new species of the genus *Nothochrysa* McLachlan 1868 from northwestern Turkey (Neuroptera: Chrysopidae) with a key to western Palaearctic species: Annales de la Société Entomologique de France (NS), v. 43, p. 165–168.
- KURBANOV, G.G., 1972, A study of Chrysopidae of high Caucasus in the limits of the Azerbaijdzhan SSR: Izvestiya Akademii Nauk Azerbaijdzhanskoi SSR Seriya Biologicheskikh Nauk, v. 3, p. 93–98. In Russian.
- LETARDI, A., and BISCACCANTI, A.B., 2007, Neuropterida of the Majella National Park (Italy): Annali del Museo Civico di Storia Naturale di Ferrara, v. 8, p. 107–110.
- LETARDI, A., and MALTZEFF, P., 2001, Neuroteridi e Mecotteri della Tenuta Presidenziale di Castelporziano e delle aree limitrofe (Neuroptera, Raphidioptera, Mecoptera): Bollettino dell'Associazione Romana di Entomologia, v. 56, p. 49–62.
- LUCAS, W.J., 1917, British Neuroptera in 1916: Entomologist (London), v. 50, p. 87–89.
- LUCAS, W.J., 1922, Notes on British Neuroptera in 1921: Entomologist (London), v. 55, p. 57–58.
- LUCAS, W.J., 1925, Notes on British Neuroptera (including Megaloptera and Mecoptera) in 1924: Entomologist (London), v. 58, p. 155–156.
- LUCAS, W.J., 1928, Notes on British Neuroptera and Mecoptera in 1927: Entomologist (London), v. 61, p. 217–220.
- LUCAS, W.J., 1931, Notes on British Neuroptera and Mecoptera in 1930: Entomologist (London), v. 64, p. 243–244.
- MAKARKIN, V.N., and SHCHUROV, V.I., 2011, New data on Neuroptera of the Caucasus: Kavkazskii Entomologicheskii Byulleten, v. 7, p. 61–67. In Russian.

- MARÍN, F., and MONSERRAT, V.J., 1989, Contribución al conocimiento de los neurópteros de Cantabria (Insecta, Neuropteroidea): Boletin de la Asociacion Espanola de Entomologia, v. 13, p. 287–298.
- MARÍN, F., and MONSERRAT, V.J., 1995, Contribución al conocimiento de los neurópteros de Zaragoza (Insecta, Neuropteroidea): Zapateri, Revista Aragonesa de Entomología, v. 5, p. 109–126.
- MCLACHLAN, R., 1898, Neuroptera-Planipennia collected in Algeria by the Rev. A. E. Eaton: Transactions of the Royal Entomological Society of London, v. 46, p. 151–168.
- MONSERRAT, V.J., 1978, Contribución al conocimiento de los Neurópteros de Orense (Neu. Planipennia): Boletin de la Asociacion Espanola de Entomologia, v. 2, p. 169–184.
- MONSERRAT, V.J., 1980, Contribucion al conocimiento de los Neuropteros de Italia (Neuroptera, Planipennia): Neuroptera International, v. 1, p. 48–64.
- MONSERRAT, V.J., 1986, Sobre los Neurópteros ibéricos (IV) (Neur.): Boletin de la Asociacion Espanola de Entomologia, v. 10, p. 95–105.
- MONSERRAT, V.J., 2005, Catálogo de los Neurópteros de Baleares con nuevos datos sobre su fauna (Insecta, Neuroptera): Boletin de la Asociacion Espanola de Entomologia, v. 48, p. 71–85.
- MONSERRAT, V.J., 2008, Nuevos datos sobre algunas especies de chrisópidos (Insecta: Neuroptera: Chrysopidae): Heteropterus Revista de Entomología, v. 8, p. 171–196.
- MONSERRAT, V.J., and RODRIGO, F., 1992, Nuevas citas sobre los crisópidos ibéricos (Insecta, Neuroptera: Chrysopidae): Zoologica Baetica, v. 3, p. 123–138.
- MORGAN, M.J., 1996, The invertebrate fauna of Gregynog, Montgomery (SO 09, VC47): Natural Science Report 96/5/1, p. 1–38.
- MORGAN, M.J., 1976, Neuroptera and Mecoptera in north Wales: a preliminary survey of their distribution: Entomologist's Gazette, v. 27, p. 229–242.
- NAVÁS, L., 1912, Crisópidos y Hemeróbidos (Ins. Neur.) nuevos ó críticos: Brotéria (Zoológica), v. 10, p. 98–113.
- NEW, T.R., 1980, A revision of the Australian Chrysopidae (Insecta: Neuroptera): Australian Journal of Zoology, Supplementary Series, v. 77, p. 1–143.
- NIELSEN, E.S., 1977, En undersogelse af netvingfaunaen (Neuroptera s. str.) i en dansk bogeskov [Studies on lacewings (Neuroptera, s. str.) in a Danish Beech stand]: Entomologiske Meddelelser, v. 45, p. 45–64.
- OHM, P., 1963, Die Neuropteren und Mecopteren des Reher Kratts: Faunistische Mitteilungen aus Norddeutschland, v. 2, p. 67–71.
- OHM, P., 1964, Die Neuropteren- und Mecopterenfauna der Umgebung von Plön (Holstein): Faunistische Mitteilungen aus Norddeutschland, v. 2, p. 125–128.
- OHM, P., and REMANE, R., 1968, Die Neuropterenfauna Hessens und einiger angrenzender Gebiete (Zur Verbreitung der Neuropteren in Mitteleuropa): Faunistisch-Ökologische Mitteilungen, v. 3, p. 209–228.
- PANTALEONI, R.A., 1993, I neurotteri (Insecta Neuropteroidea) delle collezioni "Zangheri" (Museo di Storia Naturale della Romagna) e "Malmerendi" (Museo civico di Scienze Naturali di Faenza): Bollettino del Museo Civico di Storia Naturale di Verona, v. 17(for 1990), p. 277–291.
- PANTALEONI, R.A., CAMPADELLI, G., and CRUDELE, G., 1994, Nuovi dati sui Neurotteri dell'alto Appennino romagnolo: Bollettino dell'Istituto di Entomologia "Guido Grandi" della Università degli studi di Bologna, v. 48, p. 171–183.
- PRINCIPI, M.M., 1956, Campagna di ricerche dell'Istituto di Entomologia dell'Università di Bologna nella "Foresta Umbra" (Gargano). IV. Reperti etologici su di un raro neurottero crysopide, *I'Hypochrysa nobilis* Schneider: Atti dell'Accademia delle Scienze dell'Istituto di Bologna, Rendiconti, Classe di Scienze Fisiche, v. 3, p. 152–154.

- ROKHLETZOVA, A.V., 2000, Materials on the Neuroptera fauna of the Ulyanovsk region, *in* The Nature of the Simbirsk Volga region. Issue 1. Ulyanovsk State Technical University, Ulyanovsk, p. 113–126. In Russian.
- SÉMÉRIA, Y., 1992, Planipennes (Neuroptera) urbains: les espaces verts. I.– Nice ville. Chrysopidae du domaine Valrose (1982–1983): Neuroptera International, v. 7, p. 15–20.
- THIERRY, D., DEUTSCH, B., PAULIAN, M., VILLENAVE, J., CANARD, M., 2005, Typifying ecosystems by using green lacewing assemblages: Agronomy for Sustainable Development, v. 25, p. 473–479.
- TJEDER, B., 1940, Revisions of the Scandinavian Neuroptera (s. str.) and Mecoptera recorded by J. W. Zetterstedt, H. D. J. Wallengren, and others: Opuscula Entomologica, v. 5, p. 67–114.
- TJEDER, B., 1966, The Lace-wings of Southern Africa. 5. Family Chrysopidae, *in* Hanström, B., Brinck, P., Rudebec, G., eds., South African Animal Life, v. 12: Swedish Natural Science Research Council, Stockholm, p. 228–534.
- UJHELYI, S., 1968, Adatok a récesszárnyú rovarok hazai előfordulásához: Állattani Közlemények, v. 55, p. 129–139.
- WORMALD, P.C., 1869, Capture of rare species of Neuroptera-Planipennia: Entomologist's Monthly Magazine, v. 6, p. 139.
- YANG, C.K., 1986, The subfamily Nothochrysinae new to China and a new species of the genus *Nothochrysa* (Neuroptera: Chrysopidae): Entomotaxonomia, v. 8, p. 277–280. In Chinese.
- ZACWILICHOWSKI, J., 1938, Materiały do fauny sieciarek (Neuroptera) Polski: Fragmenta Faunistica Musei Zoologicj Polonici (Warsaw), v. 3, p. 241–249.
- ZELENÝ, J., 2008, Neuroptera of the Bohemian Forest and the foothills: Silva Gabreta, v. 14, p. 135–148.

Table S5—Modern Chrysopinae occurrences used in climate analysis. Country and taxon names are given as reported. Some country names have been subsequently changed and taxon names revised. For example, species appearing here as belonging to *Nothochrysa* are now placed in the genus *Italochrysa*, within the Chrysopinae.

species	latitude	longitude	MAT	CQMT	MAP	country	reference
<i>Anisochrysa venosa</i>	24.70753	46.80450	25.3	15.5	111	Saudi Arabia	Hölzel 1980a
<i>Anisochrysa phlebia</i>	25.40034	49.59133	26.3	17.0	74	Saudi Arabia	Hölzel 1980a
<i>Ankylopteryx venusta</i>	-28.37945	32.30849	21.6	18.0	1072	South Africa	Tjeder 1966
<i>Ankylopteryx venusta</i>	-2.03420	33.06040	22.2	21.5	1468	Tanganyika Terr	Tjeder 1966
<i>Ankylopteryx pallidula</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
<i>Ankylopteryx pellucida</i>	-23.90000	30.06670	18.8	14.2	1119	Transvaal	Tjeder 1966
<i>Ankylopteryx grata</i>	-29.61667	30.38333	18.3	13.7	888	South Africa	Tjeder 1966
<i>Ankylopteryx grata</i>	-29.88424	30.97903	20.8	17.2	971	South Africa	Tjeder 1966
<i>Ankylopteryx grata</i>	-29.85788	31.02758	20.9	17.4	974	South Africa	Tjeder 1966
<i>Ankylopteryx grata</i>	-29.81484	31.01752	20.8	17.4	972	South Africa	Tjeder 1966
<i>Ankylopteryx pusilla</i>	-18.40024	36.10298	25.3	22.1	1035	Mozambique	Tjeder 1966
<i>Ankylopteryx neavei</i>	-33.99966	23.40124	16.5	13.2	902	Cape Prov.	Tjeder 1966
<i>Ankylopteryx neavei</i>	-1.26408	36.83424	19.2	17.4	837	Kenya	Tjeder 1966
<i>Ankylopteryx neavei</i>	0.12558	34.84448	19.9	19.0	1921	Kenya	Tjeder 1966
<i>Ankylopteryx neavei</i>	0.31627	32.58265	21.5	20.7	1284	Uganda	Tjeder 1966
<i>Ankylopteryx neavei</i>	0.37559	32.27296	21.7	20.9	1228	Uganda	Tjeder 1966
<i>Ankylopteryx splendidissima</i>	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
<i>Ankylopteryx buettikoferi</i>	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
<i>Ankylopteryx alhaudu</i>	-4.68267	55.48040	24.9	24.2	2281	Seychelles	Navás 1910
<i>Ankylopteryx splendidissima</i>	4.80000	8.96666	26.0	25.0	3027	Cameroon	Gersaeker 1884
<i>Ankylopteryx buettikoferi</i>	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
<i>Ankylopteryx nepheloptera</i>	-5.06670	12.85000	25.0	22.1	1216	DR Congo	W-RMCA-1
<i>Ankylopteryx pallidula</i>	-27.04731	32.42007	22.6	18.8	737	South Africa	W-RMCA-2
<i>Ankylopteryx pallidula</i>	-29.86335	30.98680	20.6	17.2	976	South Africa	W-RMCA-2
<i>Ankylopteryx pallidula</i>	-27.53534	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
<i>Ankylopteryx pallidula</i>	-28.89596	31.45276	19.1	16.1	1112	South Africa	W-RMCA-2
<i>Ankylopteryx pallidula</i>	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2
<i>Ankylopteryx buettikoferi</i>	2.15392	31.23074	24.5	23.4	969	DR Congo	W-RMCA-1
<i>Ankylopteryx burgeoni</i>	2.91034	29.41517	23.8	22.7	1745	DR Congo	W-RMCA-1
<i>Ankylopteryx fastuosa</i>	-5.84922	13.05358	27.6	24.7	879	DR Congo	W-RMCA-1

<i>Ankylopteryx lambillioni</i>	-5.06670	12.85000	25.0	22.1	1216	DR Congo	W-RMCA-1
<i>Ankylopteryx modesta</i>	1.58333	44.16667	26.5	25.3	441	Somalia	W-RMCA-1
<i>Ankylopteryx overlaeti</i>	-9.69778	22.94111	23.2	21.8	1307	DR Congo	W-RMCA-1
<i>Ankylopteryx tristica</i>	2.15392	31.23074	24.5	23.4	969	DR Congo	W-RMCA-1
<i>Ankylopteryx pallida</i>	-17.37210	145.38234	19.6	15.6	1252	Australia	New 1980
<i>Ankylopteryx pallida</i>	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
<i>Ankylopteryx pallida</i>	-26.65154	153.08815	20.4	15.7	1777	Australia	New 1980
<i>Ankylopteryx pallida</i>	-27.37395	152.88429	19.9	14.7	1254	Australia	New 1980
<i>Ankylopteryx pallida</i>	-18.89196	145.91693	20.7	16.1	947	Australia	New 1980
<i>Ankylopteryx pallida</i>	-27.45123	153.06265	20.3	15.2	1177	Australia	New 1980
<i>Ankylopteryx pallida</i>	-28.17010	153.53815	19.9	15.3	1646	Australia	New 1980
<i>Ankylopteryx pallida</i>	-27.63229	152.59101	19.8	14.0	924	Australia	New 1980
<i>Ankylopteryx pallida</i>	-34.64520	150.48263	13.2	7.7	1479	Australia	New 1980
<i>Ankylopteryx pallida</i>	-31.89692	151.56281	12.2	6.3	1150	Australia	New 1980
<i>Ankylopteryx pallida</i>	-33.39352	151.34356	17.3	12.2	1388	Australia	New 1980
<i>Ankylopteryx pallida</i>	-17.93177	145.92293	23.8	19.8	2833	Australia	New 1980
<i>Ankylopteryx pallida</i>	-17.71397	146.04276	23.8	20.0	3372	Australia	New 1980
<i>Ankylopteryx pallida</i>	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
<i>Ankylopteryx picilabris</i>	-16.91771	145.75279	24.7	21.3	2421	Australia	New 1980
<i>Ankylopteryx picilabris</i>	-18.58251	146.28321	24.2	20.0	2194	Australia	New 1980
<i>Ankylopteryx picilabris</i>	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
<i>Ankylopteryx rieki</i>	-17.14239	145.75163	23.2	19.6	2962	Australia	New 1980
<i>Ankylopteryx rieki</i>	-22.55000	31.08333	23.3	18.9	502	South Africa	W-RMCA-2
<i>Apertochrysa eurydera</i>	0.01667	37.06667	16.3	15.8	809	South Africa	W-RMCA-1
<i>Apertochrysa umbrosa</i>	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-25.76170	29.31452	16.0	10.0	676	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-22.59721	31.29954	23.0	18.5	526	South Africa	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-24.63719	26.40206	20.6	14.0	448	Mozambique	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-23.78398	30.15467	19.6	15.0	1041	Botswana	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-28.35000	18.98330	19.7	12.7	122	Namibia	W-RMCA-2
<i>Brinckochrysa stenoptera</i>	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2

<i>Brinckochrysa stenoptera</i>	30.45571	16.4	11.3	750	South Africa
<i>Brinckochrysa stenoptera</i>	28.20970	17.6	11.9	708	South Africa
<i>Brinckochrysa stenoptera</i>	29.25543	19.2	13.6	650	South Africa
<i>Brinckochrysa stenoptera</i>	32.43117	21.5	17.6	1003	South Africa
<i>Brinckochrysa stenoptera</i>	27.45001	20.8	14.4	431	South Africa
<i>Brinckochrysa stenoptera</i>	28.22934	18.9	13.1	557	South Africa
<i>Brinckochrysa stenoptera</i>	26.08367	18.2	11.8	597	South Africa
<i>Brinckochrysa stenoptera</i>	32.41514	21.3	17.5	1033	South Africa
<i>Brinckochrysa stenoptera</i>	31.45933	22.5	17.5	526	South Africa
<i>Brinckochrysa stenoptera</i>	29.92214	17.5	13.1	753	South Africa
<i>Brinckochrysa stenoptera</i>	26.21734	16.0	9.0	556	South Africa
<i>Brinckochrysa stenoptera</i>	28.24980	17.6	11.9	708	South Africa
<i>Brinckochrysa stenoptera</i>	18.88330	19.4	13.3	226	South Africa
<i>Brinckochrysa stenoptera</i>	27.80803	19.9	13.8	585	South Africa
<i>Brinckochrysa stenoptera</i>	28.63841	16.8	11.6	657	South Africa
<i>Brinckochrysa stenoptera</i>	26.08367	18.2	11.8	597	South Africa
<i>Brinckochrysa stenoptera</i>	31.73322	22.9	17.6	512	South Africa
<i>Brinckochrysa stenoptera</i>	28.77591	19.3	13.7	545	South Africa
<i>Brinckochrysa stenoptera</i>	30.58547	19.0	15.8	1026	South Africa
<i>Brinckochrysa stenoptera</i>	15.04798	21.0	18.4	22	Namibia
<i>Brinckochrysa stenoptera</i>	17.08543	19.3	14.2	368	Namibia
<i>Brinckochrysa stenoptera</i>	27.24593	14.7	8.2	672	South Africa
<i>Brinckochrysa chlorosoma</i>	21.98355	20.0	12.7	219	South Africa
<i>Brinckochrysa chlorosoma</i>	44.08333	28.4	27.4	565	Somalia
<i>Brinckochrysa chlorosoma</i>	28.09270	18.8	12.8	625	South Africa
<i>Brinckochrysa pulchella</i>	28.26682	17.2	11.7	714	South Africa
<i>Brinckochrysa pulchella</i>	27.45001	20.8	14.4	431	South Africa
<i>Brinckochrysa pulchella</i>	28.21202	17.6	11.9	708	South Africa
<i>Brinckochrysa pulchella</i>	28.95222	16.6	10.8	680	South Africa
<i>Brinckochrysa pulchella</i>	29.25543	19.2	13.6	650	South Africa
<i>Brinckochrysa stenoptera</i>	27.18333	17.0	11.2	713	South Africa
<i>Brinckochrysa stenoptera</i>	28.22934	18.9	13.1	557	South Africa
<i>Brinckochrysa stenoptera</i>	28.77591	19.3	13.7	545	South Africa
<i>Brinckochrysa stenoptera</i>	29.25543	19.2	13.6	650	South Africa
<i>Brinckochrysa stenoptera</i>	28.21202	17.6	11.9	708	South Africa
<i>Brinckochrysa stenoptera</i>	18.98330	19.7	12.7	122	Namibia

<i>Brinckochrysa stenoptera</i>	-22.59721	31.29954	23.0	18.5	526	Mozambique
<i>Brinckochrysa stenoptera</i>	-30.26096	29.92214	17.5	13.1	753	South Africa
<i>Brinckochrysa stenoptera</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Brinckochrysa stenoptera</i>	-25.13989	27.80803	19.9	13.8	585	South Africa
<i>Brinckochrysa stenoptera</i>	-25.73001	28.24980	17.6	11.9	708	South Africa
<i>Brinckochrysa stenoptera</i>	-28.20611	32.41514	21.3	17.5	1033	South Africa
<i>Brinckochrysa stenoptera</i>	-23.58332	27.45001	20.8	14.4	431	South Africa
<i>Brinckochrysa stenoptera</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Brinckochrysa stenoptera</i>	-25.74245	28.20970	17.6	11.9	708	South Africa
<i>Brinckochrysa stenoptera</i>	-32.18330	18.88330	19.4	13.3	226	South Africa
<i>Brinckochrysa stenoptera</i>	-23.97523	31.45933	22.5	17.5	526	South Africa
<i>Brinckochrysa stenoptera</i>	-24.99581	31.59265	21.8	16.5	641	South Africa
<i>Brinckochrysa stenoptera</i>	-28.11167	32.43117	21.5	17.6	1003	South Africa
<i>Brinckochrysa stenoptera</i>	-25.53322	26.08367	18.2	11.8	597	South Africa
<i>Brinckochrysa stenoptera</i>	-24.63719	26.40206	20.6	14.0	448	Botswana
<i>Brinckochrysa stenoptera</i>	-23.78398	30.15467	19.6	15.0	1041	South Africa
<i>Brinckochrysa stenoptera</i>	-24.05357	31.73322	22.9	17.6	512	South Africa
<i>Brinckochrysa stenoptera</i>	-25.09289	30.45571	16.4	11.3	750	South Africa
<i>Brinckochrysa stenoptera</i>	-23.74436	27.80750	20.9	14.8	458	South Africa
<i>Brinckochrysa stenoptera</i>	-30.27535	30.58547	19.0	15.8	1026	South Africa
<i>Brinckochrysa stenoptera</i>	-24.19995	28.63841	16.8	11.6	657	South Africa
<i>Brinckochrysa stenoptera</i>	-29.11585	26.21734	16.0	9.0	556	South Africa
<i>Brinckochrysa stenoptera</i>	-27.91667	32.36667	21.5	17.6	894	South Africa
<i>Brinckochrysa stenoptera</i>	-25.76170	29.31452	16.0	10.0	676	South Africa
<i>Brinckochrysa tjederi</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Brinckochrysa tjederi</i>	-27.53534	32.67100	22.3	18.7	932	South Africa
<i>Brinckochrysa tjederi</i>	-25.76007	28.31410	17.2	11.6	709	South Africa
<i>Brinckochrysa tjederi</i>	-28.95281	31.75766	21.6	17.9	1083	South Africa
<i>Brinckochrysa tjederi</i>	-25.74245	28.20970	17.6	11.9	708	South Africa
<i>Brinckochrysa tjederi</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Brinckochrysa turkanensis</i>	-23.56679	15.04798	21.0	18.4	22	Namibia
<i>Brinckochrysa turkanensis</i>	-28.86881	27.24593	14.7	8.2	672	South Africa
<i>Brinckochrysa turkanensis</i>	-27.45534	23.43068	17.6	10.9	473	South Africa
<i>Brinckochrysa turkanensis</i>	-25.42136	20.59624	20.4	12.5	237	South Africa
<i>Brinckochrysa turkanensis</i>	-23.74436	27.80750	20.9	14.8	458	South Africa
<i>Brinckochrysa turkanensis</i>	-23.83631	28.22934	18.9	13.1	557	South Africa

<i>Brinckochrysa turkanaensis</i>	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-23.63737	15.18165	20.6	17.8	33	Namibia	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-28.53333	28.81667	14.4	9.1	812	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-22.00012	15.58520	21.6	17.7	152	Namibia	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-19.60263	13.38813	20.2	17.1	97	Namibia	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
<i>Brinckochrysa turkanaensis</i>	2.86667	44.01663	28.3	27.2	557	Somalia	W-RMCA-1
<i>Brinckochrysa notabilis</i>	-5.70000	13.06670	25.9	22.9	1037	DR Congo	W-RMCA-1
<i>Brinckochrysa pulchella</i>	24.45514	46.97773	25.8	16.1	100	Saudi Arabia	Höfzel 1980a
<i>Brinckochrysa affieri</i>	34.60732	9.60721	18.2	10.1	182	Tunisia	Höfzel 1980a
<i>Borniochrysa squamosa</i>	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
<i>Borniochrysa squamosa</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.44683	30.74624	19.1	14.6	851	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.09929	31.08369	20.4	16.4	828	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.83164	28.21611	16.7	11.1	719	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-0.70972	36.42202	16.9	15.6	709	Kenya	W-RMCA-2
<i>Borniochrysa squamosa</i>	1.30815	35.20691	18.5	17.8	990	Kenya	W-RMCA-2
<i>Borniochrysa squamosa</i>	-25.06510	30.88484	18.6	14.8	1105	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-33.59934	26.89198	18.3	15.8	581	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
<i>Borniochrysa squamosa</i>	-23.88386	29.74010	16.1	11.6	866	South Africa	W-RMCA-2

				DR Congo	W-RMCA-1
-1.18331	<i>Borniochrysa squamosa</i>	29.44876	21.9	21.6	1174
-34.40229	<i>Calochrysa extranea</i>	150.48154	13.3	7.7	1074
-24.76823	<i>Calochrysa extranea</i>	151.96159	21.3	16.2	1080
-26.43184	<i>Calochrysa extranea</i>	147.30939	19.1	11.2	566
-26.39528	<i>Calochrysa extranea</i>	146.07732	20.7	12.7	475
-28.97174	<i>Calochrysa extranea</i>	147.79416	20.3	12.5	450
-26.48786	<i>Calochrysa extranea</i>	147.98191	19.7	12.0	562
-26.56481	<i>Calochrysa extranea</i>	148.79870	19.8	12.3	626
-28.33539	<i>Calochrysa extranea</i>	152.29272	16.4	10.4	922
-24.11547	<i>Calochrysa extranea</i>	148.08619	20.9	14.1	730
-17.64226	<i>Calochrysa extranea</i>	145.45673	20.5	16.4	1475
-28.07617	<i>Calochrysa extranea</i>	145.67856	20.5	12.5	384
-22.82475	<i>Calochrysa extranea</i>	147.63268	22.0	15.5	656
-19.25946	<i>Calochrysa extranea</i>	146.81180	24.1	19.6	1099
-20.76585	<i>Calochrysa extranea</i>	145.02183	23.1	17.0	580
-16.46397	<i>Calochrysa extranea</i>	136.07081	27.0	21.6	710
-16.80549	<i>Calochrysa extranea</i>	135.66650	26.7	21.1	652
-17.49998	<i>Calochrysa extranea</i>	130.78336	26.8	20.6	586
-19.43965	<i>Calochrysa extranea</i>	135.444481	25.8	19.1	378
-31.25126	<i>Calochrysa extranea</i>	124.111868	18.1	12.0	227
-20.43358	<i>Calochrysa extranea</i>	115.53480	26.0	21.4	299
-31.95717	<i>Calochrysa extranea</i>	115.84078	18.7	14.0	803
-32.59693	<i>Calochrysa extranea</i>	116.227704	15.5	10.1	981
-34.49443	<i>Calochrysa extranea</i>	116.17585	14.8	11.0	1074
-33.92580	<i>Calochrysa extranea</i>	115.08025	16.4	13.1	1082
-31.98646	<i>Calochrysa extranea</i>	115.866617	18.7	14.1	793
-33.65327	<i>Calochrysa extranea</i>	115.34732	16.4	12.5	830
-31.98084	<i>Calochrysa extranea</i>	115.79955	18.7	14.1	782
-34.07244	<i>Calochrysa extranea</i>	115.10701	16.5	13.2	1064
-31.97340	<i>Calochrysa extranea</i>	116.06135	17.0	11.7	966
-32.07798	<i>Calochrysa extranea</i>	121.677966	17.3	11.2	287
-30.29126	<i>Calochrysa extranea</i>	115.32121	18.9	14.0	565
-27.82796	<i>Calochrysa extranea</i>	114.68647	20.2	14.5	380
-21.59052	<i>Calochrysa extranea</i>	117.07025	26.4	19.5	352
-21.59052	<i>Calochrysa extranea</i>	117.07025	26.4	19.5	352
-26.31451	<i>Calochrysa extranea</i>	114.42945	22.2	15.5	216

<i>Calochrysa extranea</i>	-30.62399	115.65349	17.7	12.4	585	Australia
<i>Calochrysa extranea</i>	-31.11018	122.68265	18.0	11.4	241	Australia
<i>Calochrysa extranea</i>	-31.23333	121.46667	17.6	11.0	277	Australia
<i>Calochrysa extranea</i>	-31.56661	122.58332	17.6	11.4	257	Australia
<i>Calochrysa extranea</i>	-32.63333	121.48333	17.0	11.6	329	Australia
<i>Calochrysa extranea</i>	-32.12262	121.85431	17.3	11.3	286	Australia
<i>Calochrysa extranea</i>	-32.79632	137.06269	17.1	10.9	263	Australia
<i>Calochrysa extranea</i>	-30.59165	138.39302	19.1	11.3	170	Australia
<i>Calochrysa extranea</i>	-32.47261	137.82100	18.6	12.1	254	Australia
<i>Calochrysa extranea</i>	-27.74302	140.73187	22.0	13.7	176	Australia
<i>Calochrysa extranea</i>	-35.54468	138.611841	15.5	11.6	556	Australia
<i>Calochrysa extranea</i>	-34.97209	138.64052	15.2	10.3	711	Australia
<i>Calochrysa extranea</i>	-35.42996	149.06293	12.9	6.2	694	Australia
<i>Calochrysa extranea</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Calochrysa extranea</i>	-30.44469	146.22061	19.8	12.1	380	Australia
<i>Calochrysa extranea</i>	-31.53340	146.28333	18.2	10.5	447	Australia
<i>Calochrysa extranea</i>	-32.55310	148.94045	16.5	9.4	667	Australia
<i>Calochrysa extranea</i>	-30.02073	148.111496	19.7	11.9	512	Australia
<i>Calochrysa extranea</i>	-36.14844	141.89489	15.1	9.3	392	Australia
<i>Calochrysa extranea</i>	-35.08693	142.32363	16.4	10.1	355	Australia
<i>Calochrysa extranea</i>	-26.85000	-65.38333	17.0	11.8	1089	Argentina
<i>Ceraeochrysa angulata</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Ceraeochrysa sp.</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Ceraeochrysa sp.</i>	8.75939	-83.28310	26.2	25.4	4840	Costa Rica
<i>Ceraeochrysa. berlandi</i>	8.67910	-83.56670	25.3	24.4	3826	Costa Rica
<i>Ceraeochrysa. everes</i>	8.48017	-83.59130	26.2	25.4	4452	Costa Rica
<i>Ceraeochrysa. sp.</i>	8.67910	-83.56670	25.3	24.4	3826	Costa Rica
<i>Ceraeochrysa. sanchezii</i>	8.67910	-83.56670	25.3	24.4	3826	Costa Rica
<i>Ceraeochrysa. costaricensis</i>	8.94221	-82.83560	19.3	18.6	3002	Costa Rica
<i>Ceraeochrysa. discolor</i>	8.94944	-82.83640	19.3	18.6	3002	Costa Rica
<i>Ceraeochrysa. sp.</i>	8.94944	-82.83640	19.3	18.6	3002	Costa Rica
<i>Ceraeochrysa. discolor</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica
<i>Ceraeochrysa elegans</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica
<i>Ceraeochrysa. costaricensis</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica
<i>Ceraeochrysa. sp.</i>	8.85000	-82.58333	14.9	14.0	2371	Panama
<i>Ceraeochrysa tanberae</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica

<i>Ceraeochrysa. sanctezi</i>	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
<i>Ceraeochrysa tauberae</i>	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
<i>Ceraeochrysa. sp.</i>	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.52520	25.2	24.4	2952	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.78660	17.6	16.8	4867	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.69490	20.2	19.4	3060	Costa Rica	W-GBIF-6
<i>Ceraeochrysa elegans</i>	-83.69490	20.2	19.4	3060	Costa Rica	W-GBIF-6
<i>Ceraeochrysa inbio</i>	-83.69490	20.2	19.4	3060	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. cubana</i>	-83.78830	19.0	18.2	3835	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. berlandi</i>	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-83.68333	22.1	21.2	2808	Costa Rica	W-GBIF-2
<i>Ceraeochrysa. smithi</i>	-82.95630	25.9	25.0	2595	Costa Rica	W-GBIF-6
<i>Ceraeochrysa acmon</i>	-82.95630	25.9	25.0	2595	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-79.53333	26.4	25.8	2000	Panama	W-GBIF-2
<i>Ceraeochrysa. sp.</i>	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.73110	25.5	24.6	1660	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.02320	23.0	22.2	2511	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.48880	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.48880	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6

<i>Ceraeochrysa. sp.</i>	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sanchezi</i>	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sanchezi</i>	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	10.88330	-85.41350	23.0	22.2	2664	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	10.88330	-85.41350	23.0	22.2	2664	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.88970	-85.39890	23.0	22.2	2664	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.34910	-85.35230	26.5	25.6	1832	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.33270	-85.26240	26.7	25.9	1795	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. claveri</i>	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.89750	-85.46530	22.9	22.1	2499	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. smithi</i>	10.89750	-85.46530	22.9	22.1	2499	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6

<i>Ceraeochrysa. cubana</i>	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. cubana</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. everesi</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. claveri</i>	10.43920	-84.01090	26.0	25.2	3980	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.18350	-84.39270	17.6	16.9	2685	Costa Rica	W-GBIF-6
<i>Ceraeochrysa elegans</i>	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. nigripedis</i>	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. berlandi</i>	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. discolor</i>	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. nigripedis</i>	10.17610	-84.11140	16.4	15.6	3308	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. nigripedis</i>	10.26666	-84.08333	21.7	21.0	3838	Costa Rica	W-GBIF-2
<i>Ceraeochrysa. claverti</i>	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. claverti</i>	10.59430	-83.71650	25.7	24.9	4986	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	10.65000	-61.40000	26.0	25.1	1762	Trinidad/Tobago	W-GBIF-2
<i>Ceraeochrysa. sp.</i>	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. cubana</i>	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	11.03430	-85.52750	24.8	23.9	1979	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sanchezi</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. smithi</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. smithi</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sanchezi</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Ceraeochrysa. sp.</i>	12.00000	-61.77153	27.3	26.5	1774	Grenada	W-GBIF-2
<i>Ceraeochrysa cubana</i>	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
<i>Ceraeochrysa cubana</i>	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
<i>Ceraeochrysa cubana</i>	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
<i>Ceraeochrysa cubana</i>	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
<i>Ceraeochrysa sp.</i>	15.30646	-61.38546	26.0	24.6	2094	Dominican Rep.	W-GBIF-2
<i>Ceraeochrysa sp.</i>	16.60000	-93.91667	23.8	21.7	1086	Mexico	W-GBIF-2

<i>Ceraeochrysa sp.</i>	16.60000	-93.91667	23.8	21.7	1086	Mexico
<i>Ceraeochrysa cubana</i>	17.81667	-77.21667	26.5	25.2	1069	Jamaica
<i>Ceraeochrysa gradata</i>	18.91861	-99.16772	21.1	19.4	1038	Mexico
<i>Ceraeochrysa sp.</i>	18.90000	-97.00000	20.2	17.3	1967	Mexico
<i>Ceraeochrysa cincta</i>	18.11542	-77.27528	24.3	23.0	1517	Jamaica
<i>Ceraeochrysa sp.</i>	18.45604	-77.40013	24.2	22.9	1460	Jamaica
<i>Ceraeochrysa valida</i>	18.05000	-76.75000	23.4	21.9	1994	Jamaica
<i>Ceraeochrysa valida</i>	18.66139	-71.21667	23.7	21.9	1009	Dominican Rep.
<i>Ceraeochrysa sp.</i>	18.43330	-66.48330	25.4	23.7	1603	USA
<i>Ceraeochrysa sp.</i>	19.53333	-105.06670	26.4	24.1	747	Mexico
<i>Ceraeochrysa sp.</i>	19.23521	-96.60223	24.6	21.4	994	Mexico
<i>Ceraeochrysa sp.</i>	19.41703	-96.91667	19.5	16.5	1703	Mexico
<i>Ceraeochrysa sp.</i>	19.41703	-96.91667	19.5	16.5	1703	Mexico
<i>Ceraeochrysa sp.</i>	19.23521	-96.60223	24.6	21.4	994	Mexico
<i>Ceraeochrysa valida</i>	19.71043	-71.26667	26.2	24.1	940	Dominican Rep.
<i>Ceraeochrysa valida</i>	20.96667	-89.61667	25.8	23.0	950	Mexico
<i>Ceraeochrysa sanctaezi</i>	20.03537	-77.57301	25.9	23.8	1035	Cuba
<i>Ceraeochrysa sp.</i>	21.67472	-105.08670	25.1	21.7	1446	Mexico
<i>Ceraeochrysa sp.</i>	21.32528	-104.71330	19.7	16.7	1063	Mexico
<i>Ceraeochrysa valida</i>	21.22199	-98.84750	22.9	18.3	1993	Mexico
<i>Ceraeochrysa sp.</i>	22.83333	-99.00000	25.3	20.0	1089	Mexico
<i>Ceraeochrysa sp.</i>	22.83333	-99.00000	25.3	20.0	1089	Mexico
<i>Ceraeochrysa sp.</i>	22.30000	-97.85447	23.9	19.3	1098	Mexico
<i>Ceraeochrysa sp.</i>	22.30000	-97.85447	23.9	19.3	1098	Mexico
<i>Ceraeochrysa sp.</i>	22.97000	-82.38695	24.4	21.5	1560	Cuba
<i>Ceraeochrysa sp.</i>	23.10944	-82.42111	24.9	22.1	1325	Cuba
<i>Ceraeochrysa smithi</i>	23.07667	-82.43000	24.7	21.9	1402	Cuba
<i>Ceraeochrysa sp.</i>	25.40778	-108.45000	24.9	19.4	451	Mexico
<i>Ceraeochrysa sp.</i>	25.40778	-108.45000	24.9	19.4	451	Mexico
<i>Ceraeochrysa sp.</i>	25.90175	-97.49748	23.2	16.6	687	USA
<i>Ceraeochrysa valida</i>	25.90175	-97.49748	23.2	16.6	687	USA
<i>Ceraeochrysa cubana</i>	25.93278	-80.16278	24.2	20.0	1387	USA
<i>Ceraeochrysa cincta</i>	25.77389	-80.19389	24.3	20.2	1267	USA
<i>Ceraeochrysa valida</i>	26.17313	-98.38252	23.3	15.5	566	USA
<i>Ceraeochrysa valida</i>	26.95194	-97.65444	22.4	14.9	663	USA

<i>Ceraeochrysa valida</i>	-99.43972	23.3	14.6	531	USA
<i>Ceraeochrysa valida</i>	-99.43972	23.3	14.6	531	USA
<i>Ceraeochrysa valida</i>	-99.43972	23.3	14.6	531	USA
<i>Ceraeochrysa cubana</i>	27.33611	-82.53083	22.4	16.6	1331
<i>Ceraeochrysa cubana</i>	27.89131	-82.84557	22.4	16.1	1260
<i>Ceraeochrysa cubana</i>	27.89131	-82.84557	22.4	16.1	1260
<i>Ceraeochrysa cubana</i>	27.49893	-82.57493	22.3	16.5	1318
<i>Ceraeochrysa cincta</i>	27.90947	-82.78574	22.4	16.2	1251
<i>Ceraeochrysa cincta</i>	27.86560	-82.78750	22.4	16.2	1246
<i>Ceraeochrysa cincta</i>	27.49893	-82.57493	22.3	16.5	1318
<i>Ceraeochrysa cincta</i>	27.90947	-82.78574	22.4	16.2	1251
<i>Ceraeochrysa cincta</i>	27.39329	-82.64056	22.5	16.6	1303
<i>Ceraeochrysa cincta</i>	27.52111	-82.57250	22.4	16.4	1307
<i>Ceraeochrysa cincta</i>	27.49893	-82.57493	22.3	16.5	1318
<i>Ceraeochrysa cincta</i>	27.89131	-82.84557	22.4	16.1	1260
<i>Ceraeochrysa cincta</i>	27.90947	-82.78574	22.4	16.2	1251
<i>Ceraeochrysa cincta</i>	27.89131	-82.84557	22.4	16.1	1260
<i>Ceraeochrysa smithi</i>	27.53083	-82.73361	22.5	16.5	1281
<i>Ceraeochrysa cincta</i>	27.18866	-81.33757	22.3	16.6	1249
<i>Ceraeochrysa cincta</i>	27.18866	-81.33757	22.3	16.6	1249
<i>Ceraeochrysa cincta</i>	27.18866	-81.33757	22.3	16.6	1249
<i>Ceraeochrysa cincta</i>	27.47143	-81.54146	22.3	16.6	1226
<i>Ceraeochrysa cincta</i>	27.18866	-81.33757	22.3	16.6	1249
<i>Ceraeochrysa cubana</i>	28.07807	-82.75156	22.2	15.9	1286
<i>Ceraeochrysa cincta</i>	28.07807	-82.75156	22.2	15.9	1286
<i>Ceraeochrysa cubana</i>	28.07807	-82.75156	22.2	15.9	1286
<i>Ceraeochrysa smithi</i>	28.98193	-81.92426	21.1	14.5	1265
<i>Ceraeochrysa cincta</i>	28.98193	-81.92426	21.1	14.5	1265
<i>Ceraeochrysa cincta</i>	28.09196	-81.72342	22.2	16.2	1226
<i>Ceraeochrysa valida</i>	28.60000	-81.33923	21.9	15.7	1263
<i>Ceraeochrysa cubana</i>	28.61058	-80.80774	21.7	15.8	1380
<i>Ceraeochrysa cubana</i>	28.40317	-80.59621	22.0	16.2	1228
<i>Ceraeochrysa cubana</i>	28.40317	-80.59621	22.0	16.2	1228
<i>Ceraeochrysa sp.</i>	28.61058	-80.80774	21.7	15.8	1380
<i>Ceraeochrysa lineaticornis</i>	29.48708	-98.69572	20.3	11.6	722
<i>Ceraeochrysa valida</i>	29.48708	-98.69572	20.3	11.6	722

<i>Ceraeochrysa valida</i>	29.48708	-98.69572	20.3	11.6	722	USA
<i>Ceraeochrysa lineaticornis</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Ceraeochrysa placita</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Ceraeochrysa lineaticornis</i>	30.04743	-99.14031	18.6	9.6	732	USA
<i>Ceraeochrysa sp.</i>	30.25416	-99.96333	18.0	8.7	627	USA
<i>Ceraeochrysa sp.</i>	30.04743	-99.14031	18.6	9.6	732	USA
<i>Ceraeochrysa lineaticornis</i>	30.08638	-97.17305	19.6	10.3	926	USA
<i>Ceraeochrysa sp.</i>	30.46194	-97.87194	19.2	9.9	831	USA
<i>Ceraeochrysa sp.</i>	30.46194	-97.87194	19.2	9.9	831	USA
<i>Ceraeochrysa lineaticornis</i>	30.53333	-96.28333	19.9	10.8	1022	USA
<i>Ceraeochrysa lineaticornis</i>	30.45000	-88.11000	19.6	11.4	1561	USA
<i>Ceraeochrysa cubana</i>	30.17361	-85.69944	19.7	11.8	1560	USA
<i>Ceraeochrysa placita</i>	31.93342	-109.26340	10.4	2.9	601	USA
<i>Ceraeochrysa lineaticornis</i>	31.21833	-96.11888	18.9	9.4	1018	USA
<i>Ceraeochrysa lineaticornis</i>	31.74674	-92.44514	18.5	9.1	1457	USA
<i>Ceraeochrysa lineaticornis</i>	32.34931	-90.46010	17.8	8.3	1348	USA
<i>Ceraeochrysa lineaticornis</i>	32.27459	-90.13203	17.9	8.5	1335	USA
<i>Ceraeochrysa lineaticornis</i>	32.29876	-90.18481	17.8	8.5	1307	USA
<i>Ceraeochrysa lineaticornis</i>	33.47166	-90.92444	17.2	6.7	1334	USA
<i>Ceraeochrysa lineaticornis</i>	33.70027	-90.92972	17.0	6.4	1338	USA
<i>Ceraeochrysa lineaticornis</i>	33.49567	-88.42727	16.9	7.1	1404	USA
<i>Ceraeochrysa lineaticornis</i>	34.85262	-82.39400	15.6	6.0	1341	USA
<i>Ceraeochrysa lineaticornis</i>	35.91922	-82.21207	10.7	1.3	1372	USA
<i>Ceraeochrysa lineaticornis</i>	35.91922	-82.21207	10.7	1.3	1372	USA
<i>Ceraeochrysa placita</i>	37.60277	-105.57083	3.7	-7.0	371	USA
<i>Ceraeochrysa lineaticornis</i>	37.56144	-89.43898	13.2	1.1	1170	USA
<i>Ceraeochrysa lineaticornis</i>	37.35540	-80.53784	9.1	-1.1	1118	USA
<i>Ceraeochrysa placita</i>	38.89165	-121.21740	16.3	8.4	633	USA
<i>Ceraeochrysa lineaticornis</i>	38.03964	-120.23270	12.4	5.2	1134	USA
<i>Ceraeochrysa lineaticornis</i>	38.26674	-85.53301	12.7	1.2	1167	USA
<i>Ceraeochrysa placita</i>	38.34485	-79.08503	11.4	0.9	938	USA
<i>Ceraeochrysa lineaticornis</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Ceraeochrysa placita</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Ceraeochrysa placita</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Ceraeochrysa lineaticornis</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Ceraeochrysa lineaticornis</i>	38.97205	-77.04636	12.7	1.5	1050	USA

<i>Ceraeochrysa lineaticornis</i>	-38.89511	-77.03636	13.3	2.0	1030	USA
<i>Ceraeochrysa lineaticornis</i>	38.52540	-76.61100	13.3	2.4	1086	USA
<i>Ceraeochrysa lineaticornis</i>	38.98066	-76.93692	12.9	1.8	1057	USA
<i>Ceraeochrysa lineaticornis</i>	38.98066	-76.93692	12.9	1.8	1057	USA
<i>Ceraeochrysa lineaticornis</i>	39.00830	-77.24675	12.5	1.3	1021	USA
<i>Ceraeochrysa lineaticornis</i>	39.27205	-76.73191	12.5	1.2	1119	USA
<i>Ceraeochrysa lineaticornis</i>	39.00677	-76.77913	12.8	1.7	1081	USA
<i>Ceraeochrysa lineaticornis</i>	39.23927	-76.98664	12.0	0.7	1092	USA
<i>Ceraeochrysa lineaticornis</i>	40.11642	-88.24338	10.9	-2.4	968	USA
<i>Ceraeochrysa lineaticornis</i>	41.75520	-70.49449	9.8	-0.6	1170	USA
<i>Ceraeochrysa placita</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Ceraeochrysa lineaticornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Ceraeochrysa lineaticornis</i>	42.20009	-71.42451	9.1	-2.7	1174	USA
<i>Ceraeochrysa lineaticornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Ceraeochrysa lineaticornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Ceraeochrysa lineaticornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Ceraeochrysa lineaticornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Ceraeochrysa lineaticornis</i>	-25.65965	27.24307	18.7	12.4	663	South Africa
<i>Ceratochrysa antica</i>	-24.93219	34.18258	23.3	20.0	857	South Africa
<i>Ceratochrysa antica</i>	-24.67015	30.32847	18.8	13.8	767	South Africa
<i>Ceratochrysa antica</i>	-25.76401	28.26591	17.2	11.7	714	South Africa
<i>Ceratochrysa antica</i>	-23.58332	27.45001	20.8	14.4	431	South Africa
<i>Ceratochrysa antica</i>	-23.58332	27.45001	20.8	14.4	431	South Africa
<i>Ceratochrysa antica</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Ceratochrysa antica</i>	7.08024	-5.98904	26.5	25.0	1277	Nigeria
<i>Ceratochrysa ceratina</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Ceratochrysa ceratina</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique
<i>Ceratochrysa ceratina</i>	-25.08883	30.77457	17.8	13.7	1043	South Africa
<i>Ceratochrysa ceratina</i>	-27.04731	32.42007	22.6	18.8	737	South Africa
<i>Ceratochrysa ceratina</i>	-27.26522	32.77102	22.3	18.9	925	South Africa
<i>Ceratochrysa ceratina</i>	-22.44000	31.24000	24.5	19.5	416	South Africa
<i>Ceratochrysa ceratina</i>	-25.71671	27.18333	17.0	11.2	713	South Africa
<i>Ceratochrysa ceratina</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Ceratochrysa ceratina</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Ceratochrysa ceratina</i>	-24.54114	31.02935	21.0	16.9	732	South Africa
<i>Ceratochrysa ceratina</i>	-28.38362	32.40660	21.7	18.2	1123	South Africa

<i>Ceratochrysa ceratina</i>	-22.55000	31.08333	23.3	18.9	502	Mozambique
<i>Ceratochrysa ceratina</i>	-24.99581	31.59265	21.8	16.5	641	South Africa
<i>Ceratochrysa ceratina</i>	-22.37665	30.05499	23.1	18.3	373	South Africa
<i>Ceratochrysa ceratina</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Ceratochrysa ceratina</i>	-23.97523	31.45933	22.5	17.5	526	South Africa
<i>Ceratochrysa ceratina</i>	-24.05357	31.73322	22.9	17.6	512	South Africa
<i>Ceratochrysa ceratina</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Ceratochrysa caligata</i>	-9.70070	27.22318	23.1	20.3	820	DR Congo
<i>Ceratochrysa antica</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa caligata</i>	-1.43641	-48.42875	26.9	26.4	2468	Brazil
<i>Ceraeochrysa caligata</i>	-1.66268	-56.43295	26.9	26.3	2439	Brazil
<i>Ceraeochrysa claveri</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa claveri</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil
<i>Ceraeochrysa claveri</i>	0.11843	-67.08475	26.4	25.7	2866	Brazil
<i>Ceraeochrysa cubana</i>	-8.76185	-63.90288	26.1	25.3	2104	Brazil
<i>Ceraeochrysa cubana</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa cubana</i>	-3.13488	-58.44974	26.9	26.5	2259	Brazil
<i>Ceraeochrysa cubana</i>	2.81945	-60.67116	27.2	26.3	1555	Brazil
<i>Ceraeochrysa cubana</i>	-2.99840	-47.35912	26.6	26.2	1815	Brazil
<i>Ceraeochrysa cubana</i>	-3.56670	-64.38330	26.8	26.5	2305	Brazil
<i>Ceraeochrysa cubana</i>	-1.66268	-56.43295	26.9	26.3	2439	Brazil
<i>Ceraeochrysa cubana</i>	-2.44704	-54.69133	26.1	25.5	2154	Brazil
<i>Ceraeochrysa cubana</i>	2.81945	-60.67116	27.2	26.3	1555	Brazil
<i>Ceraeochrysa cubana</i>	7.35678	-73.89786	28.4	28.0	2811	Colombia
<i>Ceraeochrysa acutipennis</i>	2.777531	-60.69249	27.3	26.3	1557	Brazil
<i>Ceraeochrysa rafaeli</i>	-3.08693	-60.02300	27.5	27.0	2153	Brazil
<i>Ceraeochrysa sanchezii</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa sanchezii</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil
<i>Ceraeochrysa sanchezii</i>	-14.92266	-51.08179	26.1	24.6	1576	Brazil
<i>Ceraeochrysa everes</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa everes</i>	-9.09427	-64.08987	26.0	25.3	2106	Brazil
<i>Ceraeochrysa everes</i>	-19.78050	-42.59999	23.4	20.6	1140	Brazil
<i>Ceraeochrysa squalidens</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Ceraeochrysa nigripes</i>	-12.73549	-60.13406	20.9	20.1	1914	Brazil
<i>Ceraeochrysa nigripes</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil
<i>Ceraeochrysa nigripes</i>	-7.91667	-73.20000	25.6	24.7	2169	Brazil

<i>Ceraeochrysa tenuicornis</i>	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-0.14848	-66.97864	26.4	25.7	2899	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-6.07154	-49.89941	26.2	25.7	1832	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-23.38854	-48.72382	20.4	17.3	1214	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-3.76965	-49.67460	27.1	26.7	2424	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-8.25699	-49.27288	26.2	25.8	1729	Brazil	Adams & Penny 1985
<i>Ceraeochrysa tenuicornis</i>	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
<i>Ceraeochrysa ariasi</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Ceraeochrysa ariasi</i>	-1.45517	-48.50300	26.9	26.5	2422	Brazil	Adams & Penny 1985
<i>Ceraeochrysa michaelsris</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Nacarina panchlora</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina panchlora</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Nacarina pleutorica</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Nacarina aculeata</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina gladius</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.97113	-46.80363	20.1	16.9	1478	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.24801	-44.99763	20.1	17.4	1492	Brazil	de Freitas & Penny 2001
<i>Nacarina sagitta</i>	-21.75353	-48.82249	21.8	18.6	1236	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa acmon</i>	9.52031	-82.95559	25.9	25.0	2595	Costa Rica	de Freitas & Penny 2001
<i>Ceraeochrysa acmon</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa acmon</i>	-21.48011	-47.55360	21.1	18.1	1454	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa acmon</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa acmon</i>	-19.01305	-57.64729	25.3	22.1	1079	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa caligata</i>	10.46507	-68.01817	27.2	26.4	940	Panama	de Freitas & Penny 2001
<i>Ceraeochrysa caligata</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa caligata</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa claveri</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa cincta</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
<i>Ceraeochrysa cincta</i>	22.13130	-80.33872	25.1	22.5	1238	Cuba	de Freitas & Penny 2001
<i>Ceraeochrysa cubana</i>	-21.12538	-48.44889	21.8	19.0	1330	Brazil	de Freitas & Penny 2001

<i>Ceraeochrysa cubana</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Ceraeochrysa cubana</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa cubana</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Ceraeochrysa eerves</i>	5.16096	-52.62891	26.1	25.6	2855	Fr. Guiana
<i>Ceraeochrysa eerves</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa eerves</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Ceraeochrysa eerves</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Ceraeochrysa eerves</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Ceraeochrysa montoyana</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa paraguaria</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Ceraeochrysa sanchezi</i>	23.15403	-82.34953	25.0	22.2	1238	Cuba
<i>Ceraeochrysa sanchezi</i>	-5.57268	-36.90442	27.9	26.4	637	Brazil
<i>Ceraeochrysa sanchezi</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa sanchezi</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Ceraeochrysa sanchezi</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Ceraeochrysa scapularis</i>	-21.13826	-48.97376	22.6	19.8	1304	Brazil
<i>Ceraeochrysa scapularis</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Ceraeochrysa scapularis</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa tenuicornis</i>	-3.10286	-59.99668	27.4	26.9	2150	Brazil
<i>Ceraeochrysa tenuicornis</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Ceraeochrysa tucumana</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Ceraeochrysa tucumana</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Ceraeochrysa dislepis</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Ceraeochrysa dislepis</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa dislepis</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Ceraeochrysa dislepis</i>	-18.76125	-50.93760	24.2	22.2	1523	Brazil
<i>Ceraeochrysa dolichosvela</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa dolichosvela</i>	-19.01305	-57.64729	25.3	22.1	1079	Brazil
<i>Ceraeochrysa squama</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Ceraeochrysa acmon</i>	9.51970	-82.95525	25.9	25.0	2595	Costa Rica
<i>Ceraeochrysa acmon</i>	-10.45575	-63.11467	25.0	24.3	2283	Brazil
<i>Ceraeochrysa acmon</i>	-6.63750	-51.98246	25.2	24.9	2032	Brazil
<i>Ceraeochrysa acmon</i>	9.16553	-79.83743	26.5	25.7	2550	Panama
<i>Ceraeochrysa elegans</i>	10.31480	-84.80708	18.8	18.0	2950	Costa Rica
<i>Ceraeochrysa elegans</i>	9.94315	-83.67926	21.5	20.7	2915	Costa Rica
<i>Ceraeochrysa elegans</i>	8.79668	-82.95064	21.4	20.6	3471	Costa Rica

<i>Ceraeochrysa elegans</i>	23.02507	-99.14356	24.4	19.0	1288	Mexico
<i>Ceraeochrysa pseudovaricosa</i>	8.94852	-82.83165	18.4	17.7	2769	Costa Rica
<i>Chrysemosa commixta</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Chrysemosa commixta</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique
<i>Chrysemosa commixta</i>	-24.19782	29.47676	18.0	12.8	621	South Africa
<i>Chrysemosa commixta</i>	-30.28630	27.06037	13.9	7.3	682	South Africa
<i>Chrysemosa commixta</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Chrysemosa commixta</i>	-18.19254	31.55610	16.7	12.7	898	Zimbabwe
<i>Chrysemosa commixta</i>	-25.76007	28.31410	17.2	11.6	709	South Africa
<i>Chrysemosa commixta</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Chrysemosa commixta</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Chrysemosa commixta</i>	-23.56679	15.04798	21.0	18.4	22	Namibia
<i>Chrysemosa commixta</i>	-24.63719	26.40206	20.6	14.0	448	South Africa
<i>Chrysemosa commixta</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Chrysemosa jeanneli</i>	-23.74436	27.80750	20.9	14.8	458	South Africa
<i>Chrysemosa jeanneli</i>	-22.55951	17.08543	19.3	14.2	368	Namibia
<i>Chrysemosa jeanneli</i>	-24.43332	30.73332	18.1	14.0	954	South Africa
<i>Chrysemosa jeanneli</i>	-23.78398	30.15467	19.6	15.0	1041	South Africa
<i>Chrysemosa jeanneli</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Chrysemosa jeanneli</i>	-24.19782	29.47676	18.0	12.8	621	South Africa
<i>Chrysemosa jeanneli</i>	-25.13989	27.80803	19.9	13.8	585	South Africa
<i>Chrysemosa jeanneli</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique
<i>Chrysemosa jeanneli</i>	-25.61678	27.95085	18.1	12.0	661	South Africa
<i>Chrysemosa jeanneli</i>	-23.88386	29.74010	16.1	11.6	866	South Africa
<i>Chrysemosa jeanneli</i>	-25.26111	27.10083	19.0	12.9	646	South Africa
<i>Chrysemosa jeanneli</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Chrysemosa jeanneli</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Chrysemosa jeanneli</i>	-24.27210	29.22563	17.0	12.1	623	South Africa
<i>Chrysemosa jeanneli</i>	-25.74245	28.20970	17.6	11.9	708	South Africa
<i>Chrysemosa jeanneli</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Chrysemosa jeanneli</i>	-24.99581	31.59265	21.8	16.5	641	South Africa
<i>Chrysemosa jeanneli</i>	-25.73001	28.24980	17.6	11.9	708	South Africa
<i>Chrysemosa jeanneli</i>	-24.02880	29.15166	17.5	12.5	571	South Africa
<i>Chrysemosa jeanneli</i>	-22.03693	19.96042	19.9	13.7	374	Namibia
<i>Chrysemosa jeanneli</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Chrysemosa jeanneli</i>	-25.44242	29.25543	19.2	13.6	650	South Africa

<i>Chrysemosa jeanneli</i>	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
<i>Chrysemosa jeanneli</i>	-32.16914	25.61401	16.3	10.4	356	South Africa	W-RMCA-2
<i>Chrysemosa jeanneli</i>	-25.44877	30.71209	19.1	14.6	851	South Africa	W-RMCA-2
<i>Chrysemosa jeanneli</i>	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
<i>Chrysemosa jeanneli</i>	-24.63719	26.40206	20.6	14.0	448	South Africa	W-RMCA-2
<i>Chrysemosa jeanneli</i>	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
<i>Chrysemosa parva</i>	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
<i>Chrysopa</i>	-34.47920	20.51250	17.6	13.6	552	South Africa	W-GBIF-7
<i>Chrysopa chloris</i>	-33.93330	18.86670	16.5	12.1	790	South Africa	W-GBIF-7
<i>Chrysopa jeanneli</i>	-33.61670	19.15000	13.6	9.2	870	South Africa	W-GBIF-7
<i>Chrysopa caffer</i>	-33.78330	20.11670	16.6	11.0	352	South Africa	W-GBIF-7
<i>Chrysopa jeanneli</i>	-33.95000	20.70000	16.2	11.2	458	South Africa	W-GBIF-7
<i>Chrysopa</i>	-33.98330	20.81670	15.9	11.2	470	South Africa	W-GBIF-7
<i>Chrysopa</i>	-33.96670	20.70000	16.3	11.4	478	South Africa	W-GBIF-7
<i>Chrysopa jeanneli</i>	-33.40000	21.40000	12.4	7.4	354	South Africa	W-GBIF-7
<i>Chrysopa chloris</i>	-34.00000	23.40000	16.5	13.2	902	South Africa	W-GBIF-7
<i>Chrysopa burgeoni</i>	-33.37500	25.62500	18.1	13.4	382	South Africa	W-GBIF-7
<i>Chrysopa</i>	-33.31670	26.51670	16.6	12.7	706	South Africa	W-GBIF-7
<i>Chrysopa</i>	-33.31670	26.51670	16.6	12.7	706	South Africa	W-GBIF-7
<i>Chrysopa vulgaris</i>	-32.18330	18.88330	19.4	13.3	226	South Africa	W-GBIF-7
<i>Chrysopa</i>	-32.60000	26.93330	14.8	10.7	916	South Africa	W-GBIF-7
<i>Chrysopa</i>	-30.20000	17.80000	16.3	11.6	193	South Africa	W-GBIF-7
<i>Chrysopa chloris</i>	-30.35000	21.81670	18.8	11.1	194	South Africa	W-GBIF-7
<i>Chrysopa jeanneli</i>	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
<i>Chrysopa kannemeyeri</i>	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
<i>Chrysopa kannemeyeri</i>	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
<i>Chrysopa vulgaris</i>	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
<i>Chrysopa burgeoni</i>	-29.98330	30.96670	20.8	17.1	979	South Africa	W-GBIF-7
<i>Chrysopa vulgaris</i>	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
<i>Chrysopa chloris</i>	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
<i>Chrysopa pudion</i>	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
<i>Chrysopa chloris</i>	-28.71670	31.13330	16.8	13.2	893	South Africa	W-GBIF-7
<i>Chrysopa hamata</i>	-26.73330	16.80000	16.1	10.5	117	Namibia	W-GBIF-7
<i>Chrysopa</i>	-26.86670	26.66670	16.9	10.3	605	South Africa	W-GBIF-7
<i>Chrysopa jeanneli</i>	-26.71670	27.10000	17.0	10.6	614	South Africa	W-GBIF-7

<i>Chrysopa venosella</i>	-26.20000	28.08330	16.1	11.2	784	South Africa	W-GBIF-7
<i>Chrysopa venosella</i>	-26.20000	28.08330	16.1	11.2	784	South Africa	W-GBIF-7
<i>Chrysopa pudion</i>	-23.03330	29.70000	18.4	13.6	721	South Africa	W-GBIF-7
<i>Chrysopa michaelensi</i>	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
<i>Chrysopa michaelensi</i>	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
<i>Chrysopa stenoptera</i>	-19.21670	13.88330	21.6	17.7	219	Namibia	W-GBIF-7
<i>Chrysopa perri</i>	-19.23330	17.71670	22.0	17.1	548	Namibia	W-GBIF-7
<i>Chrysopa jeanneli</i>	-18.05000	13.38330	21.3	17.9	204	Namibia	W-GBIF-7
<i>Chrysopa stenoptera</i>	-18.05000	13.38330	21.3	17.9	204	Namibia	W-GBIF-7
<i>Chrysopa jeanneli</i>	-3.96667	37.80000	22.9	20.5	657	Tanzania	W-GBIF-7
<i>Chrysopa quadripunctata</i>	25.66667	-100.31670	22.0	15.2	589	Mexico	W-GBIF-2
<i>Chrysopa oculata</i>	27.20000	-101.90000	18.4	11.3	344	Mexico	W-GBIF-2
<i>Chrysopa carnea</i>	28.39127	-16.52343	18.3	15.2	411	Spain	W-GBIF-8
<i>Chrysopa flaviceps</i>	28.20972	-16.77858	15.4	11.9	479	Spain	W-GBIF-8
<i>Chrysopa flaviceps</i>	28.17836	-16.47948	17.9	14.8	394	Spain	W-GBIF-2
<i>Chrysopa carnea</i>	28.39506	-16.64900	18.4	15.3	404	Spain	W-GBIF-2
<i>Chrysopa quadripunctata</i>	29.51666	-103.50277	19.0	9.9	341	USA	W-GBIF-2
<i>Chrysopa oculata</i>	29.81972	-99.58305	18.1	9.0	717	USA	W-GBIF-2
<i>Chrysopa oculata</i>	29.49523	-99.71255	19.6	10.5	653	USA	W-GBIF-2
<i>Chrysopa oculata</i>	29.86689	-96.91692	20.2	11.2	971	USA	W-GBIF-2
<i>Chrysopa incompleta</i>	29.18220	-81.70896	20.9	14.2	1295	USA	W-GBIF-2
<i>Chrysopa coloradensis</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa coloradensis</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa excepta</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa oculata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Chrysopa nigricornis</i>	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
<i>Chrysopa nigricornis</i>	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
<i>Chrysopa oculata</i>	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
<i>Chrysopa oculata</i>	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.12002	-99.14031	18.4	9.3	735	USA	W-GBIF-2
<i>Chrysopa quadripunctata</i>	30.04721	-99.14032	18.6	9.6	732	USA	W-GBIF-2

<i>Chrysopa quadripunctata</i>	-90.14031	18.6	9.6	732	USA
<i>Chrysopa quadripunctata</i>	-99.96333	18.0	8.7	627	USA
<i>Chrysopa quadripunctata</i>	-99.96333	18.0	8.7	627	USA
<i>Chrysopa oculata</i>	-98.80370	18.0	9.0	775	USA
<i>Chrysopa oculata</i>	-97.23178	19.7	10.4	917	USA
<i>Chrysopa quadripunctata</i>	-97.17305	19.6	10.3	926	USA
<i>Chrysopa oculata</i>	-97.17305	19.6	10.3	926	USA
<i>Chrysopa quadripunctata</i>	-97.17305	19.6	10.3	926	USA
<i>Chrysopa incompleta</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopa nigricornis</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa incompleta</i>	-96.21826	19.9	10.8	1024	USA
<i>Chrysopa nigricornis</i>	-96.25333	20.0	10.8	1014	USA
<i>Chrysopa incompleta</i>	-96.25333	20.0	10.8	1014	USA
<i>Chrysopa nigricornis</i>	-96.21826	19.9	10.8	1024	USA
<i>Chrysopa incompleta</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa nigricornis</i>	-96.69305	20.0	10.9	923	USA
<i>Chrysopa quadripunctata</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa quadripunctata</i>	-96.311691	19.9	10.9	1007	USA
<i>Chrysopa oculata</i>	-96.28333	20.2	11.1	999	USA
<i>Chrysopa oculata</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa oculata</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa quadripunctata</i>	-96.28333	19.9	10.8	1022	USA
<i>Chrysopa oculata</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa quadripunctata</i>	-96.36996	19.9	10.9	1001	USA
<i>Chrysopa quadripunctata</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopa oculata</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopa quadripunctata</i>	-96.17500	19.8	10.7	1014	USA
<i>Chrysopa quadripunctata</i>	-96.21826	19.9	10.8	1024	USA
<i>Chrysopa quadripunctata</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopa quadripunctata</i>	-96.28333	19.9	10.8	1022	USA
<i>Chrysopa oculata</i>	-96.21826	19.9	10.9	1001	USA

<i>Chrysopa quadripunctata</i>	30.81083	-96.17500	19.8	10.7	1014	USA
<i>Chrysopa oculata</i>	30.59477	-96.29311	19.9	10.9	1010	USA
<i>Chrysopa incompleta</i>	30.53353	-95.35021	19.2	10.0	1204	USA
<i>Chrysopa incompleta</i>	30.53353	-95.35021	19.2	10.0	1204	USA
<i>Chrysopa oculata</i>	30.97000	-88.39000	18.8	10.2	612	USA
<i>Chrysopa oculata</i>	30.74459	-86.74583	19.0	10.7	1564	USA
<i>Chrysopa nigricornis</i>	31.85416	-106.54111	16.4	6.9	241	USA
<i>Chrysopa oculata</i>	31.79113	-106.47440	17.4	7.6	219	USA
<i>Chrysopa excepta</i>	31.60555	-102.85472	17.9	7.5	318	USA
<i>Chrysopa oculata</i>	31.85570	-99.02338	18.0	7.8	706	USA
<i>Chrysopa oculata</i>	31.06379	-98.38405	18.2	8.5	748	USA
<i>Chrysopa oculata</i>	31.54933	-97.14668	19.2	9.2	823	USA
<i>Chrysopa oculata</i>	31.09823	-97.34279	18.9	8.9	874	USA
<i>Chrysopa quadripunctata</i>	31.92238	-97.36030	18.7	8.2	842	USA
<i>Chrysopa incompleta</i>	31.02824	-96.20774	19.4	10.1	1009	USA
<i>Chrysopa quadripunctata</i>	31.03861	-96.20916	19.6	10.3	997	USA
<i>Chrysopa oculata</i>	31.22359	-96.12440	18.9	9.4	1018	USA
<i>Chrysopa oculata</i>	31.22359	-96.12440	18.9	9.4	1018	USA
<i>Chrysopa quadripunctata</i>	31.19666	-96.12250	19.0	9.5	1018	USA
<i>Chrysopa quadripunctata</i>	31.02824	-96.20774	19.4	10.1	1009	USA
<i>Chrysopa nigricornis</i>	31.57295	-95.48981	18.7	9.2	1086	USA
<i>Chrysopa excepta</i>	31.57295	-95.48981	18.7	9.2	1086	USA
<i>Chrysopa incompleta</i>	31.05972	-94.27111	18.6	9.4	1279	USA
<i>Chrysopa oculata</i>	31.60351	-94.65549	18.5	9.0	1171	USA
<i>Chrysopa incompleta</i>	31.74674	-92.44514	18.5	9.1	1457	USA
<i>Chrysopa oculata</i>	32.42067	-104.22880	17.1	7.2	323	USA
<i>Chrysopa excepta</i>	32.48555	-103.78416	16.4	6.6	346	USA
<i>Chrysopa excepta</i>	32.42067	-103.78400	16.6	6.8	342	USA
<i>Chrysopa excepta</i>	32.32833	-103.78166	16.9	7.1	332	USA
<i>Chrysopa excepta</i>	32.32833	-103.78166	16.9	7.1	332	USA
<i>Chrysopa excepta</i>	32.48555	-103.78416	16.4	6.6	346	USA
<i>Chrysopa excepta</i>	32.42067	-103.78400	16.6	6.8	342	USA
<i>Chrysopa excepta</i>	32.35666	-103.78166	16.8	7.0	336	USA
<i>Chrysopa excepta</i>	32.42067	-103.78400	16.6	6.8	342	USA
<i>Chrysopa oculata</i>	32.33000	-103.78833	16.9	7.1	332	USA
<i>Chrysopa excepta</i>	32.73760	-102.29440	16.5	6.3	431	USA

<i>Chrysopa excepta</i>	33.99314	-101.99300	14.7	4.4	471	USA
<i>Chrysopa excepta</i>	33.86942	-101.66680	15.1	4.8	493	USA
<i>Chrysopa oculata</i>	33.86942	-101.66680	15.1	4.8	493	USA
<i>Chrysopa oculata</i>	33.74680	-101.38770	15.4	4.9	517	USA
<i>Chrysopa oculata</i>	33.86942	-101.66680	15.1	4.8	493	USA
<i>Chrysopa oculata</i>	33.74680	-101.38770	15.4	4.9	517	USA
<i>Chrysopa oculata</i>	33.86942	-101.66680	15.1	4.8	493	USA
<i>Chrysopa oculata</i>	33.86942	-101.66680	15.1	4.8	493	USA
<i>Chrysopa oculata</i>	33.74680	-101.38770	15.4	4.9	517	USA
<i>Chrysopa oculata</i>	33.23623	-96.80111	17.8	7.1	982	USA
<i>Chrysopa oculata</i>	33.47388	-90.90805	17.2	6.7	1338	USA
<i>Chrysopa oculata</i>	33.69402	-81.76705	16.7	7.2	1225	USA
<i>Chrysopa nigricornis</i>	34.20611	-118.21670	17.2	12.0	508	USA
<i>Chrysopa nigricornis</i>	34.02108	-118.21050	18.3	14.4	382	USA
<i>Chrysopa quadripunctata</i>	34.51527	-111.76250	16.7	7.6	411	USA
<i>Chrysopa oculata</i>	34.94060	-104.68510	13.9	4.2	350	USA
<i>Chrysopa excepta</i>	34.40480	-103.20520	13.9	3.8	412	USA
<i>Chrysopa excepta</i>	34.15972	-102.63527	14.0	3.8	448	USA
<i>Chrysopa excepta</i>	34.07603	-101.39950	14.7	4.0	516	USA
<i>Chrysopa nigricornis</i>	34.98000	-101.91620	14.4	3.9	477	USA
<i>Chrysopa oculata</i>	34.07603	-101.39950	14.7	4.0	516	USA
<i>Chrysopa excepta</i>	34.94336	-101.66200	14.5	3.7	490	USA
<i>Chrysopa oculata</i>	34.96750	-101.67222	14.6	3.8	481	USA
<i>Chrysopa incompleta</i>	34.86918	-95.22153	16.1	5.2	1227	USA
<i>Chrysopa nigricornis</i>	34.86918	-95.22153	16.1	5.2	1227	USA
<i>Chrysopa incompleta</i>	34.86918	-95.22153	16.1	5.2	1227	USA
<i>Chrysopa septempunctata</i>	34.86972	-83.10222	14.0	4.8	1686	USA
<i>Chrysopa oculata</i>	34.65344	-82.83959	15.8	6.3	1348	USA
<i>Chrysopa septempunctata</i>	34.30000	46.80000	13.6	2.7	467	Iran
<i>Chrysopa coloradensis</i>	35.36829	-117.90790	18.2	8.8	105	USA
<i>Chrysopa coloradensis</i>	35.72387	-117.61410	18.4	8.2	86	USA
<i>Chrysopa coloradensis</i>	35.36829	-117.90790	18.2	8.8	105	USA
<i>Chrysopa coloradensis</i>	35.94833	-117.55388	12.5	3.7	231	USA
<i>Chrysopa coloradensis</i>	35.22501	-112.48410	12.1	3.2	341	USA
<i>Chrysopa oculata</i>	35.24945	-112.19100	8.0	-0.1	575	USA
<i>Chrysopa oculata</i>	35.24945	-112.19100	8.0	-0.1	575	USA

<i>Chrysopa oculata</i>	-97.03364	15.5	3.7	883	USA
<i>Chrysopa incompleta</i>	-93.25000	15.0	4.1	1250	USA
<i>Chrysopa nigricornis</i>	-93.25000	15.0	4.1	1250	USA
<i>Chrysopa quadripunctata</i>	-93.25000	15.0	4.1	1250	USA
<i>Chrysopa oculata</i>	-93.25000	15.0	4.1	1250	USA
<i>Chrysopa nigricornis</i>	-90.70432	15.7	4.2	1214	USA
<i>Chrysopa incompleta</i>	-90.89845	16.0	4.5	1228	USA
<i>Chrysopa oculata</i> Say	-83.21361	12.1	2.4	1288	USA
<i>Chrysopa incompleta</i>	-78.89862	14.9	4.8	1144	USA
<i>Chrysopa pallens</i>	108.53110	8.5	-3.9	574	China
<i>Chrysopa intima</i>	128.06000	13.7	2.1	1465	South Korea
<i>Chrysopa septempunctata</i>	133.99400	14.4	4.6	1829	Japan
<i>Chrysopa formosa</i>	133.99400	14.4	4.6	1829	Japan
<i>Chrysopa septempunctata</i>	134.00600	14.4	4.5	1840	Japan
<i>Chrysopa septempunctata</i>	134.24400	14.6	4.7	1922	Japan
<i>Chrysopa formosa</i>	134.24400	14.6	4.7	1922	Japan
<i>Chrysopa septempunctata</i>	139.66900	15.5	6.1	1460	Japan
<i>Chrysopa formosa Brauer</i>	139.75140	15.7	6.2	1432	Japan
<i>Chrysopa coloradensis</i>	-117.69230	9.2	1.2	330	USA
<i>Chrysopa nigricornis</i>	-90.15981	15.1	3.2	1252	USA
<i>Chrysopa incompleta</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa nigricornis</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa septempunctata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa septempunctata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa oculata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa quadripunctata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa oculata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa oculata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa oculata</i>	-76.56027	15.0	5.0	1196	USA
<i>Chrysopa formosa</i>	10.75331	17.9	11.0	351	Tunisia
<i>Chrysopa formosa</i>	10.75331	17.9	11.0	351	Tunisia
<i>Chrysopa septempunctata</i>	59.80000	14.0	3.1	251	Iran
<i>Chrysopa coloradensis</i>	-117.50638	15.5	4.8	111	USA
<i>Chrysopa coloradensis</i>	-112.00805	10.5	0.4	261	USA

<i>Chrysopa coloradensis</i>	37.04194	-112.67250	9.1	-0.3	402	USA
<i>Chrysopa coloradensis</i>	37.06722	-112.70250	9.1	-0.3	402	USA
<i>Chrysopa coloradensis</i>	37.34555	-112.00805	10.5	0.4	261	USA
<i>Chrysopa coloradensis</i>	37.71888	-111.26630	11.8	0.4	179	USA
<i>Chrysopa coloradensis</i>	37.72566	-111.90777	11.3	0.9	225	USA
<i>Chrysopa coloradensis</i>	37.72582	-111.29770	11.5	0.2	190	USA
<i>Chrysopa coloradensis</i>	37.79944	-111.42555	10.3	-0.7	219	USA
<i>Chrysopa oculata</i>	37.79361	-111.41500	10.3	-0.6	219	USA
<i>Chrysopa oculata</i>	37.61277	-111.89666	7.1	-2.8	297	USA
<i>Chrysopa oculata</i>	37.79361	-111.41500	10.3	-0.6	219	USA
<i>Chrysopa oculata</i>	37.85500	-111.45194	9.6	-1.1	238	USA
<i>Chrysopa oculata</i>	37.79944	-111.42555	10.3	-0.7	219	USA
<i>Chrysopa oculata</i>	37.79361	-111.41500	10.3	-0.6	219	USA
<i>Chrysopa oculata</i>	37.79944	-111.42555	10.3	-0.7	219	USA
<i>Chrysopa oculata</i>	37.79361	-111.41500	10.3	-0.6	219	USA
<i>Chrysopa oculata</i>	37.85500	-111.45194	9.6	-1.1	238	USA
<i>Chrysopa oculata</i>	38.89167	-121.29190	16.5	8.5	577	USA
<i>Chrysopa nigricornis</i>	38.89167	-121.29190	16.5	8.5	577	USA
<i>Chrysopa nigricornis</i>	38.54491	-121.74050	15.9	8.3	470	USA
<i>Chrysopa nigricornis</i>	38.58157	-121.49440	16.0	8.4	450	USA
<i>Chrysopa nigricornis</i>	38.44526	-107.55450	4.9	-6.4	404	USA
<i>Chrysopa nigricornis</i>	38.25444	-104.60860	11.5	0.5	306	USA
<i>Chrysopa nigricornis</i>	38.24865	-85.75940	13.2	1.6	1128	USA
<i>Chrysopa nigricornis</i>	38.18867	-85.67648	13.2	1.7	1138	USA
<i>Chrysopa oculata</i>	38.19423	-85.47255	12.9	1.4	1167	USA
<i>Chrysopa oculata</i>	38.18867	-85.67648	13.2	1.7	1138	USA
<i>Chrysopa oculata</i>	38.24865	-85.75940	13.2	1.6	1128	USA
<i>Chrysopa oculata</i>	38.24865	-85.75940	13.2	1.6	1128	USA
<i>Chrysopa oculata</i>	38.18867	-85.67648	13.2	1.7	1138	USA
<i>Chrysopa oculata</i>	38.02833	-84.47128	12.6	1.2	1166	USA
<i>Chrysopa nigricornis</i>	38.50068	-78.44972	8.6	-2.1	1218	USA
<i>Chrysopa quadripunctata</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Chrysopa oculata</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Chrysopa quadripunctata</i>	38.91666	-78.81666	9.5	-1.3	1000	USA

<i>Chrysopa quadripunctata</i>	-77.04636	12.7	1.5	1050	USA
<i>Chrysopa nigricornis</i>	-76.93692	12.9	1.8	1057	USA
<i>Chrysopa quadripunctata</i>	-76.93692	12.9	1.8	1057	USA
<i>Chrysopa oculata</i>	-76.93692	12.9	1.8	1057	USA
<i>Chrysopa oculata</i>	-76.93692	12.9	1.8	1057	USA
<i>Chrysopa oculata</i>	-76.97743	13.4	2.5	1043	USA
<i>Chrysopa timberlakei</i>	-120.36740	5.4	-2.1	965	USA
<i>Chrysopa coloradensis</i>	-118.77740	11.2	1.2	125	USA
<i>Chrysopa oculata</i>	-118.77740	11.2	1.2	125	USA
<i>Chrysopa oculata</i>	-105.22060	8.5	-1.0	435	USA
<i>Chrysopa oculata</i>	-105.41060	3.9	-5.0	490	USA
<i>Chrysopa chi</i>	-76.87553	12.8	1.6	1065	USA
<i>Chrysopa oculata</i>	-76.98664	12.0	0.7	1092	USA
<i>Chrysopa quadripunctata</i>	-76.98664	12.0	0.7	1092	USA
<i>Chrysopa oculata</i>	-76.98664	12.0	0.7	1092	USA
<i>Chrysopa coloradensis</i>	-121.88920	15.0	7.4	937	USA
<i>Chrysopa coloradensis</i>	-121.51250	9.0	1.1	785	USA
<i>Chrysopa coloradensis</i>	-121.51250	9.0	1.1	785	USA
<i>Chrysopa timberlakei</i>	-121.51250	9.0	1.1	785	USA
<i>Chrysopa coloradensis</i>	-114.03020	10.5	-1.4	146	USA
<i>Chrysopa coloradensis</i>	-114.03020	10.5	-1.4	146	USA
<i>Chrysopa excepta</i>	-114.03020	10.5	-1.4	146	USA
<i>Chrysopa coloradensis</i>	-114.03020	10.5	-1.4	146	USA
<i>Chrysopa coloradensis</i>	-111.65850	10.1	-1.4	464	USA
<i>Chrysopa oculata</i>	-110.06180	7.8	-6.7	185	USA
<i>Chrysopa oculata</i>	-110.06180	7.8	-6.7	185	USA
<i>Chrysopa pleuralis</i>	-110.40490	7.1	-5.7	242	USA
<i>Chrysopa oculata</i>	-109.52880	7.3	-6.4	213	USA
<i>Chrysopa oculata</i>	-109.52880	7.3	-6.4	213	USA
<i>Chrysopa oculata</i>	-86.35667	10.0	-3.2	954	USA
<i>Chrysopa oculata</i>	-86.35667	10.0	-3.2	954	USA
<i>Chrysopa oculata</i>	-80.72091	10.6	-1.1	1010	USA
<i>Chrysopa nigricornis</i>	-75.21239	11.9	0.4	1133	USA
<i>Chrysopa oculata</i>	-75.21239	11.9	0.4	1133	USA
<i>Chrysopa oculata</i>	-75.21239	11.9	0.4	1133	USA
<i>Chrysopa formosa</i>	-3.99999	14.7	6.4	395	Spain

<i>Chrysopa nigricornis</i>	41.73549	-111.83440	8.9	-3.0	465	USA
<i>Chrysopa coloradensis</i>	41.73549	-111.83440	8.9	-3.0	465	USA
<i>Chrysopa oculata</i>	41.12805	-101.71960	9.4	-3.4	450	USA
<i>Chrysopa oculata</i>	41.43333	-96.49808	10.2	-4.1	768	USA
<i>Chrysopa nigricornis</i>	41.44230	-76.67522	8.0	-3.8	855	USA
<i>Chrysopa formosa</i>	41.60000	26.68333	13.5	4.2	610	Turkey
<i>Chrysopa viridana</i>	41.60000	26.68333	13.5	4.2	610	Turkey
<i>Chrysopa septempunctata</i>	41.78986	26.91559	13.1	3.8	612	Turkey
<i>Chrysopa septempunctata</i>	41.78986	26.91559	13.1	3.8	612	Turkey
<i>Chrysopa nigricornis</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopa chi Fitch</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopa quadripunctata</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopa oculata</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopa nigricornis</i>	42.38037	-72.52315	8.3	-4.2	1112	USA
<i>Chrysopa nigricornis</i>	42.38037	-72.52315	8.3	-4.2	1112	USA
<i>Chrysopa oculata</i>	42.38037	-72.52315	8.3	-4.2	1112	USA
<i>Chrysopa oculata</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa chi</i>	42.21121	-71.12783	9.7	-1.8	1151	USA
<i>Chrysopa nigricornis</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa nigricornis</i>	42.21121	-71.12783	9.7	-1.8	1151	USA
<i>Chrysopa chi</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa nigricornis</i>	42.99564	-71.45479	8.0	-4.6	1048	USA
<i>Chrysopa oculata</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa quadripunctata</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa oculata</i>	42.21121	-71.12783	9.7	-1.8	1151	USA
<i>Chrysopa oculata</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopa oculata</i>	43.21650	-123.34170	12.3	6.1	930	USA
<i>Chrysopa oculata</i>	43.21650	-123.34170	12.3	6.1	930	USA
<i>Chrysopa oculata</i>	43.20285	-116.57330	10.3	0.1	239	USA
<i>Chrysopa oculata</i>	43.22363	-114.62180	4.9	-6.6	403	USA
<i>Chrysopa oculata</i>	43.51963	-114.37500	3.4	-7.4	442	USA
<i>Chrysopa oculata</i>	43.57820	-70.32172	8.1	-3.9	1138	USA
<i>Chrysopa coloradensis</i>	44.29437	-121.36320	8.2	0.6	298	USA

<i>Chrysopa chi</i>	-74.46141	4.5	-8.6	1071	USA
<i>Chrysopa nigricornis</i>	-74.39099	4.7	-8.5	1026	USA
<i>Chrysopa nigricornis</i>	-74.39099	4.7	-8.5	1026	USA
<i>Chrysopa oculata</i>	-74.31767	4.7	-8.5	1018	USA
<i>Chrysopa intima</i>	143.00000	3.8	-9.4	1211	Japan
<i>Chrysopa nigricornis</i>	-122.67620	11.6	5.0	1064	USA
<i>Chrysopa oculata</i>	-76.16600	5.4	-9.6	843	Canada
<i>Chrysopa chi</i>	-75.95618	5.8	-8.9	845	Canada
<i>Chrysopa chi</i>	-75.93333	5.8	-9.1	841	Canada
<i>Chrysopa chi</i>	-75.95618	5.8	-8.9	845	Canada
<i>Chrysopa oculata</i>	-73.28725	5.7	-9.2	970	Canada
<i>Chrysopa perla</i>	2.87998	6.4	-0.1	914	France
<i>Chrysopa formosa</i>	9.78333	13.1	2.9	810	Italy
<i>Chrysopa perla</i>	9.66666	13.1	2.9	785	Italy
<i>Chrysopa perla</i>	9.78333	13.1	2.9	810	Italy
<i>Chrysopa perla</i>	9.66666	13.1	2.9	785	Italy
<i>Chrysopa perla</i>	9.78333	13.1	2.9	810	Italy
<i>Chrysopa perla</i>	9.66666	13.1	2.9	785	Italy
<i>Chrysopa perla</i>	9.78333	13.1	2.9	810	Italy
<i>Chrysopa perla</i>	-120.50590	9.9	-0.2	208	USA
<i>Chrysopa oculata</i>	-120.50590	9.9	-0.2	208	USA
<i>Chrysopa oculata</i>	-120.50590	9.9	-0.2	208	USA
<i>Chrysopa coloradensis</i>	-116.98680	8.1	-0.7	615	USA
<i>Chrysopa chi</i>	-115.59570	8.5	-0.9	706	USA
<i>Chrysopa chi</i>	-115.59570	8.5	-0.9	706	USA
<i>Chrysopa oculata</i>	-115.37700	2.4	-6.7	741	USA
<i>Chrysopa perla</i>	9.53098	8.6	0.1	1139	Austria
<i>Chrysopa abbreviata</i>	9.57234	3.8	-3.5	1182	Switzerland
<i>Chrysopa dorsalis</i>	9.57234	3.8	-3.5	1182	Switzerland
<i>Chrysopa pallens</i>	9.57234	3.8	-3.5	1182	Switzerland
<i>Chrysopa phyllochroma</i>	9.57234	3.8	-3.5	1182	Switzerland
<i>Chrysopa pallens</i>	9.57234	3.8	-3.5	1182	Switzerland
<i>Chrysopa dorsalis</i>	13.28000	6.3	-2.8	1226	Austria
<i>Chrysopa dorsalis</i>	17.33833	10.1	-0.1	629	Hungary
<i>Chrysopa pallens</i>	17.84833	10.9	0.5	565	Hungary
<i>Chrysopa pallens</i>	17.22500	10.6	0.6	737	Hungary

<i>Chrysopa formosa</i>	46.34333	18.79000	11.3	0.8	577	Hungary
<i>Chrysopa formosa</i>	46.34333	18.79000	11.3	0.8	577	Hungary
<i>Chrysopa formosa</i>	46.34333	18.79000	11.3	0.8	577	Hungary
<i>Chrysopa pallens</i>	46.34333	18.79000	11.3	0.8	577	Hungary
<i>Chrysopa formosa</i>	46.74000	19.75166	10.8	0.4	535	Hungary
<i>Chrysopa abbreviata</i>	46.74000	19.75166	10.8	0.4	535	Hungary
<i>Chrysopa pallens</i>	46.74000	19.75166	10.8	0.4	535	Hungary
<i>Chrysopa chi</i>	47.92129	-117.11410	4.9	-4.4	750	USA
<i>Chrysopa coloradensis</i>	47.36380	-116.75520	8.0	-1.1	689	USA
<i>Chrysopa perla</i>	47.05190	9.60729	1.1	-5.5	1523	Austria
<i>Chrysopa abbreviata</i>	47.48060	9.69618	9.2	0.3	1154	Austria
<i>Chrysopa flava</i>	47.53000	13.68000	1.6	-6.5	1576	Austria
<i>Chrysopa ciliata</i>	47.79000	13.39000	7.0	-2.2	1401	Austria
<i>Chrysopa flavifrons</i>	47.87000	13.83000	7.4	-2.0	1309	Austria
<i>Chrysopa flavifrons</i>	47.63000	13.03000	7.2	-1.9	1263	Germany
<i>Chrysopa perla</i>	47.58000	13.52000	5.6	-3.4	1447	Austria
<i>Chrysopa perla</i>	47.69000	13.67000	5.4	-3.7	1466	Austria
<i>Chrysopa vittata</i>	47.88000	13.52000	7.9	-1.4	1342	Austria
<i>Chrysopa septempunctata</i>	47.92000	13.80000	8.1	-1.4	1227	Austria
<i>Chrysopa septempunctata</i>	47.53000	13.68000	1.6	-6.5	1576	Austria
<i>Chrysopa flava</i>	47.58000	14.39000	4.9	-4.3	1248	Austria
<i>Chrysopa pallida</i>	47.55000	14.47000	5.0	-4.2	1213	Austria
<i>Chrysopa pallida</i>	47.72000	14.32000	6.8	-2.7	1135	Austria
<i>Chrysopa albolineata</i>	47.54000	14.46000	4.5	-4.6	1251	Austria
<i>Chrysopa ciliata</i>	47.95000	14.37000	7.8	-1.6	1002	Austria
<i>Chrysopa ciliata</i>	47.88000	14.25000	7.6	-1.8	1067	Austria
<i>Chrysopa ciliata</i>	47.70000	14.41000	4.4	-4.6	1284	Austria
<i>Chrysopa albolineata</i>	47.90000	14.33000	6.2	-3.1	1156	Austria
<i>Chrysopa flavigrons</i>	47.95000	14.37000	7.8	-1.6	1002	Austria
<i>Chrysopa albolineata</i>	47.95000	14.37000	7.8	-1.6	1002	Austria
<i>Chrysopa albolineata</i>	47.88000	14.25000	7.6	-1.8	1067	Austria
<i>Chrysopa flavigrons</i>	47.56000	14.14000	5.3	-3.9	1319	Austria
<i>Chrysopa formosa</i>	47.57000	14.48000	5.0	-4.2	1213	Austria
<i>Chrysopa perla</i>	47.78000	14.32000	3.4	-5.3	1384	Austria
<i>Chrysopa perla</i>	47.59000	14.63000	5.2	-4.0	1143	Austria
<i>Chrysopa perla</i>	47.48000	14.48000	5.1	-4.2	1206	Austria

<i>Chrysopa perla</i>	47.53000	14.06000	6.2	-3.2	1292	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.42000	14.90000	1.8	-6.5	1327	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.59000	14.50000	5.5	-3.8	1172	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.59000	14.42000	5.7	-3.6	1173	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.58000	14.34000	4.3	-4.7	1302	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.70000	14.50000	4.5	-4.5	1250	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.69000	14.60000	6.5	-3.0	1060	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.60000	14.59000	3.2	-5.4	1297	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.58000	14.47000	5.0	-4.2	1213	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.56000	14.59000	4.2	-4.8	1227	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.50000	14.70000	2.6	-5.9	1319	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.55000	14.42000	5.2	-4.1	1214	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.54000	14.64000	3.1	-5.6	1296	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.65000	14.58000	4.8	-4.4	1199	Austria	W-GBIF-3
<i>Chrysopa perla</i>	47.58000	14.50000	5.0	-4.2	1213	Austria	W-GBIF-3
<i>Chrysopa vittata</i>	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
<i>Chrysopa vittata</i>	47.57000	14.45000	5.2	-4.1	1214	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.48000	14.48000	5.1	-4.2	1206	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.56000	14.58000	4.6	-4.5	1213	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.58000	14.39000	4.9	-4.3	1248	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.64000	14.49000	2.5	-6.0	1389	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.55000	14.42000	5.2	-4.1	1214	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.94000	14.35000	7.8	-1.6	1002	Austria	W-GBIF-3
<i>Chrysopa ventralis</i>	47.90000	14.33000	6.2	-3.1	1156	Austria	W-GBIF-3
<i>Chrysopa septempunctata</i>	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
<i>Chrysopa septempunctata</i>	47.60000	14.46000	5.5	-3.8	1172	Austria	W-GBIF-3
<i>Chrysopa septempunctata</i>	47.55000	14.47000	5.0	-4.2	1213	Austria	W-GBIF-3
<i>Chrysopa septempunctata</i>	47.57000	14.41000	4.9	-4.3	1248	Austria	W-GBIF-3
<i>Chrysopa phyllochroma</i>	47.39000	14.90000	4.9	-4.4	1111	Austria	W-GBIF-3
<i>Chrysopa abbreviata</i>	47.23000	15.54000	5.6	-3.8	997	Austria	W-GBIF-3
<i>Chrysopa flava</i>	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
<i>Chrysopa flava</i>	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
<i>Chrysopa flava</i>	47.76000	15.80000	1.7	-6.5	1184	Austria	W-GBIF-3
<i>Chrysopa flava</i>	47.36000	15.08000	6.5	-3.3	978	Austria	W-GBIF-3
<i>Chrysopa pallida</i>	47.98000	15.02000	7.6	-1.9	865	Austria	W-GBIF-3
<i>Chrysopa pallida</i>	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3

<i>Chrysopa pallida</i>	47.69000	15.84000	6.8	-2.6	845	Austria
<i>Chrysopa nigricostata</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa flavifrons</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa flavifrons</i>	47.44000	15.28000	7.0	-2.7	911	Austria
<i>Chrysopa flavifrons</i>	47.38000	15.09000	6.3	-3.3	981	Austria
<i>Chrysopa formosa</i>	47.36000	15.08000	6.5	-3.3	978	Austria
<i>Chrysopa perla</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa perla</i>	47.84000	15.98000	7.4	-1.9	787	Austria
<i>Chrysopa perla</i>	47.36000	15.08000	6.5	-3.3	978	Austria
<i>Chrysopa perla</i>	47.35000	15.47000	3.9	-5.0	1096	Austria
<i>Chrysopa perla</i>	47.41000	15.27000	6.5	-3.1	949	Austria
<i>Chrysopa perla</i>	47.24000	15.54000	5.6	-3.8	997	Austria
<i>Chrysopa perla</i>	47.38000	15.09000	6.3	-3.3	981	Austria
<i>Chrysopa perla</i>	47.27000	15.32000	7.4	-2.6	902	Austria
<i>Chrysopa perla</i>	47.89000	15.99000	7.5	-1.8	772	Austria
<i>Chrysopa perla</i>	47.32000	15.36000	6.6	-3.1	939	Austria
<i>Chrysopa dorsalis</i>	47.69000	15.84000	6.8	-2.6	845	Austria
<i>Chrysopa dorsalis</i>	47.54000	15.24000	5.9	-3.6	982	Austria
<i>Chrysopa vittata</i>	47.80000	15.09000	3.6	-5.1	1144	Austria
<i>Chrysopa vittata</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa ventralis</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa ventralis</i>	47.76000	15.80000	1.7	-6.5	1184	Austria
<i>Chrysopa ventralis</i>	47.36000	15.08000	6.5	-3.3	978	Austria
<i>Chrysopa septempunctata</i>	47.87000	15.89000	6.7	-2.5	831	Austria
<i>Chrysopa septempunctata</i>	47.18000	15.49000	5.2	-4.1	1030	Austria
<i>Chrysopa septempunctata</i>	47.29000	15.37000	6.3	-3.4	964	Austria
<i>Chrysopa phyllochroma</i>	47.18000	15.30000	7.2	-2.7	918	Austria
<i>Chrysopa pallida</i>	47.87000	16.13000	8.3	-1.1	726	Austria
<i>Chrysopa dorsalis</i>	47.96000	16.21000	9.5	0.0	656	Austria
<i>Chrysopa septempunctata</i>	47.87000	16.13000	8.3	-1.1	726	Austria
<i>Chrysopa septempunctata</i>	47.89000	16.64000	9.8	0.2	627	Austria
<i>Chrysopa formosa</i>	47.47908	19.12934	11.0	0.6	542	Hungary
<i>Chrysopa pallens</i>	47.47908	19.12934	11.0	0.6	542	Hungary
<i>Chrysopa perla</i>	48.93600	-0.12827	10.3	4.2	709	France
<i>Chrysopa perla</i>	48.94820	3.98658	9.6	2.2	668	France
<i>Chrysopa perla</i>	48.77710	9.18071	9.1	0.8	704	Germany

<i>Chrysopa perla</i>	48.70430	12.656660	8.4	-1.1	818	Germany
<i>Chrysopa perla</i>	48.88570	12.56860	8.5	-1.0	740	Germany
<i>Chrysopa pallida</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa ciliata</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa gracilis</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa albovittata</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa flavifrons</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa flavifrons</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa dorsalis</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa septempunctata</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa phyllochroma</i>	48.37000	13.96000	8.9	-0.7	934	Austria
<i>Chrysopa flava</i>	48.30000	14.25000	8.6	-0.9	903	Austria
<i>Chrysopa flava</i>	48.32000	14.26000	8.9	-0.6	874	Austria
<i>Chrysopa flava</i>	48.37000	14.29000	7.6	-1.7	956	Austria
<i>Chrysopa flava</i>	48.33000	14.32000	9.2	-0.4	840	Austria
<i>Chrysopa pallida</i>	48.37000	14.34000	7.9	-1.5	920	Austria
<i>Chrysopa pallida</i>	48.33000	14.17000	8.9	-0.6	890	Austria
<i>Chrysopa pallida</i>	48.23000	14.36000	8.9	-0.6	868	Austria
<i>Chrysopa pallida</i>	48.07000	14.44000	8.8	-0.7	889	Austria
<i>Chrysopa pallida</i>	48.72000	14.90000	7.5	-1.7	784	Austria
<i>Chrysopa pallida</i>	48.38000	14.29000	6.3	-2.8	1060	Austria
<i>Chrysopa ciliata</i>	48.33000	14.32000	9.2	-0.4	840	Austria
<i>Chrysopa ciliata</i>	48.06000	14.43000	8.8	-0.7	889	Austria
<i>Chrysopa ciliata</i>	48.24000	14.93000	8.1	-1.3	818	Austria
<i>Chrysopa ciliata</i>	48.03000	14.19000	8.2	-1.2	1001	Austria
<i>Chrysopa ciliata</i>	48.37000	14.34000	7.9	-1.5	920	Austria
<i>Chrysopa gracilis</i>	48.24000	14.93000	8.1	-1.3	818	Austria
<i>Chrysopa carnea</i>	48.30000	14.25000	8.6	-0.9	903	Austria
<i>Chrysopa albovittata</i>	48.30000	14.25000	8.6	-0.9	903	Austria
<i>Chrysopa flavifrons</i>	48.37000	14.29000	7.6	-1.7	956	Austria
<i>Chrysopa flavifrons</i>	48.23000	14.36000	8.9	-0.6	868	Austria
<i>Chrysopa flavifrons</i>	48.07000	14.44000	8.8	-0.7	889	Austria
<i>Chrysopa flavifrons</i>	48.24000	14.93000	8.1	-1.3	818	Austria
<i>Chrysopa flavifrons</i>	48.72000	14.90000	7.5	-1.7	784	Austria
<i>Chrysopa perla</i>	48.30000	14.25000	8.6	-0.9	903	Austria

<i>Chrysopa perla</i>	48.30000	14.29000	8.9	-0.6	874	Austria
<i>Chrysopa perla</i>	48.12000	14.87000	8.8	-0.8	806	Austria
<i>Chrysopa perla</i>	48.03000	14.65000	8.1	-1.4	899	Austria
<i>Chrysopa dorsalis</i>	48.72000	14.90000	7.5	-1.7	784	Austria
<i>Chrysopa vittata</i>	48.37000	14.29000	7.6	-1.7	956	Austria
<i>Chrysopa vittata</i>	48.50000	14.89000	5.5	-3.4	962	Austria
<i>Chrysopa vittata</i>	48.07000	14.44000	8.8	-0.7	889	Austria
<i>Chrysopa vittata</i>	48.03000	14.65000	8.1	-1.4	899	Austria
<i>Chrysopa vittata</i>	48.30000	14.25000	8.6	-0.9	903	Austria
<i>Chrysopa vittata</i>	48.30000	14.29000	8.9	-0.6	874	Austria
<i>Chrysopa ventralis</i>	48.33000	14.32000	9.2	-0.4	840	Austria
<i>Chrysopa ventralis</i>	48.07000	14.44000	8.8	-0.7	889	Austria
<i>Chrysopa ventralis</i>	48.72000	14.90000	7.5	-1.7	784	Austria
<i>Chrysopa septempunctata</i>	48.30000	14.25000	8.6	-0.9	903	Austria
<i>Chrysopa septempunctata</i>	48.31000	14.35000	8.3	-1.1	896	Austria
<i>Chrysopa septempunctata</i>	48.50000	14.89000	5.5	-3.4	962	Austria
<i>Chrysopa septempunctata</i>	48.37000	14.16000	8.9	-0.6	889	Austria
<i>Chrysopa septempunctata</i>	48.07000	14.44000	8.8	-0.7	889	Austria
<i>Chrysopa phyllochroma</i>	48.30000	14.29000	8.9	-0.6	874	Austria
<i>Chrysopa phyllochroma</i>	48.31000	14.34000	8.3	-1.1	896	Austria
<i>Chrysopa phyllochroma</i>	48.03000	14.65000	8.1	-1.4	899	Austria
<i>Chrysopa pallida</i>	48.03000	15.76000	7.2	-2.0	796	Austria
<i>Chrysopa formosa</i>	48.22000	15.33000	9.0	-0.5	720	Austria
<i>Chrysopa formosa</i>	48.40000	15.58000	8.8	-0.5	688	Austria
<i>Chrysopa perla</i>	48.22000	15.33000	9.0	-0.5	720	Austria
<i>Chrysopa perla</i>	48.55000	15.68000	8.9	-0.4	654	Austria
<i>Chrysopa perla</i>	48.38000	15.25000	5.7	-3.2	914	Austria
<i>Chrysopa ventralis</i>	48.22000	15.33000	9.0	-0.5	720	Austria
<i>Chrysopa septempunctata</i>	48.40000	15.58000	8.8	-0.5	688	Austria
<i>Chrysopa septempunctata</i>	48.55000	15.68000	8.9	-0.4	654	Austria
<i>Chrysopa septempunctata</i>	48.49000	15.69000	9.2	-0.2	651	Austria
<i>Chrysopa phyllochroma</i>	48.22000	15.33000	9.0	-0.5	720	Austria
<i>Chrysopa phyllochroma</i>	48.40000	15.58000	8.8	-0.5	688	Austria
<i>Chrysopa abbreviata</i>	48.21000	16.21000	8.9	-0.4	673	Austria
<i>Chrysopa flava</i>	48.23000	16.30000	9.5	0.2	644	Austria
<i>Chrysopa nigricostata</i>	48.21000	16.37000	9.9	0.5	624	Austria

<i>Chrysopa perla</i>	49.50680	11.75180	8.0	-0.8	666	Germany	W-GBIF-14
<i>Chrysopa perla</i>	49.45380	11.05420	8.9	0.4	650	Germany	W-GBIF-14
<i>Chrysopa perla</i>	49.63350	11.24650	8.0	-0.4	699	Germany	W-GBIF-14
<i>Chrysopa perla</i>	49.21900	12.64860	7.9	-1.5	694	Germany	W-GBIF-14
<i>Chrysopa perla</i>	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-14
<i>Chrysopa oculata</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysopa oculata</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysopa oculata</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysopa abbreviata</i>	50.86131	-4.47629	10.1	5.0	1.025	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.81751	-4.48462	10.4	5.2	993	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.50481	-4.15080	10.1	5.3	1030	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.94246	-4.31331	10.1	4.9	1.069	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.91205	-4.01302	10.1	4.9	1.091	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.79241	-4.16398	10.3	5.2	1.041	UK	W-GBIF-15
<i>Chrysopa commata</i>	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
<i>Chrysopa commata</i>	50.62940	-3.45294	9.8	4.5	832	UK	W-GBIF-15
<i>Chrysopa commata</i>	50.65462	-3.48555	9.8	4.6	844	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.92703	-3.62941	9.3	3.9	1145	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	50.75383	-2.21267	9.7	4.3	809	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
<i>Chrysopa pallens</i>	50.84135	-2.78123	9.1	3.6	850	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	50.93214	-2.64043	9.2	3.6	807	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.68639	-2.20528	10.0	4.7	796	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.75229	-2.63798	9.0	3.5	868	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.90181	-2.37690	9.4	3.9	803	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.70960	-2.00136	10.0	4.7	792	UK	W-GBIF-15
<i>Chrysopa albolineata</i>	50.61830	-2.56677	10.1	4.8	784	UK	W-GBIF-15
<i>Chrysopa commata</i>	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
<i>Chrysopa pallens</i>	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15

<i>Chrysopa perla</i>	50.83045	-1.92190	9.9	4.5	794	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.70172	-1.18568	10.4	4.7	834	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.59485	-1.20693	9.8	4.1	893	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.88937	-1.02601	10.1	4.1	844	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.97435	-1.93590	9.4	3.8	799	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84786	-1.62354	10.2	4.7	780	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84394	-1.92898	9.8	4.4	792	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.76751	-1.96455	9.8	4.5	805	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.78672	-1.82195	10.0	4.7	801	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.70315	-1.42642	10.4	4.9	812	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.67625	-1.35527	10.3	4.7	834	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.71091	-1.21385	10.5	4.8	818	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.78550	-1.96453	9.8	4.5	805	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.88730	-1.29055	10.5	4.8	787	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.77516	-1.99220	9.8	4.5	805	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.96094	-0.98179	9.5	3.4	876	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.97671	-0.75351	9.9	3.8	839	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.88533	-0.00235	9.9	4.2	704	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.88468	-0.57113	9.9	3.9	762	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.99077	0.77892	10.4	4.5	680	UK	W-GBIF-15
<i>Chrysopa perla</i>	50.87560	0.03988	10.1	4.4	694	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	50.60360	1.59481	10.5	4.4	627	France	W-GBIF-13
<i>Chrysopa perla</i>	50.92390	6.96242	10.1	2.5	774	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.36670	7.05376	7.6	0.2	861	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.42530	7.45743	10.1	2.4	654	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.60830	7.42813	8.9	1.4	786	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.80560	9.59505	8.3	0.0	671	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.62960	11.96330	7.4	-1.0	665	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.67400	11.25850	7.8	-0.4	610	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.63000	11.95280	7.5	-0.9	655	Germany	W-GBIF-14
<i>Chrysopa perla</i>	50.42084	12.01274	7.1	-1.5	689	Germany	W-GBIF-14

<i>Chrysopa perla</i>	50.02380	12.00300	6.8	-1.9	720	Germany
<i>Chrysopa phyllochroma</i>	50.08334	14.46667	8.9	-0.1	496	Czech Rep.
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa dorsalis</i>	50.31667	18.85000	8.5	-1.9	684	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa abbreviata</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopa pallens</i>	50.31667	18.85000	8.5	-1.9	684	Poland
<i>Chrysopa abbreviata</i>	50.31667	18.85000	8.5	-1.9	684	Poland
<i>Chrysopa phyllochroma</i>	50.31667	18.85000	8.5	-1.9	684	Poland
<i>Chrysopa abbreviata</i>	50.20750	19.83350	7.3	-2.9	738	Poland
<i>Chrysopa pallens</i>	51.06600	-114.08000	3.3	-8.4	430	Canada
<i>Chrysopa pallens</i>	51.06600	-114.08000	3.3	-8.4	430	Canada
<i>Chrysopa pallens</i>	51.46100	-112.71000	3.4	-11.6	356	Canada
<i>Chrysopa pallens</i>	51.66332	-5.04410	10.0	4.9	868	UK
<i>Chrysopa pallens</i>	51.63631	-4.24728	10.8	5.4	1043	UK
<i>Chrysopa pallens</i>	51.63631	-4.24728	10.8	5.4	1043	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.07074	-4.19121	11.1	5.9	998	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.07074	-4.19121	11.1	5.9	998	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Chrysopa pallens</i>	51.54476	-4.09131	10.6	5.0	1133	UK
<i>Chrysopa pallens</i>	51.05223	-4.21888	11.1	5.9	984	UK
<i>Chrysopa pallens</i>	51.56606	-4.15723	10.5	4.9	1132	UK
<i>Chrysopa pallens</i>	51.54476	-4.09131	10.6	5.0	1133	UK
<i>Chrysopa pallens</i>	51.86390	-4.09882	10.0	4.7	1155	UK
<i>Chrysopa pallens</i>	51.57183	-4.16111	10.5	4.9	1132	UK

<i>Chrysopa perla</i>	51.90007	-1.64388	9.3	3.5	631	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.07077	-1.30270	10.2	4.3	771	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.88208	-1.64402	9.3	3.5	631	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.99832	-1.46829	9.0	3.2	650	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.26782	-1.06032	9.7	3.5	765	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.89732	-1.12064	9.8	3.8	610	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83135	-1.34689	9.7	3.9	614	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.66489	-1.32760	9.9	4.1	640	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.96946	-1.14835	9.5	3.4	622	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.96946	-1.14835	9.5	3.4	622	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.88085	-1.35344	9.5	3.6	619	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80783	-1.18041	9.8	4.0	624	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82601	-1.20910	9.9	4.0	617	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.92199	-1.49101	9.1	3.2	651	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.97181	-1.58507	9.1	3.2	652	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.39361	-1.16412	9.8	3.7	714	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80783	-1.18041	9.8	4.0	624	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.78658	-1.30042	9.8	4.0	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.80741	-1.12239	9.7	3.8	632	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.62759	-1.12587	10.0	4.1	649	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.86410	-1.64416	9.1	3.3	648	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83046	-1.20177	9.8	4.0	624	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.79233	-1.70273	9.2	3.4	643	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82734	-1.44128	9.5	3.7	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.37983	-1.06593	9.7	3.5	733	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.46974	-1.06409	9.8	3.6	696	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.72462	-1.78643	9.4	3.5	642	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.11269	-1.49995	10.0	4.2	751	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.77427	-1.67386	9.3	3.4	642	UK	W-GBIF-15

<i>Chrysopa perla</i>	51.84488	-1.35395	9.6	3.8	615	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.40442	-1.75198	9.1	3.2	744	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.73456	-1.00794	9.8	3.7	647	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.37983	-1.06593	9.7	3.5	733	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.59434	-1.64627	9.5	3.7	643	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82133	-1.11995	9.7	3.8	632	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.61241	-1.67502	9.5	3.6	644	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.81015	-1.64459	9.3	3.4	639	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.97147	-1.49772	9.0	3.2	650	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83672	-1.52826	9.2	3.3	645	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.93410	-1.23630	9.5	3.5	617	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.02207	-1.35833	10.2	4.4	780	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.65064	-1.20493	10.0	4.1	648	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.06620	-1.14510	9.8	3.8	813	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.28728	-0.78097	9.5	3.0	792	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.73145	-0.33458	9.7	3.6	663	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.45737	-0.05665	10.9	4.9	640	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.63712	-0.04898	10.7	4.6	617	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.28570	-0.63760	9.8	3.4	732	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.28728	-0.78097	9.5	3.0	792	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.37719	-0.777858	9.6	2.8	741	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.75311	-0.30843	9.7	3.5	665	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15

<i>Chrysopa pallens</i>	51.63943	-0.19342	10.2	4.2	655	UK
<i>Chrysopa pallens</i>	51.91319	-0.47328	9.6	3.3	659	UK
<i>Chrysopa pallens</i>	51.91319	-0.47328	9.6	3.3	659	UK
<i>Chrysopa pallens</i>	51.64156	-0.33788	9.8	3.6	666	UK
<i>Chrysopa pallens</i>	51.64156	-0.33788	9.8	3.6	666	UK
<i>Chrysopa commata</i>	51.13059	-0.84942	9.6	3.3	822	UK
<i>Chrysopa pallens</i>	51.28201	-0.35089	9.9	3.8	671	UK
<i>Chrysopa pallens</i>	51.01755	-0.78806	9.6	3.5	852	UK
<i>Chrysopa pallens</i>	51.28394	-0.49424	10.0	3.7	674	UK
<i>Chrysopa pallens</i>	51.65585	-0.56941	9.7	3.3	670	UK
<i>Chrysopa pallens</i>	51.82133	-0.33127	9.7	3.5	663	UK
<i>Chrysopa pallens</i>	51.82133	-0.33127	9.7	3.5	663	UK
<i>Chrysopa commata</i>	51.31017	-0.47114	10.2	3.9	656	UK
<i>Chrysopa dorsalis</i>	51.19737	-0.78334	9.6	3.2	805	UK
<i>Chrysopa pallens</i>	51.45967	-0.20053	11.0	5.1	621	UK
<i>Chrysopa dorsalis</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Chrysopa pallens</i>	51.35575	-0.08466	10.5	4.6	664	UK
<i>Chrysopa pallens</i>	51.35575	-0.08466	10.5	4.6	664	UK
<i>Chrysopa pallens</i>	51.40175	-0.14888	10.8	5.0	639	UK
<i>Chrysopa pallens</i>	51.56270	-0.03557	10.8	4.9	607	UK
<i>Chrysopa pallens</i>	51.64156	-0.33788	9.8	3.6	666	UK
<i>Chrysopa pallens</i>	51.82315	-0.36530	9.7	3.5	668	UK
<i>Chrysopa pallens</i>	51.82315	-0.36530	9.7	3.5	668	UK
<i>Chrysopa pallens</i>	51.54955	-0.19698	10.6	4.6	649	UK
<i>Chrysopa commata</i>	51.72931	-0.18984	9.9	3.8	662	UK
<i>Chrysopa pallens</i>	51.18704	-0.78433	9.6	3.2	805	UK
<i>Chrysopa pallens</i>	51.37560	-0.63493	9.8	3.2	707	UK
<i>Chrysopa pallens</i>	51.82330	-0.47632	9.5	3.2	678	UK
<i>Chrysopa pallens</i>	51.99893	-0.17898	9.8	3.5	619	UK
<i>Chrysopa pallens</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Chrysopa pallens</i>	51.37859	-0.92225	9.9	3.4	726	UK
<i>Chrysopa perla</i>	51.50030	-0.95540	9.7	3.3	699	UK
<i>Chrysopa perla</i>	51.18704	-0.78433	9.6	3.2	805	UK
<i>Chrysopa perla</i>	51.57278	-0.24658	10.5	4.6	637	UK
<i>Chrysopa perla</i>	51.27976	-0.62988	9.8	3.4	732	UK
<i>Chrysopa perla</i>	51.27762	-0.06425	9.8	3.9	704	UK

51.37859	-0.92225	9.9	3.4	726	UK
51.76881	-0.69340	9.2	2.7	699	UK
51.25999	-0.41690	9.9	3.6	674	UK
51.37190	-0.34766	10.3	4.2	644	UK
51.19933	-0.38749	9.4	3.3	702	UK
51.49440	-0.26760	10.6	4.8	621	UK
51.13677	-0.59195	9.6	3.3	759	UK
51.31953	-0.01584	9.8	3.8	705	UK
51.54708	-0.33411	10.1	4.1	639	UK
51.41212	-0.80857	9.7	2.9	735	UK
51.30721	-0.32057	10.1	4.1	661	UK
51.28394	-0.49424	10.0	3.7	674	UK
51.35685	-0.24047	10.4	4.5	659	UK
51.64187	-0.14779	10.4	4.4	644	UK
51.64187	-0.14779	10.4	4.4	644	UK
51.31475	-0.44300	10.2	3.9	652	UK
51.25929	-0.18328	9.7	3.8	701	UK
51.28394	-0.49424	10.0	3.7	674	UK
51.65932	-0.00537	10.6	4.6	610	UK
51.10886	-0.92854	9.4	3.2	846	UK
51.40715	-0.64118	9.8	3.2	707	UK
51.63712	-0.04898	10.7	4.6	617	UK
51.29985	-0.24767	9.9	3.9	693	UK
51.16047	-0.65774	9.6	3.3	775	UK
51.57958	-0.13300	10.8	4.8	641	UK
51.82330	-0.47632	9.5	3.2	678	UK
51.16087	-0.47036	9.7	3.6	679	UK
51.14769	-0.76320	9.5	3.2	821	UK
51.31842	-0.08406	10.0	4.1	691	UK
51.57958	-0.13300	10.8	4.8	641	UK
51.44569	-0.88469	9.9	3.3	708	UK
51.44569	-0.88469	9.9	3.3	708	UK
51.24833	-0.06047	10.0	4.2	689	UK
51.46179	-0.34442	10.3	4.3	625	UK
51.29841	-0.57266	10.0	3.6	682	UK
51.21978	-0.10248	10.0	4.2	691	UK

<i>Chrysopa perla</i>	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.15854	-0.36459	9.8	3.8	655	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.51010	-0.56042	10.2	3.6	648	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	51.32640	-0.27912	10.1	4.1	675	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.15370	-0.85752	9.6	3.3	822	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	51.32850	-0.42258	10.2	3.9	652	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.15370	-0.85752	9.6	3.3	822	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.23660	-0.28248	10.0	4.1	674	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.33200	-0.70955	9.5	2.9	769	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.23440	-0.13932	10.0	4.2	690	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.92879	-0.68584	9.7	3.4	634	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.96555	-0.35503	10.0	3.7	605	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83706	-0.49763	9.5	3.1	676	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.85069	-0.54437	9.6	3.2	665	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.85069	-0.54437	9.6	3.2	665	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32100	-0.47365	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.54210	0.23542	10.4	4.3	603	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.17987	0.36095	10.3	4.4	658	UK	W-GBIF-15
<i>Chrysopa commata</i>	51.44324	0.66238	10.2	4.2	585	UK	W-GBIF-15
<i>Chrysopa pallens</i>	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15

<i>Chrysopa perla</i>	51.27722	0.64559	9.6	3.7	680	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.43090	0.61130	10.1	4.1	594	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.35658	0.51369	9.8	3.8	650	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.49869	0.38460	10.3	4.3	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.68629	0.59342	9.8	3.8	565	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.85281	0.78454	9.8	3.7	541	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.24778	0.99004	9.9	4.1	666	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.39168	0.75284	10.2	4.3	592	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.233302	0.98693	9.9	4.1	666	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.52345	0.24676	10.4	4.5	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.40573	0.42219	9.9	4.0	639	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.36239	0.22666	10.0	4.0	666	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.52191	0.11189	10.6	4.7	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.52386	0.47243	10.2	4.2	584	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.89327	0.84155	9.8	3.7	543	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.83746	0.06855	9.9	3.7	619	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.42267	0.59716	10.1	4.1	594	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.60130	0.07296	10.5	4.5	611	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.33745	0.76395	10.2	4.3	607	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.63297	0.43717	9.8	3.8	596	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.86675	0.41856	9.7	3.6	560	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.69334	0.10611	10.1	4.0	624	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.67771	0.07501	10.2	4.1	633	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.86364	0.11333	9.9	3.6	617	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.48633	0.25934	10.4	4.5	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.43233	0.60778	10.1	4.1	594	UK	W-GBIF-15

<i>Chrysopa perla</i>	51.55666	0.61850	9.9	3.8	587	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.91568	0.21758	9.6	3.3	604	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.86150	0.22944	9.7	3.4	607	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.84960	0.61196	9.6	3.6	545	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.33757	1.13375	10.1	4.3	597	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.09304	1.17790	9.8	4.0	662	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.94438	1.24723	10.2	4.4	551	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.29180	1.09620	10.1	4.3	616	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.10280	1.14999	9.8	4.0	671	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.09427	1.20784	9.8	4.0	662	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.33855	1.07996	10.2	4.3	605	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.24617	1.34827	10.3	4.5	590	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.30376	1.03458	10.0	4.1	635	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.30376	1.03458	10.0	4.1	635	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.25306	1.08141	10.1	4.2	633	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32279	1.02683	10.0	4.1	635	UK	W-GBIF-15
<i>Chrysopa perla</i>	51.32279	1.02683	10.0	4.1	635	UK	W-GBIF-14
<i>Chrysopa perla</i>	51.32279	1.02683	10.0	4.1	635	UK	W-GBIF-14
<i>Chrysopa perla</i>	51.19390	6.68653	10.2	2.6	801	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.26630	7.17446	9.1	1.7	908	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.96810	7.62418	9.3	2.0	800	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.43620	7.56954	9.3	2.0	839	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.97700	10.84490	8.4	0.5	608	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.09560	11.05040	8.7	0.5	495	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.83406	12.26162	9.2	0.8	503	Germany	W-GBIF-14
<i>Chrysopa perla</i>	51.35690	12.38000	9.0	0.5	518	Germany	W-GBIF-14

<i>Chrysopa perla</i>	51.25310	14.46240	8.7	-0.4	589	Germany
<i>Chrysopa chi</i>	52.57200	-114.02200	2.1	-11.5	480	Canada
<i>Chrysopa oculata</i>	52.96200	-113.36000	2.3	-12.1	452	Canada
<i>Chrysopa chi</i>	52.96200	-113.36000	2.3	-12.1	452	Canada
<i>Chrysopa abbreviata</i>	52.92246	-6.02892	9.7	5.4	931	Ireland
<i>Chrysopa abbreviata</i>	52.92270	-6.02991	9.7	5.4	931	Ireland
<i>Chrysopa abbreviata</i>	52.86177	-4.11695	9.5	4.5	1037	UK
<i>Chrysopa abbreviata</i>	52.80271	-4.15117	9.9	5.0	972	UK
<i>Chrysopa abbreviata</i>	52.88305	-4.41529	9.7	5.1	952	UK
<i>Chrysopa abbreviata</i>	52.80271	-4.15117	9.9	5.0	972	UK
<i>Chrysopa perla</i>	52.94470	-4.00191	9.2	4.1	1066	UK
<i>Chrysopa perla</i>	52.19599	-4.39322	9.5	4.9	1002	UK
<i>Chrysopa perla</i>	52.89515	-4.00706	8.2	3.0	1245	UK
<i>Chrysopa perla</i>	52.90589	-4.16372	9.9	5.0	964	UK
<i>Chrysopa perla</i>	52.43335	-4.01028	9.3	4.5	1121	UK
<i>Chrysopa perla</i>	52.80780	-4.14326	9.9	5.0	972	UK
<i>Chrysopa abbreviata</i>	52.90589	-4.16372	9.9	5.0	964	UK
<i>Chrysopa perla</i>	52.43335	-4.01028	9.3	4.5	1121	UK
<i>Chrysopa perla</i>	52.19599	-4.39322	9.5	4.9	1002	UK
<i>Chrysopa perla</i>	52.89515	-4.00706	8.2	3.0	1245	UK
<i>Chrysopa perla</i>	52.43335	-4.01028	9.3	4.5	1121	UK
<i>Chrysopa pallens</i>	52.23877	-3.92237	8.9	3.8	1342	UK
<i>Chrysopa pallens</i>	52.23877	-3.92237	8.9	3.8	1342	UK
<i>Chrysopa abbreviata</i>	52.03693	-3.71539	9.1	3.6	1355	UK
<i>Chrysopa pallens</i>	52.08099	-3.77692	8.9	3.5	1390	UK
<i>Chrysopa perla</i>	52.93894	-3.99643	9.2	3.9	1076	UK
<i>Chrysopa perla</i>	52.63573	-3.25617	8.2	2.6	1069	UK
<i>Chrysopa perla</i>	52.28382	-3.86127	8.5	3.2	1474	UK
<i>Chrysopa perla</i>	52.92581	-3.05999	8.7	3.3	826	UK
<i>Chrysopa perla</i>	52.72040	-3.32524	8.1	2.5	1073	UK
<i>Chrysopa perla</i>	52.90185	-3.56125	8.0	2.5	1148	UK
<i>Chrysopa perla</i>	52.18269	-3.99603	9.0	3.9	1307	UK
<i>Chrysopa perla</i>	52.96458	-3.04753	8.7	3.3	824	UK
<i>Chrysopa phyllochroma</i>	52.28382	-3.86127	8.5	3.2	1474	UK
<i>Chrysopa perla</i>	52.33143	-3.51907	8.2	2.6	1443	UK

<i>Chrysopa perla</i>	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.63573	-3.25617	8.2	2.6	1069	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.18269	-3.99603	9.0	3.9	1307	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.93894	-3.99643	9.2	3.9	1076	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	52.45865	-2.43053	9.1	3.4	692	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.36467	-2.71309	8.9	3.3	756	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.10236	-2.36503	8.9	3.4	760	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.73209	-2.22216	9.2	3.5	711	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.96903	-2.20178	9.2	3.6	784	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.37264	-2.07345	9.2	3.6	692	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.09910	-2.94902	9.5	3.9	832	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.91144	-2.76595	8.7	3.1	744	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.68236	-2.09690	9.3	3.6	714	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91595	-2.39415	8.7	3.1	766	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.19227	-2.36577	9.7	4.1	664	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37264	-2.07345	9.2	3.6	692	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.20542	-2.46100	9.1	3.5	730	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.93989	-2.74483	8.7	3.1	752	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.95217	-2.30516	8.9	3.2	776	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.56798	-2.95247	7.5	1.8	1021	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.96826	-2.73713	8.8	3.2	758	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.92551	-2.14133	9.0	3.4	802	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15

<i>Chrysopa perla</i>	52.01298	-2.07286	9.7	4.1	668	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37706	-2.35921	9.3	3.6	680	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.90929	-2.81792	8.8	3.1	750	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.89848	-2.18584	9.2	3.5	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.90371	-2.77990	8.7	3.1	744	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.90929	-2.81792	8.8	3.1	750	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82200	-2.222262	9.1	3.4	735	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91129	-2.07436	9.0	3.3	819	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.73209	-2.222216	9.2	3.5	711	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.05830	-2.14726	9.8	4.3	654	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.32730	-2.44162	9.2	3.6	690	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.68730	-2.29731	9.1	3.4	698	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.50790	-2.00143	9.1	3.5	716	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82200	-2.222262	9.1	3.4	735	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.37154	-1.48585	9.5	3.6	623	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.37209	-1.63275	9.2	3.5	658	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.90644	-1.47211	9.7	3.8	690	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.36990	-1.19208	9.4	3.4	628	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.41170	-1.41922	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.10290	-1.92699	9.7	4.1	635	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.73043	-1.33354	9.2	3.2	706	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.85111	-1.22030	9.8	3.6	642	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.64284	-1.07694	9.5	3.4	633	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.19649	-1.69638	9.6	3.9	609	UK	W-GBIF-15

<i>Chrysopa perla</i>	52.25000	-1.45064	9.5	3.6	620	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37209	-1.63275	9.2	3.5	658	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.00521	-1.11853	9.5	3.4	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.06138	-1.49672	9.0	3.1	652	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.39379	-1.43415	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.58387	-1.85977	9.2	3.5	718	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37581	-1.43438	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.18395	-1.71402	9.6	3.9	612	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.38480	-1.43427	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.72950	-1.18545	9.7	3.6	633	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.07849	-1.32140	9.5	3.5	609	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.38472	-1.41958	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.33991	-1.44952	9.4	3.6	623	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.41177	-1.43392	9.5	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91190	-1.77692	9.5	3.8	753	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.91209	-1.92564	9.3	3.6	794	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.64237	-1.92610	9.1	3.5	739	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.80771	-0.14536	9.7	3.5	581	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15

<i>Chrysopa pallens</i>	-0.58983	9.5	3.2	607	UK
<i>Chrysopa commata</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa commata</i>	-0.45833	9.7	3.6	577	UK
<i>Chrysopa pallens</i>	-0.47022	9.9	3.6	605	UK
<i>Chrysopa pallens</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa pallens</i>	-0.23519	9.6	3.6	556	UK
<i>Chrysopa pallens</i>	-0.23519	9.6	3.6	556	UK
<i>Chrysopa pallens</i>	-0.46715	10.0	3.8	578	UK
<i>Chrysopa pallens</i>	-0.73895	9.8	3.5	611	UK
<i>Chrysopa pallens</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa perla</i>	-0.75653	9.6	3.3	630	UK
<i>Chrysopa perla</i>	-0.75349	9.7	3.5	617	UK
<i>Chrysopa perla</i>	-0.55917	9.8	3.6	597	UK
<i>Chrysopa perla</i>	-0.63060	9.6	3.4	617	UK
<i>Chrysopa perla</i>	-0.23365	9.6	3.6	556	UK
<i>Chrysopa perla</i>	-0.24085	9.6	3.6	556	UK
<i>Chrysopa perla</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa perla</i>	-0.59238	9.6	3.4	613	UK
<i>Chrysopa perla</i>	-0.61707	9.7	3.4	603	UK
<i>Chrysopa perla</i>	-0.17532	9.9	3.7	576	UK
<i>Chrysopa perla</i>	-0.28674	9.8	3.7	548	UK
<i>Chrysopa perla</i>	-0.68485	9.7	3.5	609	UK
<i>Chrysopa perla</i>	-0.47022	9.9	3.6	605	UK
<i>Chrysopa perla</i>	-0.24331	9.8	3.6	565	UK
<i>Chrysopa perla</i>	-0.23519	9.6	3.6	556	UK
<i>Chrysopa perla</i>	-0.06393	9.7	3.5	567	UK
<i>Chrysopa perla</i>	-0.16423	9.8	3.6	547	UK
<i>Chrysopa perla</i>	-0.07116	9.7	3.5	567	UK
<i>Chrysopa perla</i>	-0.47022	9.9	3.6	605	UK
<i>Chrysopa perla</i>	-0.05657	9.7	3.5	567	UK
<i>Chrysopa perla</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa perla</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa perla</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa perla</i>	-0.23365	9.6	3.6	556	UK
<i>Chrysopa perla</i>	-0.10210	9.6	3.4	585	UK
<i>Chrysopa perla</i>	-0.50338	9.8	3.5	619	UK

<i>Chrysopa perla</i>	-0.29643	9.9	3.8	564	UK
<i>Chrysopa perla</i>	-0.30501	10.0	3.7	591	UK
<i>Chrysopa perla</i>	-0.30501	10.0	3.7	591	UK
<i>Chrysopa perla</i>	-0.30501	10.0	3.7	591	UK
<i>Chrysopa perla</i>	-0.30501	10.0	3.7	591	UK
<i>Chrysopa perla</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa perla</i>	-0.34494	9.9	3.6	590	UK
<i>Chrysopa perla</i>	-0.46725	9.9	3.6	605	UK
<i>Chrysopa pallens</i>	-0.30156	10.0	3.7	591	UK
<i>Chrysopa pallens</i>	-0.26406	10.0	3.8	571	UK
<i>Chrysopa pallens</i>	-0.32360	10.0	3.8	574	UK
<i>Chrysopa phyllochroma</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa phyllochroma</i>	-0.26406	10.0	3.8	571	UK
<i>Chrysopa phyllochroma</i>	-0.32360	10.0	3.8	574	UK
<i>Chrysopa phyllochroma</i>	-0.32360	10.0	3.8	574	UK
<i>Chrysopa phyllochroma</i>	-0.26406	10.0	3.8	571	UK
<i>Chrysopa phyllochroma</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa phyllochroma</i>	-0.32360	10.0	3.8	574	UK
<i>Chrysopa perla</i>	-0.58567	9.6	3.4	613	UK
<i>Chrysopa perla</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa perla</i>	-0.63844	9.6	3.4	617	UK
<i>Chrysopa perla</i>	-0.61029	9.8	3.6	599	UK
<i>Chrysopa perla</i>	-0.16858	9.8	3.6	575	UK
<i>Chrysopa perla</i>	-0.61029	9.8	3.6	599	UK
<i>Chrysopa perla</i>	-0.57760	10.0	3.7	601	UK
<i>Chrysopa perla</i>	-0.61064	9.8	3.5	626	UK
<i>Chrysopa perla</i>	-0.47022	9.9	3.6	605	UK
<i>Chrysopa perla</i>	-0.26406	10.0	3.8	571	UK
<i>Chrysopa perla</i>	-0.60748	9.7	3.4	603	UK
<i>Chrysopa pallens</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa pallens</i>	-0.47022	9.9	3.6	605	UK
<i>Chrysopa perla</i>	-0.32122	10.0	3.8	574	UK
<i>Chrysopa phyllochroma</i>	-0.17532	9.9	3.7	576	UK
<i>Chrysopa perla</i>	-0.61308	9.7	3.5	619	UK
<i>Chrysopa perla</i>	-0.61586	9.8	3.5	626	UK
<i>Chrysopa perla</i>	-0.46715	10.0	3.8	578	UK
<i>Chrysopa perla</i>	-0.47022	9.9	3.6	605	UK

<i>Chrysopa perla</i>	52.27454	-0.60748	9.7	3.4	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.90698	0.49769	9.6	3.4	599	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.62366	0.66476	9.4	3.1	607	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
<i>Chrysopa dorsalis</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.07501	0.45972	9.4	3.4	543	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15

<i>Chrysopa perla</i>	52.43454	0.57461	9.4	3.3	557	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.51757	0.87432	9.5	3.4	609	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.03007	0.27937	9.4	3.2	585	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.00768	0.10554	9.4	3.2	614	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.57328	0.60488	9.5	3.2	585	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.24258	0.04340	9.7	3.6	555	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.29857	0.41269	9.6	3.6	541	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.04693	0.09790	9.6	3.4	586	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.82642	0.91472	9.7	3.6	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.36928	0.96092	9.6	3.5	589	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.29705	0.42067	9.5	3.5	541	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.44688	0.62685	9.3	3.2	584	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.36705	0.96004	9.6	3.5	589	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.77342	0.49819	9.5	3.2	596	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.30577	0.29938	9.7	3.6	539	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.30965	0.28490	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysopa pallens</i>	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.30480	0.34529	9.6	3.6	538	UK	W-GBIF-15
<i>Chrysopa perla</i>	52.21181	0.66200	9.2	3.1	568	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.83087	1.43702	10.5	4.5	632	UK	W-GBIF-15
<i>Chrysopa commata</i>	52.72058	1.51721	10.3	4.5	619	UK	W-GBIF-15

<i>Chrysopa pallens</i>	52.59578	1.32255	10.1	4.1	628	UK
<i>Chrysopa abbreviata</i>	52.60585	1.73173	10.0	4.4	598	UK
<i>Chrysopa commata</i>	52.72200	1.14698	10.1	4.0	631	UK
<i>Chrysopa pallens</i>	52.51391	1.02150	9.7	3.6	612	UK
<i>Chrysopa pallens</i>	52.45544	1.65800	9.9	4.2	595	UK
<i>Chrysopa pallens</i>	52.06117	1.13676	9.9	4.0	560	UK
<i>Chrysopa pallens</i>	52.06117	1.13676	9.9	4.0	560	UK
<i>Chrysopa pallens</i>	52.72415	1.69529	10.1	4.5	613	UK
<i>Chrysopa pallens</i>	52.69211	1.42980	10.3	4.4	624	UK
<i>Chrysopa abbreviata</i>	52.31994	1.67616	9.9	4.2	589	UK
<i>Chrysopa abbreviata</i>	52.31526	1.67374	9.9	4.2	589	UK
<i>Chrysopa perla</i>	52.72188	1.48843	10.4	4.4	622	UK
<i>Chrysopa perla</i>	52.86913	1.19478	10.3	4.2	644	UK
<i>Chrysopa perla</i>	52.71879	1.18304	10.2	4.1	635	UK
<i>Chrysopa perla</i>	52.76104	1.04675	9.9	3.8	637	UK
<i>Chrysopa perla</i>	52.60565	1.44889	10.2	4.3	614	UK
<i>Chrysopa phyllochroma</i>	52.33433	1.00924	9.6	3.5	595	UK
<i>Chrysopa perla</i>	52.61463	1.44959	10.2	4.3	614	UK
<i>Chrysopa perla</i>	52.49740	1.60990	9.9	4.3	595	UK
<i>Chrysopa perla</i>	52.60369	1.02769	9.8	3.7	622	UK
<i>Chrysopa perla</i>	52.59155	1.46993	10.1	4.3	614	UK
<i>Chrysopa perla</i>	52.72200	1.14698	10.1	4.0	631	UK
<i>Chrysopa perla</i>	52.94441	1.20669	10.4	4.2	651	UK
<i>Chrysopa perla</i>	52.06117	1.13676	9.9	4.0	560	UK
<i>Chrysopa perla</i>	52.66543	1.54163	10.1	4.3	614	UK
<i>Chrysopa perla</i>	52.05720	1.28241	10.0	4.2	567	UK
<i>Chrysopa perla</i>	52.61506	1.43485	10.2	4.3	614	UK
<i>Chrysopa perla</i>	52.21407	1.60882	9.8	4.1	589	UK
<i>Chrysopa perla</i>	52.69211	1.42980	10.3	4.4	624	UK
<i>Chrysopa perla</i>	52.59155	1.46993	10.1	4.3	614	UK
<i>Chrysopa abbreviata</i>	52.54040	1.68530	9.9	4.3	597	UK
<i>Chrysopa perla</i>	52.10200	10.34210	8.5	0.6	694	Germany
<i>Chrysopa perla</i>	52.52190	13.39260	9.1	0.0	571	Germany
<i>Chrysopa perla</i>	52.14340	13.39980	9.3	0.3	557	Germany
<i>Chrysopa oculata</i>	53.56000	-114.46900	2.2	-11.8	503	Canada
<i>Chrysopa oculata</i>	53.81900	-114.81700	1.7	-12.4	507	Canada

<i>Chrysopa chi</i>	53.56000	-114.46900	2.2	-11.8	503	Canada
<i>Chrysopa oculata</i>	53.51700	-113.54800	2.9	-11.6	460	Canada
<i>Chrysopa oculata</i>	53.50300	-113.56100	2.9	-11.6	460	Canada
<i>Chrysopa chi</i>	53.51700	-113.54800	2.9	-11.6	460	Canada
<i>Chrysopa chi</i>	53.41900	-113.12400	2.1	-12.6	453	Canada
<i>Chrysopa chi</i>	53.51700	-113.54800	2.9	-11.6	460	Canada
<i>Chrysopa oculata</i>	53.37000	-112.66800	2.0	-12.9	442	Canada
<i>Chrysopa abbreviata</i>	53.48055	-6.10935	9.8	5.5	799	Ireland
<i>Chrysopa abbreviata</i>	53.48080	-6.11034	9.8	5.5	799	Ireland
<i>Chrysopa abbreviata</i>	53.15282	-4.41545	9.9	5.3	919	UK
<i>Chrysopa dorsalis</i>	53.15282	-4.41545	9.9	5.3	919	UK
<i>Chrysopa abbreviata</i>	53.15282	-4.41545	9.9	5.3	919	UK
<i>Chrysopa abbreviata</i>	53.24015	-4.54029	10.0	5.5	874	UK
<i>Chrysopa abbreviata</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Chrysopa abbreviata</i>	53.17885	-4.46182	9.9	5.4	894	UK
<i>Chrysopa abbreviata</i>	53.18783	-4.46233	9.9	5.4	894	UK
<i>Chrysopa abbreviata</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Chrysopa perla</i>	53.25190	-4.17365	9.3	4.4	1005	UK
<i>Chrysopa perla</i>	53.14533	-4.34025	9.9	5.3	923	UK
<i>Chrysopa abbreviata</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Chrysopa dorsalis</i>	53.14533	-4.34025	9.9	5.3	923	UK
<i>Chrysopa pallens</i>	53.60349	-3.06343	9.1	3.4	841	UK
<i>Chrysopa pallens</i>	53.20998	-3.05201	9.5	4.3	740	UK
<i>Chrysopa perla</i>	53.05295	-3.33542	8.3	2.8	966	UK
<i>Chrysopa dorsalis</i>	53.58843	-3.05534	9.1	3.4	841	UK
<i>Chrysopa dorsalis</i>	53.56555	-3.09740	9.2	3.6	818	UK
<i>Chrysopa abbreviata</i>	53.31343	-3.51968	9.4	4.0	797	UK
<i>Chrysopa abbreviata</i>	53.58596	-3.08021	9.1	3.4	841	UK
<i>Chrysopa dorsalis</i>	53.56372	-3.07140	9.2	3.6	825	UK
<i>Chrysopa abbreviata</i>	53.56372	-3.07140	9.2	3.6	825	UK
<i>Chrysopa dorsalis</i>	53.58843	-3.05534	9.1	3.4	841	UK
<i>Chrysopa perla</i>	53.09166	-3.01179	9.0	3.8	788	UK
<i>Chrysopa perla</i>	53.20998	-3.05201	9.5	4.3	740	UK
<i>Chrysopa perla</i>	53.05295	-3.33542	8.3	2.8	966	UK
<i>Chrysopa perla</i>	53.07953	-3.71699	8.3	2.8	1104	UK

53.25594	-3.13859	9.4	4.1	750	UK
53.00163	-3.21684	7.5	1.9	1087	UK
53.34366	-3.34824	9.2	3.9	789	UK
53.56372	-3.07140	9.2	3.6	825	UK
53.58596	-3.08021	9.1	3.4	841	UK
53.06438	-3.09697	7.7	2.1	1022	UK
53.07953	-3.71699	8.3	2.8	1104	UK
53.23336	-3.28109	8.4	3.0	900	UK
53.58843	-3.05534	9.1	3.4	841	UK
53.05630	-3.76830	8.5	3.1	1081	UK
53.18631	-3.82229	9.2	3.9	939	UK
53.06438	-3.09697	7.7	2.1	1022	UK
53.36140	-2.22542	9.8	4.2	888	UK
53.44864	-2.82824	9.2	3.9	908	UK
53.41737	-2.98038	9.3	4.0	813	UK
53.48903	-2.83657	9.3	3.9	884	UK
53.00180	-2.22354	9.0	3.4	812	UK
53.44750	-2.97881	9.3	4.0	813	UK
53.13217	-2.21675	9.3	3.8	843	UK
53.00180	-2.22354	9.0	3.4	812	UK
53.36140	-2.22542	9.8	4.2	888	UK
53.43741	-2.38390	10.0	4.4	906	UK
53.33579	-2.69013	9.5	4.2	885	UK
53.44864	-2.82824	9.2	3.9	908	UK
53.44864	-2.82824	9.2	3.9	908	UK
53.39222	-2.55870	9.7	4.3	908	UK
53.39193	-2.61584	9.6	4.2	914	UK
53.05126	-2.21634	8.9	3.3	849	UK
53.36754	-2.63954	9.5	4.2	900	UK
53.47192	-2.70062	9.2	3.9	971	UK
53.35875	-2.82650	9.5	4.3	835	UK
53.36754	-2.63954	9.5	4.2	900	UK
53.55294	-2.37664	9.7	4.0	1051	UK
53.54137	-2.07546	9.3	3.6	1083	UK
53.41821	-2.57559	9.6	4.2	940	UK
53.54137	-2.07546	9.3	3.6	1083	UK

Chrysopa perla	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.39222	-2.55870	9.7	4.3	908	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.222686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.222686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.28511	-2.14251	9.4	3.8	937	UK	W-GBIF-15
Chrysopa perla	53.45091	-2.37649	10.0	4.4	906	UK	W-GBIF-15
Chrysopa perla	53.62364	-2.86947	9.2	3.6	910	UK	W-GBIF-15
Chrysopa perla	53.58164	-2.39654	9.7	4.0	1051	UK	W-GBIF-15
Chrysopa perla	53.46608	-2.70128	9.2	3.9	971	UK	W-GBIF-15
Chrysopa perla	53.23328	-2.69447	9.0	3.6	876	UK	W-GBIF-15
Chrysopa perla	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa perla	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa perla	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Chrysopa perla	53.42574	-2.49893	9.8	4.3	922	UK	W-GBIF-15
Chrysopa perla	53.36730	-2.94616	9.5	4.2	800	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.222686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.34428	-2.77139	9.5	4.3	852	UK	W-GBIF-15
Chrysopa perla	53.35709	-2.08265	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa perla	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
Chrysopa perla	53.42797	-2.50423	9.7	4.2	937	UK	W-GBIF-15
Chrysopa perla	53.03344	-2.98507	9.0	3.7	768	UK	W-GBIF-15
Chrysopa perla	53.36610	-2.02254	9.0	3.3	1070	UK	W-GBIF-15
Chrysopa perla	53.40966	-2.47317	9.8	4.3	903	UK	W-GBIF-15
Chrysopa perla	53.34950	-2.65129	9.5	4.2	900	UK	W-GBIF-15
Chrysopa perla	53.43736	-2.39895	10.0	4.4	906	UK	W-GBIF-15
Chrysopa perla	53.39598	-2.52115	9.7	4.3	904	UK	W-GBIF-15
Chrysopa perla	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.37182	-2.82149	9.5	4.3	835	UK	W-GBIF-15
Chrysopa perla	53.50424	-2.62802	9.4	3.9	981	UK	W-GBIF-15
Chrysopa perla	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
Chrysopa perla	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
Chrysopa perla	53.17692	-2.30675	9.5	4.0	823	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.222686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.01992	-2.98923	9.0	3.7	768	UK	W-GBIF-15
Chrysopa perla	53.36436	-2.55533	9.4	4.0	925	UK	W-GBIF-15

53.45034	-2.52708	9.7	4.2	937	UK	W-GBIF-15
53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
53.17991	-2.67341	8.9	3.5	851	UK	W-GBIF-15
53.09205	-2.96401	9.2	4.0	753	UK	W-GBIF-15
53.62840	-2.83176	9.3	3.7	933	UK	W-GBIF-15
53.35761	-2.97675	9.4	4.2	773	UK	W-GBIF-15
53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
53.09189	-2.07467	9.0	3.4	920	UK	W-GBIF-15
53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
53.09170	-2.22401	8.9	3.3	881	UK	W-GBIF-15
53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
53.44958	-2.67767	9.4	4.0	934	UK	W-GBIF-15
53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
53.53852	-2.83000	9.2	3.7	929	UK	W-GBIF-15
53.44958	-2.67767	9.4	4.0	934	UK	W-GBIF-15
53.50822	-1.35910	9.7	4.2	668	UK	W-GBIF-15
53.44513	-1.32993	9.6	3.9	685	UK	W-GBIF-15
53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
53.39188	-1.46612	9.5	4.0	758	UK	W-GBIF-15
53.44513	-1.32993	9.6	3.9	685	UK	W-GBIF-15
53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
53.34642	-1.36153	9.6	4.0	700	UK	W-GBIF-15
53.27056	-1.47513	9.3	3.7	795	UK	W-GBIF-15
53.49988	-1.31401	9.7	4.1	667	UK	W-GBIF-15
53.44560	-1.42027	9.5	3.9	742	UK	W-GBIF-15
53.58113	-1.58459	9.2	3.7	838	UK	W-GBIF-15
53.60898	-1.73623	9.1	3.5	917	UK	W-GBIF-15
53.40118	-1.54122	9.2	3.7	821	UK	W-GBIF-15
53.41743	-1.20998	9.3	3.6	695	UK	W-GBIF-15
53.56926	-1.07124	9.6	4.0	600	UK	W-GBIF-15

<i>Chrysopa perla</i>	53.65015	-1.06946	9.6	4.0	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.49823	-1.19341	9.5	3.8	653	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.17520	-1.28926	9.2	3.2	745	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.43067	-1.11114	9.7	4.0	610	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.38229	-1.34596	9.7	4.0	690	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37330	-1.34609	9.6	4.0	700	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.47537	-1.54720	8.9	3.4	866	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.55187	-1.08898	9.6	4.0	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.30326	-1.45147	9.2	3.5	793	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.92524	-1.13113	9.3	3.7	616	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.55098	-1.09051	9.6	4.0	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57542	-1.24405	9.4	3.8	653	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36463	-1.40634	9.3	3.7	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37409	-1.51144	9.1	3.5	840	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.73251	-1.27989	9.5	4.0	628	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.45034	-1.47292	9.4	3.9	774	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.80701	-1.01283	9.4	3.9	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.44560	-1.42027	9.5	3.9	742	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.50047	-1.19261	9.6	3.9	637	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.15731	-1.30451	9.2	3.2	754	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.81495	-1.61266	9.3	3.8	744	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.48203	-1.52527	8.9	3.4	850	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.59567	-1.83302	9.1	3.6	961	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37383	-1.45131	9.1	3.5	799	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37915	-1.19942	9.4	3.7	673	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.62583	-1.41705	9.5	4.0	696	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.50887	-1.49481	9.4	3.9	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.24917	-1.87260	8.3	2.6	1123	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.42435	-1.39422	9.5	4.0	719	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.43039	-1.34748	9.7	4.1	684	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.48123	-1.02418	9.6	3.9	596	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.25097	-1.41916	9.5	3.8	757	UK	W-GBIF-15
<i>Chrysopa phillochroma</i>	53.40934	-1.36059	9.7	4.0	690	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.61631	-1.81329	9.1	3.6	961	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.53852	-1.17000	9.6	3.9	637	UK	W-GBIF-15

<i>Chrysopa perla</i>	53.98293	-1.09256	9.3	3.8	621	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.98293	-1.09256	9.3	3.8	621	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.44521	-1.34499	9.7	4.1	684	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.82954	-1.01990	9.4	3.9	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57970	-1.28249	9.4	3.8	672	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.20081	-1.03206	9.6	3.6	639	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36611	-1.43413	9.1	3.5	799	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.63628	-1.07809	9.6	4.0	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54375	-1.28310	9.4	3.8	672	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.90094	-1.92390	9.1	3.5	991	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36045	-1.47403	9.4	3.9	779	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.40323	-1.49230	9.5	4.0	758	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.39850	-1.43821	9.6	4.1	728	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36308	-1.15087	9.6	3.8	645	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36308	-1.15087	9.6	3.8	645	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.25670	-1.79087	8.5	2.9	1057	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.16742	-1.26620	9.2	3.2	745	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.33700	-1.28657	9.4	3.7	704	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54460	-1.08008	9.6	4.0	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.60800	-1.14370	9.6	4.0	608	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.77058	-1.90137	8.3	2.7	1106	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37268	-1.24088	9.4	3.6	692	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57034	-1.22224	9.4	3.8	653	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.63757	-1.42748	9.5	4.0	696	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57114	-1.35815	9.5	4.0	685	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54274	-1.13219	9.7	4.0	610	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.41790	-1.28522	9.3	3.6	702	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	53.35875	-1.17350	9.4	3.7	675	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.47150	-1.16302	9.6	3.9	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.38862	-1.44135	9.6	4.1	728	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.40073	-1.43593	9.6	4.1	728	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54460	-1.08008	9.6	4.0	600	UK	W-GBIF-15

<i>Chrysopa perla</i>	53.89518	-1.44451	9.2	3.7	684	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.39136	-1.36086	9.7	4.0	690	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.20335	-1.65787	9.2	3.5	871	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.52109	-1.18467	9.6	3.9	637	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.21038	-1.16887	9.6	3.6	675	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.50215	-1.31773	9.7	4.1	658	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.32801	-1.28672	9.3	3.5	718	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.37362	-1.40622	9.3	3.7	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.55486	-1.26253	9.4	3.8	672	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.59990	-1.14235	9.6	4.0	608	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.63139	-1.71189	9.4	3.9	857	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.39188	-1.46612	9.5	4.0	758	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.67312	-1.07577	9.5	3.9	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.56749	-1.13546	9.7	4.0	610	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.92923	-1.12419	9.3	3.8	615	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54118	-1.77363	8.0	2.4	1113	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.52678	-1.47951	9.4	3.9	756	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.25805	-1.79761	8.5	2.8	1088	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.61147	-1.25852	9.5	3.9	652	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.57171	-1.09761	9.6	4.0	603	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.36158	-1.92486	8.6	2.9	1128	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.18179	-1.92517	8.0	2.3	1164	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.09189	-1.92533	8.2	2.5	1080	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.00199	-1.92549	8.8	3.2	917	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.18179	-1.92517	8.0	2.3	1164	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.49430	-1.24781	9.5	3.8	661	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	53.92976	-0.81877	9.4	3.9	644	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.71062	-0.40896	9.6	3.9	655	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.50771	-0.96627	9.7	3.9	586	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.34121	-0.71568	9.6	3.8	596	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15

<i>Chrysopa commata</i>	53.26320	-0.575557	9.4	3.6	603	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.28185	-0.19315	9.3	3.3	624	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.48056	-0.34975	9.4	3.5	630	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54378	-0.87785	9.6	3.9	593	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.64817	-0.13137	9.6	3.8	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.49585	-0.94545	9.7	3.9	587	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.56266	-0.87886	9.6	3.9	593	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.82004	-0.19970	9.6	3.9	690	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.56176	-0.87888	9.6	3.9	593	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.77799	-0.66216	9.5	3.9	634	UK	W-GBIF-15
<i>Chrysopa phyllochroma</i>	53.77799	-0.66216	9.5	3.9	634	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.50017	-0.83075	9.5	3.8	599	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.90965	-0.92668	9.4	3.8	618	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.91396	-0.85729	9.4	3.9	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.46912	-0.92276	9.7	3.9	587	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.72374	-0.41528	9.6	3.9	655	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.26255	-0.28693	9.5	3.4	608	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.60929	-0.61005	9.4	3.7	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.77110	-0.39377	9.6	3.9	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.80413	-0.70916	9.5	3.9	629	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.62267	-0.56349	9.5	3.8	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.53086	-0.94005	9.7	3.9	588	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.72131	-0.97695	9.5	3.9	600	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.77200	-0.39374	9.6	3.9	659	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.19595	-0.62945	9.6	3.7	586	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.56899	-0.88171	9.6	3.9	593	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.84123	-0.46253	9.4	3.9	682	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.34910	-0.27220	9.3	3.3	627	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.15449	-0.15513	9.6	3.4	602	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.58190	-0.94416	9.6	3.9	591	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.63585	0.12757	9.7	3.8	664	UK	W-GBIF-15

<i>Chrysopa pallens</i>	53.34173	0.17821	9.7	3.6	625	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.44517	0.17597	9.7	3.7	634	UK	W-GBIF-15
<i>Chrysopa pallens</i>	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.34438	0.02810	9.5	3.4	635	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.63585	0.12757	9.7	3.8	664	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.34173	0.17821	9.7	3.6	625	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
<i>Chrysopa commata</i>	53.47810	0.10810	9.7	3.7	639	UK	W-GBIF-15
<i>Chrysopa perla</i>	53.54100	8.58106	8.8	1.5	762	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.70340	9.63687	8.5	0.7	763	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.70650	9.63654	8.5	0.7	763	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.45840	9.69864	8.6	0.7	740	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.64350	9.78507	8.5	0.7	760	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.31850	10.90630	8.7	0.6	612	Germany	W-GBIF-14
<i>Chrysopa perla</i>	53.90050	11.45370	8.5	0.7	610	Germany	W-GBIF-14
<i>Chrysopa chi</i>	54.91600	-114.16600	0.8	-15.1	509	Canada	W-GBIF-12
<i>Chrysopa chi</i>	54.53900	-114.09100	1.6	-13.5	493	Canada	W-GBIF-12
<i>Chrysopa perla</i>	54.04753	-4.82614	8.6	3.9	965	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.17109	-3.22946	8.8	3.0	966	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.17021	-3.22790	8.8	3.0	966	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.34154	-3.46147	8.7	3.1	957	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.30544	-3.09359	8.2	2.5	1070	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.52732	-3.44878	7.7	2.2	1128	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
<i>Chrysopa pallens</i>	54.91997	-3.17026	8.8	3.3	916	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.88517	-3.04453	8.6	2.9	881	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.14594	-3.27082	8.8	3.1	950	UK	W-GBIF-15
<i>Chrysopa abbreviata</i>	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.64813	-3.37944	8.3	2.8	1036	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.88517	-3.04453	8.6	2.9	881	UK	W-GBIF-15

<i>Chrysopa pallens</i>	54.50251	-3.52899	8.3	2.8	1029	UK
<i>Chrysopa pallens</i>	54.20015	-2.68222	8.2	2.5	1251	UK
<i>Chrysopa perla</i>	54.64072	-2.73529	8.1	2.3	984	UK
<i>Chrysopa perla</i>	54.33441	-2.77673	8.4	2.6	1150	UK
<i>Chrysopa perla</i>	54.32532	-2.79194	8.7	2.9	1111	UK
<i>Chrysopa perla</i>	54.85442	-2.95805	8.4	2.7	863	UK
<i>Chrysopa perla</i>	54.27986	-2.86787	8.3	2.6	1150	UK
<i>Chrysopa perla</i>	54.88663	-2.85748	8.5	2.8	832	UK
<i>Chrysopa perla</i>	54.92859	-2.95591	8.5	2.8	824	UK
<i>Chrysopa perla</i>	54.19960	-2.77420	8.7	3.0	1139	UK
<i>Chrysopa perla</i>	54.99259	-2.32044	7.9	2.4	819	UK
<i>Chrysopa perla</i>	54.61882	-2.54207	8.2	2.5	992	UK
<i>Chrysopa perla</i>	54.90834	-2.95933	8.5	2.8	835	UK
<i>Chrysopa perla</i>	54.94780	-2.25763	7.4	1.9	897	UK
<i>Chrysopa perla</i>	54.94618	-2.67918	8.0	2.3	901	UK
<i>Chrysopa perla</i>	54.99294	-2.13287	8.1	2.7	757	UK
<i>Chrysopa perla</i>	54.79677	-2.85557	8.2	2.5	895	UK
<i>Chrysopa perla</i>	54.99295	-2.11724	8.3	2.9	727	UK
<i>Chrysopa perla</i>	54.89226	-2.67828	7.5	1.8	991	UK
<i>Chrysopa perla</i>	54.18663	-2.68966	8.2	2.5	1251	UK
<i>Chrysopa perla</i>	54.18663	-2.68966	8.2	2.5	1251	UK
<i>Chrysopa perla</i>	54.76037	-2.91697	8.1	2.4	948	UK
<i>Chrysopa perla</i>	54.76037	-2.91697	8.1	2.4	948	UK
<i>Chrysopa perla</i>	54.72465	-2.88511	7.7	2.0	1015	UK
<i>Chrysopa perla</i>	54.76037	-2.91697	8.1	2.4	948	UK
<i>Chrysopa perla</i>	54.90391	-2.95143	8.6	2.8	825	UK
<i>Chrysopa perla</i>	54.76037	-2.91697	8.1	2.4	948	UK
<i>Chrysopa pallens</i>	54.92188	-2.95185	8.5	2.8	824	UK
<i>Chrysopa perla</i>	54.65360	-2.75955	8.0	2.3	996	UK
<i>Chrysopa perla</i>	54.88781	-2.67041	7.5	1.8	991	UK
<i>Chrysopa perla</i>	54.76037	-2.91697	8.1	2.4	948	UK
<i>Chrysopa perla</i>	54.32987	-2.78433	8.2	2.5	1188	UK
<i>Chrysopa perla</i>	54.94173	-2.67130	8.0	2.3	901	UK
<i>Chrysopa perla</i>	54.90391	-2.95143	8.6	2.8	825	UK
<i>Chrysopa perla</i>	54.67002	-2.97697	7.5	1.8	1094	UK
<i>Chrysopa perla</i>	54.83334	-2.79406	8.0	2.3	925	UK

<i>Chrysopa pallens</i>	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
<i>Chrysopa pallens</i>	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.05724	-1.50346	9.1	3.6	705	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.90296	-1.78945	8.2	2.9	694	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.80230	-1.30767	8.7	3.5	671	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.16708	-1.01883	9.1	3.6	672	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.07664	-1.00645	9.3	3.8	636	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.07664	-1.00645	9.3	3.8	636	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.24821	-1.04761	8.9	3.5	688	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.92090	-1.77375	8.1	2.8	697	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.25456	-1.05514	8.5	3.1	725	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.91194	-1.78940	8.2	2.9	694	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.92979	-1.72688	8.4	3.1	672	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.29128	-1.59284	9.0	3.5	703	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.93874	-1.71121	8.4	3.1	672	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.93878	-1.72682	8.4	3.1	672	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.97498	-1.88282	8.4	3.0	681	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.25290	-1.13270	8.4	3.0	724	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.26049	-1.12716	8.4	3.0	724	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.89397	-1.78949	8.2	2.9	694	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.83958	-1.60291	8.5	3.3	658	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.84020	-1.91435	7.9	2.5	749	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.84020	-1.91435	7.9	2.5	749	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
<i>Chrysopa pallens</i>	54.93460	-1.84546	7.9	2.5	734	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.15649	-0.47614	9.1	3.8	792	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.27497	-0.61001	8.6	3.2	832	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.00888	-0.91573	9.3	3.9	643	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.25867	-0.76410	9.0	3.6	742	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.08868	-0.84561	9.2	3.8	675	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.13615	-0.78229	9.4	4.0	683	UK	W-GBIF-15
<i>Chrysopa pallens</i>	54.09490	-0.70551	8.9	3.5	737	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.05232	-0.67475	8.7	3.3	748	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.05101	-0.67861	8.7	3.3	748	UK	W-GBIF-15
<i>Chrysopa perlata</i>	54.30245	-0.65520	8.5	3.2	832	UK	W-GBIF-15

<i>Chrysopa perla</i>	54.24950	-0.79123	9.3	4.0	701	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.28889	-0.77472	9.0	3.6	742	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.07813	-0.69303	8.7	3.3	748	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.12110	-0.93050	9.1	3.6	671	UK	W-GBIF-15
<i>Chrysopa perla</i>	54.82120	8.86255	8.1	1.1	834	Germany	W-GBIF-14
<i>Chrysopa dorsalis</i>	54.78650	18.40777	7.4	-1.0	587	Poland	W-GBIF-2
<i>Chrysopa dorsalis</i>	54.78650	18.40777	7.4	-1.0	587	Poland	W-GBIF-2
<i>Chrysopa pallens</i>	54.04250	21.76945	6.7	-4.8	666	Poland	W-GBIF-2
<i>Chrysopa pallens</i>	54.04250	21.76945	6.7	-4.8	666	Poland	W-GBIF-2
<i>Chrysopa oculata</i>	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
<i>Chrysopa chi</i>	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
<i>Chrysopa perla</i>	55.87030	-4.29364	8.6	3.4	1178	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.14727	-4.18840	7.9	2.6	1334	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.51893	-4.33653	7.7	2.4	1233	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.61916	-4.70785	8.4	3.1	1208	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.59908	-4.65962	8.4	3.1	1188	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.97462	-3.50240	8.3	3.0	801	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.67508	-2.57964	7.7	2.1	793	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.02887	-1.85137	8.1	2.8	701	UK	W-GBIF-15
<i>Chrysopa perla</i>	55.52650	13.90090	7.8	0.4	612	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	55.57880	13.25220	7.8	0.4	653	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	55.77490	14.12010	7.5	0.1	621	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	56.93240	18.28740	7.5	-0.2	511	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	56.51667	21.06398	6.8	-2.2	691	Latvia	W-GBIF-2
<i>Chrysopa perla</i>	56.51667	21.06398	6.8	-2.2	691	Latvia	W-GBIF-2
<i>Chrysopa</i>	57.43876	-4.16014	6.9	0.9	877	UK	W-GBIF-15
<i>Chrysopa</i>	57.08970	13.77820	6.4	-1.7	780	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	59.59102	8.55281	2.0	-6.4	880	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.11351	9.36935	6.0	-2.1	800	Norway	W-GBIF-19
<i>Chrysopa pallens</i>	59.08811	9.81756	6.6	-1.5	758	Norway	W-GBIF-19
<i>Chrysopa pallens</i>	59.83299	10.84376	5.4	-3.9	789	Norway	W-GBIF-19
<i>Chrysopa pallens</i>	59.91500	10.68912	6.4	-3.2	733	Norway	W-GBIF-19
<i>Chrysopa perla</i>	59.93982	10.57046	5.5	-4.1	754	Norway	W-GBIF-19

<i>Chrysopa perla</i>	59.89431	10.60293	6.3	-3.3	728	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.84115	10.41839	5.5	-4.0	754	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.59061	10.08946	5.0	-3.9	773	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.53759	10.10782	6.3	-2.5	730	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.53790	10.09945	6.3	-2.5	730	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.43506	10.42796	6.8	-1.7	733	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.60425	10.45695	6.0	-2.9	758	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.54278	10.10228	6.3	-2.6	726	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.37241	10.97981	6.5	-2.1	773	Norway	W-GBIF-18
<i>Chrysopa perla</i>	59.56240	15.54870	5.8	-3.3	647	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	60.87974	7.33571	0.7	-6.7	1354	Norway	W-GBIF-18
<i>Chrysopa perla</i>	60.43198	9.36161	2.7	-8.1	689	Norway	W-GBIF-18
<i>Chrysopa perla</i>	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
<i>Chrysopa perla</i>	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
<i>Chrysopa perla</i>	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
<i>Chrysopa perla</i>	60.43045	10.89386	2.7	-7.4	750	Norway	W-GBIF-19
<i>Chrysopa perla</i>	60.91029	10.74153	4.1	-6.4	589	Norway	W-GBIF-19
<i>Chrysopa perla</i>	60.81411	10.12131	3.8	-6.9	650	Norway	W-GBIF-18
<i>Chrysopa perla</i>	60.02791	11.45055	4.6	-5.1	801	Norway	W-GBIF-19
<i>Chrysopa perla</i>	61.32792	12.23355	2.2	-8.1	618	Norway	W-GBIF-19
<i>Chrysopa perla</i>	61.29770	16.54840	3.7	-6.8	647	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	61.09560	26.24600	3.9	-7.2	642	Finland	W-GBIF-20
<i>Chrysopa perla</i>	61.17010	28.68410	3.9	-7.4	674	Finland	W-GBIF-20
<i>Chrysopa sp.</i>	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.56142	7.56151	5.8	-0.3	1053	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.58174	7.81359	5.2	-1.4	983	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.58897	7.81915	3.1	-3.3	1071	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.57048	7.86269	5.4	-1.3	965	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.75063	7.26926	5.7	0.2	1280	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.42450	8.31523	1.1	-6.1	955	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.42450	8.31523	1.1	-6.1	955	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.47729	8.18237	2.8	-4.3	950	Norway	W-GBIF-18
<i>Chrysopa perla</i>	62.96690	17.60610	2.7	-8.3	646	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	63.41390	14.55980	3.0	-7.0	561	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	63.84590	20.11430	2.5	-9.0	576	Sweden	W-GBIF-17

<i>Chrysopa perla</i>	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
<i>Chrysopa abbreviata</i>	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	63.83000	20.16470	2.5	-8.9	583	Sweden	W-GBIF-17
<i>Chrysopa abbreviata</i>	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	63.89040	20.15780	2.3	-9.1	582	Sweden	W-GBIF-17
<i>Chrysopa perla</i>	65.71430	21.80240	1.2	-10.8	492	Sweden	W-GBIF-17
<i>Chrysopa abbreviata</i>	65.49740	22.36290	1.5	-10.3	501	Sweden	W-GBIF-17
<i>Chrysopa pallens</i>	65.50060	22.34900	1.5	-10.4	500	Sweden	W-GBIF-17
<i>Chrysopa chi</i>	51.16667	-115.56667	1.4	-9.4	524	Canada	Garland & MacKevan 2007
<i>Chrysopa pallens</i>	55.21667	-119.43333	1.9	-12.0	485	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.05000	-114.08333	3.3	-8.4	436	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.03333	-113.58333	4.2	-7.1	436	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.41667	-113.13333	2.1	-12.5	455	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.20000	-113.23333	2.4	-11.8	426	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	57.45000	-119.90000	-1.3	-17.9	445	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.36667	-113.73333	2.7	-11.8	472	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.55000	-113.46667	2.8	-11.7	456	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	54.53333	-114.08333	1.6	-13.5	493	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.16667	-118.80000	1.5	-13.5	471	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.46667	-113.95000	2.1	-11.6	470	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.43333	-116.48333	0.8	-14.9	472	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	56.25000	-118.60000	1.4	-14.0	438	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.01667	-115.06667	0.9	-10.5	590	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	54.76667	-111.96667	1.5	-14.3	457	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.75000	-118.71667	1.8	-13.5	443	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.10000	-115.06667	2.0	-9.8	554	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.55000	-114.46667	2.2	-11.8	503	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.96667	-113.36667	2.3	-12.1	452	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.18333	-120.11667	6.7	-4.6	451	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.05000	-117.20000	1.3	-7.8	869	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.26667	-122.95000	10.7	4.7	1326	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.28333	-122.75000	9.8	3.1	1483	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	52.48333	-121.73333	3.1	-7.4	684	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.00000	-122.75000	0.2	-7.2	944	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.25000	-127.66667	4.3	-7.0	544	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	54.60000	-128.41667	5.5	-4.0	1191	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	54.38333	-128.51667	6.1	-3.0	1517	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	59.42778	-126.10417	-1.5	-17.9	471	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.12639	-122.09306	9.6	2.5	1632	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.13333	-122.61667	9.6	3.1	1455	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.13333	-122.30000	9.4	2.7	1775	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.21667	-122.91667	9.8	3.3	1423	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.71667	-120.13333	1.6	-13.0	483	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.90000	-120.13333	1.4	-13.5	473	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.11667	-120.86667	2.0	-7.1	745	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.83333	-118.98333	6.9	-3.8	730	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.53333	-117.65000	6.3	-3.5	790	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.35000	-122.28333	4.8	-6.8	437	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.40000	-118.91667	5.2	-5.0	623	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.46667	-123.46667	9.3	4.3	942	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.25833	-119.26667	7.4	-3.5	448	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.40000	-117.65000	6.5	-3.4	780	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.70861	-99.60278	2.5	-15.1	450	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.86889	-99.35944	2.3	-15.3	460	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.32917	-100.16889	0.4	-17.8	465	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.14944	-100.04944	1.9	-15.5	496	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.49972	-101.16667	0.4	-17.0	488	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.68639	-95.32611	2.1	-15.8	561	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.08306	-96.94444	2.0	-16.3	521	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.40000	-99.63000	2.6	-14.7	450	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.98556	-95.52194	2.0	-15.8	544	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.88333	-100.25000	0.9	-16.4	511	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.80556	-99.64111	2.3	-15.3	455	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.63611	-99.60944	2.7	-14.9	448	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.94528	-66.66667	5.2	-8.1	1101	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.85833	-64.97500	5.0	-8.0	1143	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.25917	-66.03889	6.0	-5.0	1299	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.62278	-52.96389	5.1	-3.3	1399	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.01667	-55.48333	4.6	-6.0	1033	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.38333	-53.90000	4.7	-4.2	1141	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.16667	-57.43333	4.4	-5.9	1056	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.65000	-53.75000	4.6	-4.3	1087	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.08278	-55.32500	4.5	-6.0	1037	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.96833	-54.59250	4.1	-5.6	1125	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.98333	-54.88333	4.4	-5.7	1107	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.38333	-53.13333	5.1	-3.1	1406	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.85000	-59.35000	4.0	-5.1	1367	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.51667	-52.78333	4.9	-3.4	1497	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.51667	-57.88333	3.8	-6.5	1098	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.57083	-52.76528	4.8	-3.6	1496	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.01667	-57.60000	4.5	-5.7	1107	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.63333	-52.85000	4.8	-3.6	1451	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.60000	-57.91667	3.6	-6.7	1097	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.95000	-55.80000	4.2	-6.4	1078	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.43333	-58.48333	4.5	-5.4	1268	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.56667	-52.73333	5.1	-3.2	1468	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.18333	-53.98333	4.6	-4.1	1195	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.53056	-53.92889	4.4	-4.6	1140	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.80000	-59.21667	4.0	-5.0	1387	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.70000	-61.98333	5.4	-5.3	1338	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.58333	-61.96667	5.8	-4.9	1334	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.21667	-64.36667	6.3	-5.2	1195	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	45.13333	-64.43333	6.5	-5.0	1190	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.80000	-60.88333	5.4	-4.7	1246	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.76667	-60.36667	5.3	-4.4	1346	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.55000	-64.25000	6.5	-3.9	1338	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.61667	-62.81667	5.8	-5.5	1199	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.33333	-61.08333	5.4	-5.1	1334	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.08333	-64.50000	6.3	-5.1	1219	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.03333	-60.56667	4.5	-5.2	1324	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.68333	-62.71667	5.9	-5.6	1186	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.40000	-63.70000	6.1	-5.4	1220	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.20000	-60.15000	5.0	-4.1	1321	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.86667	-60.46667	4.8	-4.9	1346	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.88333	-60.43333	5.5	-4.2	1290	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.36667	-63.26667	5.8	-5.5	1223	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	60.00000	-111.88333	-2.9	-22.4	347	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	65.28194	-126.82917	-5.7	-24.9	319	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.00000	-84.00000	1.2	-14.1	871	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.10000	-77.83333	3.7	-11.7	873	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.50000	-77.75000	4.1	-10.4	862	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.18333	-74.41667	6.4	-7.9	919	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.78333	-80.31667	5.8	-6.8	945	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.43333	-75.55000	5.9	-9.0	881	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.36278	-75.79444	6.0	-8.9	849	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.95000	-78.95000	7.6	-5.0	783	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.61667	-79.40000	4.5	-9.6	1006	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.30000	-76.71667	5.5	-9.1	828	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.15000	-81.03333	0.5	-16.3	860	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.51667	-75.40000	5.8	-9.1	886	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.05000	-93.33333	-1.3	-20.1	591	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.85000	-93.91667	2.5	-14.8	669	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.98333	-79.93333	6.0	-7.0	979	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.55000	-80.25000	6.5	-5.9	908	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.94278	-94.54056	2.5	-15.0	618	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.15000	-80.20000	5.4	-7.2	941	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.64083	-79.54833	7.9	-4.5	786	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	44.03333	-78.53333	6.8	-5.8	801	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.81667	-94.43333	2.3	-15.5	613	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.28333	-80.00000	4.7	-9.9	906	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.70000	-78.38333	3.5	-11.1	924	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.03333	-78.65000	6.8	-5.9	811	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.31667	-75.71667	6.0	-8.9	868	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	44.81667	-78.76667	5.4	-8.3	916	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.81639	-93.09167	2.0	-15.5	679	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.01667	-88.26667	1.7	-13.9	773	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.11667	-93.93333	2.7	-14.8	655	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	51.63333	-85.95000	-1.0	-18.7	704	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.05000	-93.90000	2.6	-14.7	659	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.98333	-78.61667	7.1	-5.5	796	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.53250	-74.99444	5.9	-8.9	908	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.41667	-91.58333	2.3	-14.4	668	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.68333	-94.23333	2.4	-15.3	629	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.06667	-82.16667	1.0	-16.1	809	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.16667	-89.41667	2.7	-12.3	730	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.96667	-80.08333	3.2	-12.2	857	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.85528	-93.40194	2.0	-15.5	673	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.45000	-80.01667	5.3	-8.3	1053	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.81667	-64.06667	5.2	-6.9	1087	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.41500	-63.07083	5.8	-5.7	1105	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.71667	-74.70000	5.1	-9.6	969	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.39500	-75.83222	5.8	-9.1	859	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.00000	-76.00000	-2.2	-19.6	790	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.65000	-76.13333	4.8	-10.3	876	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.36667	-68.70000	2.6	-11.0	939	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.75139	-71.34444	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.58889	-75.87139	4.9	-10.1	901	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.25000	-65.91667	3.9	-9.2	992	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	45.50000	-75.78333	5.5	-9.5	877	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.42694	-71.06222	2.9	-13.0	925	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.45000	-71.06667	2.9	-13.0	925	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.01833	-73.75556	6.0	-8.0	888	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.85000	-76.73333	5.2	-10.0	834	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.29083	-72.49389	5.3	-9.0	1056	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.16667	-64.91667	2.6	-9.7	1008	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.13889	-72.25250	5.3	-8.9	1050	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.46417	-74.15139	6.2	-8.3	926	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.48333	-75.65000	6.0	-9.0	867	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.38333	-73.95000	6.3	-8.1	928	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.95000	-76.01667	4.4	-10.8	915	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.56667	-75.95000	4.8	-10.3	901	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.49083	-75.84194	5.1	-9.8	889	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.12083	-74.83500	4.0	-11.0	1007	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.44528	-74.92750	3.6	-11.7	1013	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.56111	-73.80556	2.4	-12.5	1110	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	47.05000	-79.26667	3.0	-12.4	900	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.49472	-74.02500	6.2	-8.3	930	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.52639	-75.87361	4.9	-10.1	906	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.58333	-70.88333	3.7	-10.2	994	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.88611	-74.33972	3.6	-10.8	1077	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.40000	-75.11667	3.5	-11.9	1002	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.51667	-73.65000	6.3	-8.3	972	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.91667	-66.18333	-0.6	-13.9	1223	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.52139	-76.42333	5.7	-9.3	814	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.38333	-73.98333	6.3	-8.1	924	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.36667	-73.86667	6.5	-7.9	924	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.03333	-66.86667	1.5	-12.6	1049	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.48333	-74.30000	5.9	-8.5	936	Canada	Garland & MacKevan 2007

<i>Chrysopa chi</i>	45.79056	-74.68361	4.9	-9.8	979	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.43333	-73.05000	6.1	-8.4	983	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	48.18250	-67.14917	2.4	-11.5	1021	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.40306	-73.94944	6.3	-8.1	928	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.93333	-74.01667	4.1	-10.5	1047	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.07222	-73.88694	4.0	-10.7	1046	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	45.40000	-71.90000	4.8	-9.5	1064	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.88889	-71.50556	4.0	-10.6	1141	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	46.08333	-76.08333	4.3	-11.0	920	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.83333	-107.01667	0.6	-16.6	429	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	50.53333	-103.66667	2.0	-14.9	426	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	49.83333	-102.28333	1.6	-15.1	441	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	55.10000	-105.28333	-0.7	-19.0	499	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.48333	-104.16667	0.4	-17.6	455	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	59.45000	-108.75000	-3.1	-23.1	352	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.93333	-106.78333	0.2	-17.0	444	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	53.20000	-105.76667	0.9	-16.5	409	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	52.11667	-106.63333	2.0	-15.2	356	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	63.95000	-138.61667	-4.9	-24.1	344	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	62.53333	-136.75000	-3.7	-22.9	264	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	62.81667	-136.58333	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
<i>Chrysopa chi</i>	64.57833	-149.31917	-3.8	-21.7	324	USA	Garland & MacKevan 2007
<i>Chrysopa chi</i>	64.16667	-145.91667	-2.8	-19.7	309	USA	Garland & MacKevan 2007
<i>Chrysopa chi</i>	64.83333	-147.83333	-2.8	-21.1	309	USA	Garland & MacKevan 2007
<i>Chrysopa chi</i>	62.05083	-150.37250	0.9	-11.3	610	USA	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	50.80000	-121.31667	7.5	-3.4	313	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.10000	-116.50000	7.1	-3.0	610	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.20000	-119.83333	6.2	-4.4	308	Canada	Garland & MacKevan 2007

<i>Chrysopa coloradensis</i>	50.23333	-121.56667	8.1	-2.2	504	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.76667	-119.73333	8.4	-2.1	317	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.50000	-119.61667	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.06667	-119.58333	7.0	-3.7	297	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	50.70000	-119.26667	6.4	-4.3	574	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	50.68333	-122.11667	7.9	-2.3	463	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.28333	-119.53333	8.8	-1.6	294	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.83333	-119.63333	8.1	-2.4	325	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
<i>Chrysopa coloradensis</i>	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	49.40000	-110.70000	4.6	-9.0	327	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	51.11667	-106.58333	2.9	-13.8	329	Canada	Garland & MacKevan 2007
<i>Chrysopa excepta</i>	50.65000	-104.86667	2.8	-13.9	380	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	53.60000	-112.88333	1.9	-13.0	453	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	53.06667	-121.51667	0.8	-8.8	1025	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	40.05000	-117.20000	9.9	0.0	228	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.80000	-121.31667	7.5	-3.4	313	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	48.86667	-124.26667	7.7	2.0	1999	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.23333	-122.81667	9.8	3.2	1425	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	48.93333	-123.45000	9.5	3.6	1073	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	48.45000	-123.50000	9.2	4.3	972	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.01667	-120.41667	4.4	-6.0	325	Canada	Garland & MacKevan 2007

<i>Chrysopa nigricornis</i>	49.60000	-119.58333	8.7	-1.5	313	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.75000	-119.73333	8.4	-2.1	317	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.23333	-122.68333	9.8	3.1	1482	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.98333	-118.20000	6.6	-4.3	1026	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.11667	-122.80000	9.7	3.4	1233	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.25833	-119.26667	7.4	-3.5	448	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	48.43333	-123.36667	9.8	4.9	715	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	52.00000	-122.16667	4.2	-7.0	398	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.84694	-99.95222	2.3	-15.6	459	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.56306	-96.99278	1.5	-16.8	532	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	50.65806	-97.81583	1.1	-17.2	505	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.88583	-97.24278	2.1	-16.0	519	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.58944	-99.45306	2.8	-14.7	447	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.77000	-66.16278	5.8	-6.9	1132	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.31667	-75.70000	6.0	-8.9	873	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.13333	-80.26667	7.7	-4.6	904	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.38611	-79.83750	7.6	-4.6	850	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	42.40000	-82.18333	9.3	-3.1	837	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.25000	-79.53333	6.6	-6.2	820	Canada	Garland & MacKevan 2007

<i>Chrysopa nigricornis</i>	44.15000	-78.08333	6.1	-6.8	838	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.23333	-79.95000	7.8	-4.4	871	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.15000	-80.20000	5.4	-7.2	941	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.66667	-79.36667	5.9	-7.2	912	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.25000	-79.06667	8.8	-3.2	818	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.65000	-79.85000	7.2	-5.2	830	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.61667	-79.41667	6.1	-7.0	894	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	49.96667	-82.51667	0.7	-16.4	813	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.55000	-79.58333	8.2	-4.1	786	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	42.28333	-81.86667	9.2	-3.1	890	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.16667	-79.11667	8.8	-3.2	845	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.31667	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.30000	-76.18333	6.9	-6.5	905	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	44.76667	-79.33333	5.8	-7.5	937	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.25000	-75.91667	5.8	-9.0	847	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	42.85000	-80.73333	7.7	-4.6	943	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.15000	-79.40000	8.4	-3.6	852	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	43.10000	-81.13333	7.2	-5.2	951	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	46.86722	-71.63750	4.0	-10.7	1128	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.54167	-75.81667	5.3	-9.8	885	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.43417	-73.68444	6.5	-8.1	952	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	47.40000	-76.15000	2.0	-13.6	992	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.50000	-73.60000	6.1	-8.5	990	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.40000	-73.93333	6.3	-8.1	928	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007

<i>Chrysopa nigricornis</i>	45.79528	-72.19250	4.8	-9.8	1055	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	52.20000	-105.00000	1.2	-16.5	385	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	52.86667	-102.98333	0.1	-17.8	471	Canada	Garland & MacKevan 2007
<i>Chrysopa nigricornis</i>	52.13889	-106.60278	2.0	-15.2	356	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.16667	-115.56667	1.4	-9.4	524	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.26806	-115.91667	0.3	-10.2	579	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.21667	-119.43333	1.9	-12.0	485	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.70000	-114.10000	2.5	-11.6	494	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.81667	-114.83333	1.8	-12.4	508	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.05000	-114.08333	3.3	-8.4	436	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.56667	-114.08333	4.1	-6.1	538	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.56667	-110.13333	1.9	-11.4	396	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.40833	-112.64444	3.3	-11.5	355	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.55000	-113.46667	2.8	-11.7	456	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.26806	-115.91667	0.3	-10.2	579	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.66667	-110.28333	2.3	-11.1	384	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.63333	-110.20000	1.5	-11.6	413	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.95000	-110.00000	3.6	-11.8	318	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	58.70000	-111.13333	-1.8	-21.0	382	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.16667	-118.80000	1.5	-13.5	471	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.43333	-116.48333	0.8	-14.9	472	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.58333	-113.86667	3.8	-7.7	431	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	57.06667	-117.55000	0.4	-16.7	414	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.93333	-112.68333	5.0	-7.4	380	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.25000	-115.83333	-0.3	-10.6	591	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.01667	-115.06667	0.9	-10.5	590	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.76667	-111.96667	1.5	-14.3	457	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.58333	-114.16667	3.9	-6.3	555	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.40000	-110.70000	4.6	-9.0	327	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.05000	-110.66667	5.2	-9.1	319	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.85000	-117.63333	0.6	-16.1	409	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.73333	-113.98333	3.6	-7.9	439	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.11667	-110.46667	4.7	-9.3	309	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.36667	-110.46667	2.4	-13.2	332	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	56.25000	-117.28333	1.0	-15.8	394	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.66667	-122.75000	0.3	-13.1	542	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.48333	-113.95000	4.8	-5.6	489	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.26667	-113.80000	2.3	-11.6	450	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.75000	-118.71667	1.8	-13.5	443	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.10000	-115.06667	2.0	-9.8	554	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.31667	-112.71667	2.5	-11.9	420	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.83333	-111.61667	4.0	-10.9	309	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.10000	-117.53333	1.3	-13.8	515	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.35000	-117.08333	0.5	-16.2	410	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.36667	-112.66667	2.1	-12.9	440	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.06667	-117.28333	1.4	-13.4	520	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.55000	-114.46667	2.2	-11.8	503	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.96667	-113.36667	2.3	-12.1	452	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.51667	-113.56667	2.9	-11.6	460	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.66667	-117.16667	0.5	-16.4	404	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.96667	-119.68333	6.0	-4.9	507	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.58333	-126.91667	8.4	3.9	1658	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.93333	-120.61667	4.1	-6.1	365	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.18333	-120.11667	6.7	-4.6	451	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.66667	-125.08333	8.6	2.5	1522	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.88333	-119.38333	7.2	-3.7	582	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.08083	-122.55139	7.4	-0.2	677	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.17500	-121.94167	10.0	2.9	1649	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.04306	-118.20833	7.7	-3.2	513	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.68333	-124.93333	9.4	3.2	1304	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.68333	-124.98333	9.5	3.3	1359	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.73333	-123.61667	9.3	3.6	1167	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.86667	-124.26667	7.7	2.0	1999	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.50000	-115.76667	5.2	-6.2	517	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.10000	-116.50000	7.1	-3.0	610	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.05000	-121.96667	9.5	2.6	1595	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	55.08333	-121.95000	0.5	-10.9	727	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.76667	-120.23333	1.5	-13.0	488	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.21667	-125.60000	8.0	3.5	2740	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.50000	-118.36667	2.8	-7.8	971	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	58.80556	-122.69722	-1.6	-19.9	445	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.25000	-120.85000	1.6	-13.1	470	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.93333	-123.45000	9.5	3.6	1073	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.43333	-123.59167	8.3	3.1	1238	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.03333	-118.43333	7.6	-3.1	458	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.30000	-119.56667	8.5	-1.9	292	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.38333	-126.55000	6.6	-1.5	1425	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.00000	-122.75000	0.2	-7.2	944	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.25000	-121.95000	9.9	2.7	1674	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.77403	-121.60112	5.4	-4.8	375	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.18333	-122.23333	9.2	2.3	1731	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.38333	-121.43889	9.6	1.4	1702	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.81667	-122.41667	4.7	-7.0	523	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.10000	-128.06667	4.8	-6.0	737	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.98333	-123.81667	9.0	2.8	1261	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.38333	-128.51667	6.1	-3.0	1517	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.23333	-121.56667	8.1	-2.2	504	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.12639	-122.09306	9.6	2.5	1632	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.85000	-125.10000	9.4	3.1	1404	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.13333	-122.30000	9.4	2.7	1775	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.18333	-122.11667	8.5	1.5	1639	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.16667	-123.93333	9.8	3.7	1057	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.50000	-117.28333	6.6	-3.2	791	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.21667	-122.91667	9.8	3.3	1423	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.31667	-123.06667	9.7	3.0	1382	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.28226	-119.52315	8.8	-1.6	294	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.65000	-121.28333	4.3	-6.7	442	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.73333	-120.11667	4.5	-5.9	390	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.86667	-121.73333	4.3	-5.7	402	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.98333	-121.68333	0.3	-8.6	522	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.50000	-119.61667	9.0	-1.1	307	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.23333	-122.68333	9.8	3.1	1482	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.10000	-127.46667	8.1	3.5	2155	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.71667	-120.13333	1.6	-13.0	483	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.91667	-122.75000	3.8	-7.8	622	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.40000	-124.63333	9.6	3.3	1501	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.61667	-116.10000	3.6	-7.3	566	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.98333	-118.20000	6.6	-4.3	1026	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	55.90000	-120.13333	1.4	-13.5	473	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.08333	-117.80000	5.6	-4.4	775	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.20000	-122.43333	9.4	2.7	1793	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.55000	-123.36667	9.8	4.6	859	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.70000	-119.26667	6.4	-4.3	574	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.86667	-125.11667	9.4	3.1	1404	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.68333	-122.11667	7.9	-2.3	463	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.65778	-123.62639	8.9	3.5	1217	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.78056	-127.17083	3.2	-7.4	537	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.35000	-122.28333	4.8	-6.8	437	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.53333	-128.65000	6.4	-3.0	1495	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.28333	-124.91667	9.1	2.8	1914	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.34722	-122.54861	4.0	-7.6	605	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.13333	-120.65000	2.4	-12.9	460	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.11667	-125.88333	9.4	5.5	3190	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	50.70000	-120.51667	7.2	-3.7	307	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.01667	-124.01667	3.0	-9.2	509	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.28333	-119.53333	8.8	-1.6	294	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.38245	-119.34955	5.6	-5.0	470	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.31667	-119.28333	7.2	-3.7	462	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.43333	-123.36667	9.8	4.9	715	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.20000	-124.03333	9.5	3.3	1199	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.40000	-117.68215	6.8	-3.2	770	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.70861	-99.60278	2.5	-15.1	450	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.68111	-99.30500	2.6	-14.9	454	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.44556	-96.55750	1.9	-16.2	519	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.84694	-99.95222	2.3	-15.6	459	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.96639	-99.93667	1.9	-15.8	465	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.86889	-99.35944	2.3	-15.3	460	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.14944	-100.04944	1.9	-15.5	496	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.87500	-95.90806	2.2	-15.6	524	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.76806	-101.86417	-0.1	-18.7	474	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.96639	-99.93667	1.9	-15.8	465	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	56.45833	-94.20833	-4.5	-23.7	469	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.65833	-99.89444	0.5	-16.8	518	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.55417	-96.63333	1.8	-16.4	524	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.82500	-101.25333	0.1	-18.3	453	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.08306	-96.94444	2.0	-16.3	521	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.97278	-98.29194	2.6	-15.4	465	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.08611	-101.03917	1.5	-16.2	452	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.24528	-99.84278	1.1	-16.4	478	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.19194	-99.10056	3.0	-14.2	451	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.40000	-99.62861	2.6	-14.7	450	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.68306	-99.46944	1.8	-15.9	479	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.20139	-98.89389	2.7	-14.5	464	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	49.97278	-98.29194	2.6	-15.4	465	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.55750	-101.09333	2.9	-14.2	439	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.88333	-100.25000	0.9	-16.4	511	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.32444	-96.29639	2.0	-15.8	515	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.80556	-99.64111	2.3	-15.3	455	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.03528	-95.63917	2.1	-15.6	558	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.58944	-99.45306	2.8	-14.7	447	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.89556	-97.00528	2.1	-16.0	520	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.63611	-99.60944	2.7	-14.9	448	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.17833	-101.36083	-0.1	-18.6	462	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.24972	-100.30889	2.7	-14.5	442	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.18167	-0.94028	10.8	5.3	777	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.10000	-65.73333	4.2	-9.5	1076	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.62611	-65.62833	4.5	-8.6	1001	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.89528	-67.46889	4.6	-9.0	1064	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.16917	-65.88500	4.8	-8.5	1119	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.94528	-66.66667	5.2	-8.1	1101	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.61667	-65.03333	4.7	-7.3	1254	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.31667	-68.15000	3.5	-10.9	993	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.91667	-66.00000	4.1	-9.3	992	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.85833	-64.97500	5.0	-8.0	1143	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.23333	-67.15000	3.0	-11.2	1028	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.23333	-67.20000	6.0	-6.0	1099	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.93917	-65.18139	5.5	-7.0	1140	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.08444	-67.06278	6.1	-5.4	1166	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.25917	-66.03889	6.0	-5.0	1299	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.51000	-67.38861	2.4	-11.9	1013	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.72250	-65.50778	5.5	-6.8	1134	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.01667	-55.48333	4.6	-6.0	1033	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.06667	-58.86667	2.9	-6.5	1446	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.96667	-57.95000	4.2	-6.1	1187	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.91667	-57.81667	3.4	-6.9	1066	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.83333	-59.18333	3.9	-5.2	1404	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	49.68944	-57.73889	0.3	-10.2	1306	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.17639	-57.46583	4.2	-6.1	1074	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.91528	-59.03889	3.1	-6.1	1457	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.58333	-53.95000	4.6	-4.4	1116	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.80000	-59.21667	4.0	-5.0	1387	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.43333	-58.48333	4.5	-5.4	1268	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.93333	-65.76667	6.4	-2.0	1271	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.10000	-60.75000	5.9	-4.4	1381	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.61667	-63.58333	6.4	-4.0	1419	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.38333	-64.51667	6.4	-3.5	1348	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.74167	-60.64167	3.4	-6.6	1455	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.48333	-65.60000	6.4	-1.1	1264	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.55000	-64.25000	6.5	-3.9	1338	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.63333	-61.01667	5.7	-4.6	1235	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.20000	-62.88333	5.5	-5.4	1318	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.61667	-62.81667	5.8	-5.5	1199	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.38333	-63.90000	6.0	-5.5	1228	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.70000	-61.98333	5.4	-5.3	1338	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.06667	-64.35000	6.1	-5.2	1256	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.86667	-63.71667	6.1	-4.9	1424	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.25000	-65.00000	6.4	-5.1	1157	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.08333	-64.50000	6.3	-5.1	1219	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.03333	-64.66667	6.1	-5.2	1240	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.38333	-65.25000	6.3	-3.2	1317	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.03333	-64.71667	6.1	-2.7	1361	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.70000	-65.11667	6.4	-1.6	1313	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.68333	-62.71667	5.9	-5.6	1186	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.40000	-63.70000	6.1	-5.4	1220	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.15000	-64.38333	6.5	-5.0	1195	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.95000	-59.91667	7.3	-0.4	1424	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.88333	-60.43333	5.5	-4.2	1290	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.91667	-66.06667	6.5	-2.1	1263	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.65000	-64.05000	5.4	-6.3	1203	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	45.36667	-63.26667	5.8	-5.5	1223	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.05000	-64.41667	6.2	-5.1	1239	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.08333	-64.36667	6.1	-5.2	1256	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.09778	-64.65167	6.5	-4.9	1177	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.61667	-64.00000	5.2	-6.4	1233	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	61.86250	-121.34861	3.5	-23.9	357	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	60.00000	-111.88333	-2.9	-22.4	347	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	65.28194	-126.82917	-5.7	-24.9	319	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.46667	-80.15000	6.7	-5.7	898	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.28333	-79.28333	8.7	-3.3	817	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.55000	-78.58333	3.5	-10.9	966	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.21667	-79.98333	7.8	-4.4	877	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.80000	-81.65000	7.9	-4.3	917	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.21667	-74.76667	6.1	-8.3	914	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.53333	-80.16667	6.6	-5.9	903	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.76667	-80.98333	7.6	-4.6	949	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.01667	-79.61667	5.5	-7.8	1000	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.03333	-77.75000	4.8	-9.1	873	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.93333	-84.60000	3.7	-9.5	930	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.25000	-79.83333	6.6	-6.1	842	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.73333	-76.85000	5.2	-9.7	834	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.23333	-77.35000	6.9	-6.4	869	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.31667	-75.83333	5.8	-9.1	856	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.78333	-80.31667	5.8	-6.8	945	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.20000	-79.98333	4.7	-9.7	923	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.43333	-75.55000	5.9	-9.0	881	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.76667	-76.30000	6.0	-8.1	868	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.31667	-75.70000	6.0	-8.9	873	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.33333	-88.88333	1.0	-15.5	742	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.33333	-82.00000	9.2	-3.2	875	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.11667	-79.56667	6.8	-6.0	797	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.10000	-77.76667	6.6	-6.4	850	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.95000	-78.95000	7.6	-5.0	783	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.73333	-81.23333	6.4	-5.4	920	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.67083	-81.25833	6.4	-5.3	914	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	42.98333	-81.23333	7.4	-4.9	945	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.06667	-79.65000	8.0	-4.0	873	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.30000	-76.71667	5.5	-9.1	828	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.38333	-80.31667	6.9	-5.5	908	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.70000	-80.01667	6.4	-6.3	906	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.93333	-79.85000	8.1	-3.9	905	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.01667	-78.46667	3.5	-11.4	912	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.01667	-77.45000	4.8	-10.4	839	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.40000	-82.18333	9.3	-3.1	837	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.25000	-77.48333	6.7	-6.6	860	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.61667	-81.53333	7.0	-5.1	961	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.15000	-81.03333	0.5	-16.3	860	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.01667	-81.50000	7.5	-4.7	934	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.50000	-76.08333	5.6	-9.3	828	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.56667	-79.61667	8.2	-4.1	786	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.03333	-74.73333	6.5	-7.7	894	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.81667	-80.00833	6.0	-6.5	894	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.51667	-75.40000	5.8	-9.1	886	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.63333	-79.10000	5.9	-7.4	893	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.25000	-79.53333	6.6	-6.2	820	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.43333	-82.40000	9.3	-3.2	821	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.78333	-92.75000	1.8	-15.7	693	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.26667	-79.96667	8.0	-4.2	861	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.90000	-79.61667	8.1	-3.7	898	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.16306	-81.33917	5.7	-6.2	884	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.60000	-80.55000	6.3	-6.2	941	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.68333	-80.43333	6.0	-6.5	944	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.91667	-76.61667	5.6	-8.6	857	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.34555	-89.28282	2.5	-12.8	725	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.35056	-75.71111	5.9	-9.0	869	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.36667	-80.31667	7.0	-5.3	904	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.33333	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.91667	-87.76667	1.4	-13.7	799	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.88333	-79.86667	6.1	-6.9	960	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.98333	-79.93333	6.0	-7.0	979	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	45.58333	-77.23333	5.3	-9.4	830	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.15000	-79.61667	8.0	-4.0	858	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.91667	-79.36667	5.3	-8.1	991	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.20000	-79.56667	8.3	-3.7	838	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.55000	-80.25000	6.5	-5.9	908	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.23333	-79.95000	7.8	-4.4	871	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.03333	-82.91667	9.4	-3.1	871	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.30000	-77.95000	6.3	-6.9	833	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.43333	-77.88333	6.1	-7.3	839	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.60000	-74.61667	5.8	-8.8	931	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.61667	-81.15000	6.4	-5.5	944	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.43333	-80.31667	6.8	-5.6	909	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.38278	-75.75833	6.0	-9.0	856	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.28333	-83.23333	4.7	-8.7	869	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.15000	-79.38333	8.4	-3.6	852	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.55000	-79.21667	4.4	-9.8	996	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.03333	-78.53333	6.8	-5.8	801	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.25000	-79.46667	6.5	-6.4	824	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.08333	-81.38333	4.2	-9.5	866	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.10000	-82.73333	9.4	-3.1	863	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.28333	-80.00000	4.7	-9.9	906	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.70000	-78.38333	3.5	-11.1	924	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.05000	-76.70000	5.1	-9.2	875	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.08333	-82.56667	9.6	-2.9	857	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.70000	-79.36667	8.2	-4.1	784	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.33333	-75.25000	6.0	-8.7	894	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.06667	-81.00000	7.2	-5.2	947	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.58333	-75.78333	6.6	-7.3	915	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.83333	-76.53333	5.8	-8.3	875	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.48333	-75.88333	6.7	-7.1	911	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.31667	-75.71667	6.0	-8.9	868	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.40000	-75.50000	6.0	-8.9	882	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.75000	-79.88333	6.1	-6.7	937	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.10000	-81.43333	5.8	-6.0	870	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.58333	-79.65000	8.0	-4.3	797	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	42.38333	-81.85000	8.8	-3.5	898	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.26667	-75.76667	5.9	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.05000	-79.46667	6.7	-6.2	794	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.10000	-79.06667	8.5	-3.5	891	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.70000	-80.38333	6.0	-6.5	941	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.01667	-88.26667	1.7	-13.9	773	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.13333	-80.43222	4.7	-9.6	904	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.58333	-78.50000	5.8	-7.7	850	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.13333	-75.71667	6.1	-8.6	861	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.65000	-79.85000	7.2	-5.2	830	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.21667	-79.01667	4.7	-9.3	981	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.05000	-93.90000	2.6	-14.7	659	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.65000	-81.03333	8.0	-4.1	944	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.98333	-78.61667	7.1	-5.5	796	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.76667	-81.03333	7.6	-4.6	948	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.35000	-80.03333	5.6	-7.9	1056	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	41.75000	-82.68333	9.7	-2.8	867	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.01667	-77.45000	4.8	-10.4	839	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.30000	-78.31667	6.3	-7.0	798	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.90000	-79.13333	7.4	-5.2	792	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.25417	-81.83333	7.9	-4.3	887	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.96667	-82.51667	0.7	-16.4	813	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.90000	-79.23333	8.4	-3.5	948	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.55000	-79.58333	8.2	-4.1	786	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.43333	-81.40000	6.7	-5.1	911	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.01667	-78.40000	6.9	-5.7	795	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.03333	-79.35000	4.1	-10.4	974	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.71667	-75.51667	6.5	-7.7	875	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.38333	-80.35000	7.0	-5.4	904	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.10000	-80.13333	5.4	-7.2	938	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.46667	-80.16667	6.7	-5.7	898	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.71667	-94.56667	2.6	-14.8	611	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.43333	-76.35000	5.7	-9.2	810	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.85000	-76.15000	6.0	-8.2	854	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	42.28333	-81.86667	9.2	-3.1	890	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.16667	-79.25000	8.7	-3.3	840	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.16667	-79.11667	8.8	-3.2	845	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.31667	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.30000	-76.18333	6.9	-6.5	905	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.78333	-81.20000	7.6	-4.6	947	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.51667	-84.33333	4.3	-9.2	885	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.76667	-79.33333	5.8	-7.5	937	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.36667	-75.88333	5.9	-9.0	843	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.83333	-76.60000	5.8	-8.3	872	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.35000	-80.25000	5.0	-7.6	981	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.10000	-79.55000	8.0	-4.0	864	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.51667	-78.68333	3.7	-10.6	969	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.06667	-82.16667	1.0	-16.1	809	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.16667	-89.41667	2.7	-12.3	730	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.20000	-82.35000	4.5	-9.0	846	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.85000	-75.55000	6.3	-8.0	879	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.30000	-77.55000	6.7	-6.7	847	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.21667	-79.76667	8.5	-3.6	829	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.95000	-81.63333	7.8	-4.4	916	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.51667	-80.90000	4.1	-10.8	838	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.28333	-79.98333	8.0	-4.2	861	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.15000	-81.85000	7.8	-4.5	897	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.25000	-83.56667	4.7	-8.9	862	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.60000	-87.95000	0.2	-16.5	802	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.10000	-77.58333	7.1	-6.0	838	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.15000	-79.40000	8.4	-3.6	852	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.63333	-76.80000	5.9	-7.8	891	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.93333	-80.28333	7.7	-4.5	939	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.46667	-80.51667	6.6	-5.8	929	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	44.68333	-76.40000	6.0	-7.9	886	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.73333	-82.36667	8.8	-3.7	810	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	42.30000	-83.01667	9.5	-3.1	834	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	43.10000	-81.13333	7.2	-5.2	951	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	46.41667	-63.18333	5.8	-5.7	1099	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.24028	-63.13472	5.8	-5.7	1124	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.41500	-63.07083	5.8	-5.7	1105	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.48333	-63.38333	5.5	-6.1	1099	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.35000	-63.35000	5.5	-6.1	1119	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.41667	-63.10000	5.8	-5.7	1101	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.31667	-63.10000	5.7	-5.8	1127	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.79000	-71.35667	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.85278	-63.64028	1.8	-9.7	1016	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.25000	-72.00000	4.8	-10.0	1053	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.71667	-74.70000	5.1	-9.6	969	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.39500	-75.83222	5.8	-9.1	859	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.21667	-68.15000	1.4	-12.5	963	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.31667	-73.86667	6.5	-7.9	926	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.55000	-76.16667	5.4	-9.6	843	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.08833	-73.21222	5.4	-9.7	970	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.45000	-73.46667	6.5	-8.0	965	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.75139	-71.34444	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.44750	-73.29000	6.3	-8.2	967	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.50000	-75.78333	5.5	-9.5	877	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.11667	-75.36667	1.2	-14.7	1040	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.01833	-73.75556	6.0	-8.0	888	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.86722	-71.63750	4.0	-10.7	1128	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.83333	-64.48333	3.1	-9.3	1043	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.31667	-67.60000	1.7	-12.3	909	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.10000	-76.05000	4.1	-11.2	928	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.18917	-68.38667	1.4	-12.6	959	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.05000	-73.58333	6.5	-7.6	879	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.46417	-74.15139	6.2	-8.3	926	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.48333	-75.65000	6.0	-9.0	867	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.38333	-73.95000	6.3	-8.1	928	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.95000	-76.01667	4.4	-10.8	915	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.54167	-75.81667	5.3	-9.8	885	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	46.12083	-74.83500	4.0	-11.0	1007	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.13333	-74.48333	3.5	-11.3	1079	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.56111	-73.80556	2.4	-12.5	1110	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.15000	-75.50000	3.7	-11.5	949	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.05000	-79.26667	3.0	-12.4	900	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.49472	-74.02500	6.2	-8.3	930	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.25000	-72.95000	5.2	-9.8	989	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.26667	-72.15000	5.0	-9.3	1061	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.96667	-66.95000	3.0	-10.8	1005	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.31667	-74.01667	-1.1	-18.3	934	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.91667	-66.18333	-0.6	-13.9	1223	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.00000	-74.50000	3.9	-10.8	1054	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.51667	-73.65000	6.3	-8.3	972	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.40000	-75.03333	3.7	-11.6	1000	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.46667	-74.08333	6.0	-8.5	936	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.83333	-76.08333	4.3	-10.8	914	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.60028	-75.61694	5.2	-9.8	902	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.48333	-70.90000	3.6	-10.2	1001	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.44861	-73.81750	6.3	-8.1	938	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.33333	-73.96667	6.4	-7.9	916	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.41000	-75.88917	5.9	-9.0	842	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.05000	-73.71667	4.3	-10.4	1027	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.48333	-74.30000	5.9	-8.5	936	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.43333	-73.05000	6.1	-8.4	983	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	47.18333	-70.21667	4.1	-10.1	978	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.18333	-73.13333	5.2	-9.8	977	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.40000	-73.93333	6.3	-8.1	928	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.85000	-71.61667	4.1	-10.6	1129	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.80000	-72.70000	5.4	-9.3	1010	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	46.70000	-71.066667	4.6	-9.8	1081	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.566667	-73.200000	5.9	-8.7	993	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.966667	-70.650000	4.1	-9.8	939	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.58750	-73.725556	6.1	-8.5	961	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.50000	-72.900000	6.0	-8.6	988	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.01556	-73.35028	5.4	-9.5	972	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.20000	-66.383333	1.5	-12.3	1073	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	46.53278	-72.77444	4.8	-10.3	1026	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	48.15000	-69.71667	2.5	-11.5	982	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	45.40000	-74.033333	6.3	-8.1	922	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.633333	-105.983333	3.8	-11.4	363	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.833333	-108.86250	1.6	-15.2	385	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.01667	-105.066667	3.4	-12.6	356	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.05000	-104.650000	0.4	-17.3	436	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.966667	-106.666667	2.1	-15.1	351	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.833333	-107.016667	0.6	-16.6	429	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.833333	-106.900000	1.4	-15.4	385	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.366667	-102.583333	1.9	-14.9	419	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.25000	-107.466667	3.5	-11.4	353	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.283333	-103.583333	0.6	-17.4	462	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.533333	-105.800000	0.3	-17.2	436	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.05000	-104.616667	3.0	-13.5	373	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.81667	-103.300000	2.8	-13.8	412	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.666667	-109.500000	1.7	-11.9	399	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.666667	-109.516667	1.7	-11.9	399	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.383333	-104.116667	2.0	-14.8	414	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.933333	-108.600000	1.5	-15.5	389	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.866667	-105.250000	2.9	-13.7	371	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.81667	-106.233333	1.7	-14.9	392	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.11667	-106.583333	2.9	-13.8	329	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.65000	-102.083333	1.8	-15.5	425	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.133333	-102.983333	3.3	-13.9	401	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.933333	-109.816667	3.7	-11.8	315	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.48333	-108.400000	2.4	-14.0	342	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.15000	-104.783333	0.4	-17.4	436	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	49.16667	-101.45000	3.1	-13.9	410	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.20000	-102.01667	3.1	-13.7	397	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.06667	-103.18333	0.8	-16.3	434	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.16667	-104.43333	2.7	-14.1	386	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.53333	-103.66667	2.0	-14.9	426	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.40000	-104.28333	2.2	-14.6	401	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	54.90000	-102.81667	-0.9	-19.9	490	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.83333	-102.28333	1.6	-15.1	441	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.75000	-103.70000	1.9	-15.2	418	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.66667	-109.53333	3.4	-11.8	343	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.65000	-104.86667	2.8	-13.9	380	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.01667	-106.01667	1.7	-14.6	401	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.33333	-109.93333	2.1	-14.1	379	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.91667	-109.48333	3.6	-11.0	336	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.86667	-104.61667	0.5	-17.0	425	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.80833	-102.41667	1.5	-15.1	442	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.36667	-104.00000	0.6	-17.3	449	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.50000	-107.05000	2.6	-14.3	342	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.23333	-102.16667	2.9	-13.8	404	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.30833	-104.21250	2.4	-14.5	401	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.89444	-106.81667	2.3	-14.9	346	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.20000	-105.76667	0.9	-16.5	409	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.45000	-104.61667	2.4	-14.3	383	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.06667	-102.80000	3.4	-13.7	398	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.33333	-104.61667	2.6	-14.2	379	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.43333	-105.86667	3.9	-11.4	343	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.11667	-106.63333	2.0	-15.2	356	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.36667	-106.00000	3.6	-11.5	342	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.63333	-109.48333	2.2	-13.8	341	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.48333	-104.68333	0.1	-17.9	456	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.58333	-102.96667	0.3	-17.6	461	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.90000	-102.38333	0.5	-17.2	440	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	50.53333	-101.83333	2.0	-15.3	429	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	59.56667	-108.61667	-3.3	-23.4	349	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	49.23333	-107.73333	4.2	-10.5	318	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	52.65000	-105.73333	1.4	-15.7	395	Canada	Garland & MacKevan 2007

<i>Chrysopa oculata</i>	49.666667	-103.85000	3.6	-12.5	386	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	53.45000	-104.08333	0.5	-17.5	454	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	51.61667	-107.75000	2.3	-14.5	354	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	61.05000	-138.50000	-3.0	-18.4	389	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	62.81667	-136.58333	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	62.86667	-136.50000	-3.8	-23.3	276	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	65.11667	-140.52500	-7.5	-26.5	274	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	60.99583	-138.53333	-3.5	-18.3	411	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	63.59306	-135.89583	-3.9	-23.3	300	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	62.53611	-136.76667	-3.7	-22.9	264	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	62.81806	-136.56944	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	62.28889	-136.13333	-4.0	-23.5	265	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	60.71667	-135.05000	-0.9	-15.7	272	Canada	Garland & MacKevan 2007
<i>Chrysopa oculata</i>	64.83333	-147.83333	-2.8	-21.1	309	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	52.40000	-117.71667	-2.6	-12.5	659	USA	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.05000	-113.90000	3.6	-6.4	575	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.73333	-116.91667	7.0	-2.7	750	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	50.40000	-121.53333	3.3	-5.8	500	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.35000	-120.06667	6.1	-4.6	311	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	50.11250	-120.79167	7.1	-3.7	381	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.11592	-119.66916	3.8	-6.3	339	Canada	Garland & MacKevan 2007
<i>Chrysopa pleuralis</i>	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	44.21667	-64.43333	6.4	-3.1	1356	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	44.55000	-78.55000	5.7	-7.8	860	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	43.26667	-76.96667	8.7	-3.5	919	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	44.88333	-79.86667	6.1	-6.9	960	Canada	Garland & MacKevan 2007
<i>Chrysopa quadripunctata</i>	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007

<i>Chrysopa quadripunctata</i>	43.10000	-79.06667	8.5	-3.5	891	Canada
<i>Chrysopa quadripunctata</i>	43.25000	-79.06667	8.8	-3.2	818	Canada
<i>Chrysopa quadripunctata</i>	43.55000	-79.58333	8.2	-4.1	786	Canada
<i>Chrysopa quadripunctata</i>	42.78333	-80.20000	8.2	-3.8	949	Canada
<i>Chrysopa quadripunctata</i>	42.28333	-81.86667	9.2	-3.1	890	Canada
<i>Chrysopa quadripunctata</i>	43.16667	-79.11667	8.8	-3.2	845	Canada
<i>Chrysopa quadripunctata</i>	44.30000	-76.18333	6.9	-6.5	905	Canada
<i>Chrysopa quadripunctata</i>	44.30000	-76.15000	6.9	-6.4	904	Canada
<i>Chrysopa quadripunctata</i>	43.70000	-79.41667	8.1	-4.3	790	Canada
<i>Chrysopa quadripunctata</i>	46.41500	-63.07083	5.8	-5.7	1105	Canada
<i>Chrysopa quadripunctata</i>	45.01833	-73.75556	6.0	-8.0	888	Canada
<i>Chrysopa quadripunctata</i>	45.38333	-73.95000	6.3	-8.1	928	Canada
<i>Chrysopa quadripunctata</i>	45.58333	-73.75000	6.2	-8.4	955	Canada
<i>Chrysopa quadripunctata</i>	45.68333	-76.08333	4.8	-10.3	885	Canada
<i>Chrysopa quadripunctata</i>	45.55833	-73.19833	5.9	-8.7	993	Canada
<i>Chrysopa quadripunctata</i>	46.43333	-74.35000	2.2	-12.7	1140	Canada
<i>Chrysopa quadripunctata</i>	45.40000	-73.93333	6.3	-8.1	928	Canada
<i>Chrysopa quadripunctata</i>	45.87139	-74.07917	4.8	-9.8	1005	Canada
<i>Chrysopa quadripunctata</i>	50.76667	-103.80000	2.1	-15.0	410	Canada
<i>Chrysopa ceratina</i>	-19.06917	34.23028	24.9	21.1	987	Mozambique
<i>Chrysopa ceratina</i>	-27.98643	32.42398	21.7	17.7	943	South Africa
<i>Chrysopa ceratina</i>	-27.88232	32.40980	21.7	17.8	883	South Africa
<i>Chrysopa ceratina</i>	-23.85473	31.57723	23.0	17.6	494	South Africa
<i>Chrysopa ceratina</i>	-23.11168	31.43202	22.8	17.6	432	South Africa
<i>Chrysopa ceratina</i>	-25.76281	32.73668	23.4	20.0	816	Mozambique
<i>Chrysopa ceratina</i>	-19.06917	34.23028	24.9	21.1	987	Mozambique
<i>Chrysopa ceratina</i>	-19.06917	34.23028	24.9	21.1	987	Ruo Valley
<i>Chrysopa ceratina</i>	-9.70463	27.22068	23.1	20.3	820	DR Congo
<i>Chrysopa ceratina</i>	-18.16009	12.56207	17.8	15.0	128	S. W. Africa
<i>Chrysopa peri</i>	-26.47259	20.61260	20.1	12.2	215	South Africa
<i>Chrysopa peri</i>	-25.76796	20.00029	19.7	11.7	222	South Africa
<i>Chrysopa peri</i>	-25.42136	20.59624	20.4	12.5	237	South Africa
<i>Chrysopa peri</i>	-19.24954	17.71182	22.0	17.1	548	S. W. Africa
<i>Chrysopa peri</i>	-19.06354	14.34857	21.5	17.3	304	S. W. Africa
<i>Chrysopa peri</i>	-19.52572	17.09493	21.1	16.1	549	S. W. Africa
<i>Chrysopa peri</i>	-18.18319	12.51667	18.0	15.2	106	S. W. Africa

<i>Chrysopa peri</i>	-18.28321	12.666650	18.4	15.5	111	S. W. Africa
<i>Chrysopa michaelensi</i>	-22.00320	15.58296	21.8	17.9	131	S. W. Africa
<i>Chrysopa michaelensi</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Chrysopa michaelensi</i>	-22.00320	15.58296	21.8	17.9	131	S. W. Africa
<i>Chrysopa michaelensi</i>	-19.12526	13.61668	23.6	19.8	111	S. W. Africa
<i>Chrysopa stenoptera</i>	-19.06917	34.23028	24.9	21.1	987	Mozambique
<i>Chrysopa stenoptera</i>	-33.47321	19.61008	16.0	10.6	440	South Africa
<i>Chrysopa stenoptera</i>	-28.75000	31.90000	21.6	17.8	1068	South Africa
<i>Chrysopa stenoptera</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Chrysopa stenoptera</i>	-26.60354	25.57481	17.5	10.7	520	South Africa
<i>Chrysopa stenoptera</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysopa stenoptera</i>	-25.64500	28.35789	17.8	12.0	691	South Africa
<i>Chrysopa stenoptera</i>	-29.21411	26.70192	15.8	8.7	617	South Africa
<i>Chrysopa stenoptera</i>	-23.04238	29.91201	19.0	14.5	720	South Africa
<i>Chrysopa stenoptera</i>	-23.11670	31.43330	22.8	17.6	432	South Africa
<i>Chrysopa stenoptera</i>	-19.06917	34.23028	24.9	21.1	987	Mozambique.
<i>Chrysopa stenoptera</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique.
<i>Chrysopa stenoptera</i>	-21.16365	31.54556	22.8	18.1	538	S. Rhodesia
<i>Chrysopa stenoptera</i>	-17.82896	31.05244	18.2	14.2	842	S. Rhodesia
<i>Chrysopa stenoptera</i>	-19.24954	17.71182	22.0	17.1	548	S. W. Africa
<i>Chrysopa stenoptera</i>	-28.44654	18.73429	20.6	13.4	103	S. W. Africa
<i>Chrysopa kannemeyeri</i>	-30.21250	26.53139	14.7	7.9	507	South Africa
<i>Chrysopa kannemeyeri</i>	-30.80000	27.966667	11.4	5.7	757	South Africa
<i>Chrysopa kannemeyeri</i>	-31.29905	25.82260	14.1	7.5	447	South Africa
<i>Chrysopa kannemeyeri</i>	-30.21250	26.53139	14.7	7.9	507	South Africa
<i>Chrysopa kannemeyeri</i>	-30.30420	27.09335	14.1	7.4	684	South Africa
<i>Chrysopa kannemeyeri</i>	-30.41059	27.69986	14.7	8.4	651	Basutoland
<i>Chrysopa kannemeyeri</i>	-30.28201	27.89641	13.3	6.6	715	Basutoland
<i>Chrysopa kannemeyeri</i>	-28.87251	28.04172	15.4	9.2	746	Basutoland
<i>Chrysopa kannemeyeri</i>	-29.45274	27.72000	15.0	9.1	771	Basutoland
<i>Chrysopa kannemeyeri</i>	-29.33413	28.46219	11.4	5.8	686	Basutoland
<i>Chrysopa kannemeyeri</i>	-29.12578	27.83347	15.4	9.4	793	Basutoland
<i>Chrysopa kannemeyeri</i>	-26.20445	28.04556	16.1	11.2	784	South Africa
<i>Chrysopa squamosa</i>	-32.77405	26.63290	18.3	13.5	502	South Africa
<i>Chrysopa squamosa</i>	-34.25793	19.60664	16.3	12.1	522	South Africa
<i>Chrysopa squamosa</i>	-34.01162	19.35719	13.3	9.6	842	South Africa

<i>Chrysopa squamosa</i>	25.20250	16.8	13.4	540	South Africa
<i>Chrysopa squamosa</i>	25.44336	18.8	13.8	339	South Africa
<i>Chrysopa squamosa</i>	26.63290	18.3	13.5	502	South Africa
<i>Chrysopa squamosa</i>	25.56993	17.6	14.5	556	South Africa
<i>Chrysopa squamosa</i>	26.52453	16.6	12.7	706	South Africa
<i>Chrysopa squamosa</i>	30.38333	18.3	13.7	888	South Africa
<i>Chrysopa squamosa</i>	28.95414	14.8	10.1	974	South Africa
<i>Chrysopa squamosa</i>	30.84416	19.6	16.7	954	South Africa
<i>Chrysopa squamosa</i>	32.42398	21.7	17.7	943	South Africa
<i>Chrysopa squamosa</i>	31.99817	20.9	17.0	671	South Africa
<i>Chrysopa squamosa</i>	28.21829	17.6	11.9	708	South Africa
<i>Chrysopa squamosa</i>	28.35789	17.8	12.0	691	South Africa
<i>Chrysopa squamosa</i>	29.25686	18.9	13.5	544	South Africa
<i>Chrysopa squamosa</i>	31.57723	23.0	17.6	494	South Africa
<i>Chrysopa squamosa</i>	31.05244	18.2	14.2	842	S. Rhodesia
<i>Chrysopa squamosa</i>	31.10801	18.0	14.1	843	S. Rhodesia
<i>Chrysopa squamosa</i>	36.10394	25.3	22.1	1035	Mozambique
<i>Chrysopa squamosa</i>	30.49639	20.3	20.0	1120	Congo
<i>Chrysopa squamosa</i>	27.92908	23.7	23.3	1655	Congo
<i>Chrysopa parva</i>	20.61260	20.1	12.2	215	South Africa
<i>Chrysopa parva</i>	20.61260	20.1	12.2	215	South Africa
<i>Chrysopa parva</i>	20.00029	19.7	11.7	222	South Africa
<i>Chrysopa jeanneli</i>	38.55592	24.9	22.8	615	Kenya
<i>Chrysopa jeanneli</i>	18.42993	16.5	12.8	962	South Africa
<i>Chrysopa jeanneli</i>	19.31665	15.6	10.2	927	South Africa
<i>Chrysopa jeanneli</i>	20.11722	16.6	11.0	352	South Africa
<i>Chrysopa jeanneli</i>	22.19825	17.4	11.7	273	South Africa
<i>Chrysopa jeanneli</i>	22.57987	17.9	12.2	224	South Africa
<i>Chrysopa jeanneli</i>	21.41077	13.3	8.1	306	South Africa
<i>Chrysopa jeanneli</i>	25.44336	18.8	13.8	339	South Africa
<i>Chrysopa jeanneli</i>	25.82100	14.1	7.5	447	South Africa
<i>Chrysopa jeanneli</i>	26.53139	14.7	7.9	507	South Africa
<i>Chrysopa jeanneli</i>	32.27673	22.9	18.8	644	South Africa
<i>Chrysopa jeanneli</i>	26.65802	17.0	10.4	604	South Africa
<i>Chrysopa jeanneli</i>	28.21829	17.6	11.9	708	South Africa
<i>Chrysopa jeanneli</i>	28.21350	17.7	11.9	704	South Africa

<i>Chrysopa jeanneli</i>	-25.68724	28.19136	17.8	11.9	696	South Africa
<i>Chrysopa jeanneli</i>	-25.64500	28.35789	17.8	12.0	691	South Africa
<i>Chrysopa jeanneli</i>	-24.99590	31.59687	21.8	16.5	641	South Africa
<i>Chrysopa jeanneli</i>	-27.46662	25.59991	17.7	10.3	503	South Africa
<i>Chrysopa jeanneli</i>	-20.45006	29.03581	19.5	14.5	583	S. Rhodesia
<i>Chrysopa jeanneli</i>	-19.86008	28.26874	19.6	15.0	574	S. Rhodesia
<i>Chrysopa jeanneli</i>	-3.39928	38.55592	24.9	22.8	615	Kenya
<i>Chrysopa jeanneli</i>	-7.47863	31.67553	24.6	22.2	916	Tanganyika Terr
<i>Chrysopa commixta</i>	-18.37820	31.1.70723	17.0	12.9	833	S. Rhodesia
<i>Chrysopa simillima</i>	11.58800	43.14500	30.1	26.1	121	Fr. Somaliland
<i>Chrysopa marchionissa</i>	-25.97301	32.58257	22.9	19.2	760	Mozambique
<i>Chrysopa nigriyultosa</i>	0.31627	32.58265	21.5	20.7	1284	Uganda
<i>Chrysopa bequaerti</i>	-5.38350	26.98859	25.1	24.6	1204	DR Congo
<i>Chrysopa chrysalis</i>	2.91034	29.41517	23.8	22.7	1745	DR Congo
<i>Chrysopa collaris</i>	1.75592	30.60723	18.0	17.1	1454	DR Congo
<i>Chrysopa umbrosa</i>	0.01667	37.06667	16.3	15.8	809	Kenya
<i>Chrysopa elongata</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil
<i>Chrysopa elongata</i>	-2.24088	-59.73327	27.1	26.7	2517	Brazil
<i>Chrysopa brasiliensis</i>	-3.06908	-60.011903	27.4	27.0	2165	Brazil
<i>Chrysopa brasiliensis</i>	-3.08693	-60.02300	27.5	27.0	2153	Brazil
<i>Chrysopa brasiliensis</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil
<i>Chrysopa brasiliensis</i>	-2.24088	-59.73327	27.1	26.7	2517	Brazil
<i>Chrysopa brasiliensis</i>	-4.68697	-56.45541	27.0	26.4	2139	Brazil
<i>Chrysopa brasiliensis</i>	-4.34277	-46.40457	26.5	26.0	1463	Brazil
<i>Chrysopa brasiliensis</i>	-19.78050	-42.59999	23.4	20.6	1140	Brazil
<i>Chrysopa brasiliensis</i>	-22.35764	-47.38479	20.2	16.9	1322	Brazil
<i>Chrysopa brasiliensis</i>	-27.04846	-52.40184	18.2	14.4	2110	Brazil
<i>Chrysopa ciliata</i>	43.11905	144.12832	5.6	-6.7	1054	Japan
<i>Chrysopa ciliata</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa kichijoi</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa formosana</i>	42.96838	141.16556	5.6	-6.6	1352	Japan
<i>Chrysopa formosana</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa formosana</i>	35.16414	137.86659	13.1	3.0	2110	Japan
<i>Chrysopa formosana</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa formosana</i>	34.22676	133.78673	15.5	5.9	1229	Japan
<i>Chrysopa alboineata</i>	33.84024	132.76378	15.8	6.2	1410	Japan

<i>Chrysopa boninensis</i>	34.00420	133.57574	16.0	6.5	1568	Japan
<i>Chrysopa boninensis</i>	33.84024	132.76378	15.8	6.2	1410	Japan
<i>Chrysopa suzukii</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa suzukii</i>	33.84024	132.76378	15.8	6.2	1410	Japan
<i>Chrysopa suzukii</i>	35.67659	139.69828	15.4	5.9	1450	Japan
<i>Chrysopa suzukii</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa nipponensis</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa nipponensis</i>	42.75801	141.81778	7.1	-5.3	1084	Japan
<i>Chrysopa nipponensis</i>	40.61097	141.20741	9.9	-1.0	1234	Japan
<i>Chrysopa nipponensis</i>	40.53986	141.56357	10.0	-0.4	1140	Japan
<i>Chrysopa nipponensis</i>	40.32605	141.46069	9.1	-1.7	1236	Japan
<i>Chrysopa nipponensis</i>	38.26723	140.87177	12.2	2.0	1268	Japan
<i>Chrysopa nipponensis</i>	38.22179	139.48630	12.5	1.9	2134	Japan
<i>Chrysopa nipponensis</i>	38.08171	138.43683	13.0	3.0	1810	Japan
<i>Chrysopa nipponensis</i>	36.50141	138.92109	11.8	1.1	1356	Japan
<i>Chrysopa nipponensis</i>	35.67659	139.69828	15.4	5.9	1450	Japan
<i>Chrysopa nipponensis</i>	35.30993	138.93632	13.1	3.5	1856	Japan
<i>Chrysopa nipponensis</i>	35.01296	138.48227	16.1	7.1	2162	Japan
<i>Chrysopa nipponensis</i>	34.82099	138.12924	15.7	6.5	2155	Japan
<i>Chrysopa nipponensis</i>	35.66455	138.57088	14.5	3.8	1253	Japan
<i>Chrysopa nipponensis</i>	36.32783	138.41802	10.7	-0.6	1116	Japan
<i>Chrysopa nipponensis</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa nipponensis</i>	33.87714	133.31348	12.9	3.0	1901	Japan
<i>Chrysopa nipponensis</i>	33.84024	132.76378	15.8	6.2	1410	Japan
<i>Chrysopa nipponensis</i>	34.00420	133.57574	16.0	6.5	1568	Japan
<i>Chrysopa cognatella</i>	32.80389	130.70680	16.4	6.3	1959	Japan
<i>Chrysopa satoruna</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa cognatella</i>	44.88790	141.74967	6.7	-4.6	1233	Japan
<i>Chrysopa cognatella</i>	42.28390	143.31920	6.5	-4.3	1319	Japan
<i>Chrysopa cognatella</i>	43.72619	142.94875	2.1	-11.3	1428	Japan
<i>Chrysopa cognatella</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa cognatella</i>	42.96838	141.16556	5.6	-6.6	1352	Japan
<i>Chrysopa cognatella</i>	41.80357	140.12046	9.4	-0.9	1265	Japan
<i>Chrysopa cognatella</i>	40.61097	141.20741	9.9	-1.0	1234	Japan
<i>Chrysopa cognatella</i>	36.82617	139.71419	10.8	0.4	1748	Japan
<i>Chrysopa cognatella</i>	36.97816	139.80524	8.9	-1.6	1774	Japan

<i>Chrysopa cognatella</i>	35.67659	139.69828	15.4	5.9	1450	Japan
<i>Chrysopa cognatella</i>	35.81032	139.09521	11.7	1.1	1442	Japan
<i>Chrysopa cognatella</i>	34.06800	139.55533	17.1	9.7	2497	Japan
<i>Chrysopa cognatella</i>	34.82099	138.12924	15.7	6.5	2155	Japan
<i>Chrysopa cognatella</i>	38.06669	139.43330	12.3	1.5	2009	Japan
<i>Chrysopa cognatella</i>	34.48169	136.84366	16.0	6.6	2195	Japan
<i>Chrysopa cognatella</i>	33.85110	132.78704	15.8	6.2	1410	Japan
<i>Chrysopa cognatella</i>	31.59779	130.55298	17.6	8.5	2340	Japan
<i>Chrysopa septempunctata</i>	43.36673	143.19054	3.1	-10.5	1464	Japan
<i>Chrysopa septempunctata</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa septempunctata</i>	42.96838	141.16556	5.6	-6.6	1352	Japan
<i>Chrysopa septempunctata</i>	40.61097	141.20741	9.9	-1.0	1234	Japan
<i>Chrysopa septempunctata</i>	40.32605	141.46069	9.1	-1.7	1236	Japan
<i>Chrysopa septempunctata</i>	36.50141	138.92109	11.8	1.1	1356	Japan
<i>Chrysopa septempunctata</i>	35.67659	139.69828	15.4	5.9	1450	Japan
<i>Chrysopa septempunctata</i>	35.80264	139.10114	11.7	1.1	1442	Japan
<i>Chrysopa septempunctata</i>	34.06800	139.55533	17.1	9.7	2497	Japan
<i>Chrysopa septempunctata</i>	38.06669	139.43330	12.3	1.5	2009	Japan
<i>Chrysopa septempunctata</i>	37.66545	139.04048	13.0	2.1	2017	Japan
<i>Chrysopa septempunctata</i>	36.69413	137.21135	13.9	3.7	2339	Japan
<i>Chrysopa septempunctata</i>	35.42150	136.76513	15.3	5.0	2008	Japan
<i>Chrysopa septempunctata</i>	35.16414	137.86659	13.1	3.0	2110	Japan
<i>Chrysopa septempunctata</i>	34.82099	138.12924	15.7	6.5	2155	Japan
<i>Chrysopa septempunctata</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa septempunctata</i>	34.71405	134.86796	15.2	5.3	1300	Japan
<i>Chrysopa septempunctata</i>	34.58566	133.77130	15.2	5.2	1182	Japan
<i>Chrysopa septempunctata</i>	34.40741	131.39940	14.8	5.6	1773	Japan
<i>Chrysopa septempunctata</i>	34.22676	133.78673	15.5	5.9	1229	Japan
<i>Chrysopa septempunctata</i>	33.87714	133.31348	12.9	3.0	1901	Japan
<i>Chrysopa septempunctata</i>	33.75806	132.70241	16.2	6.7	1429	Japan
<i>Chrysopa septempunctata</i>	32.74597	129.88392	16.2	6.9	2069	Japan
<i>Chrysopa septempunctata</i>	32.80555	130.69986	16.4	6.3	1959	Japan
<i>Chrysopa prasina</i>	43.48501	144.80889	5.3	-6.6	1074	Japan
<i>Chrysopa prasina</i>	34.64943	135.47407	15.7	5.8	1486	Japan
<i>Chrysopa prasina</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa prasina</i>	42.96838	141.16556	5.6	-6.6	1352	Japan

<i>Chrysopa prasina</i>	36.71930	139.70397	11.6	1.2	1686	Japan
<i>Chrysopa prasina</i>	36.52928	138.33584	6.3	-4.8	1567	Japan
<i>Chrysopa prasina</i>	36.32783	138.41802	10.7	-0.6	1116	Japan
<i>Chrysopa decorata</i>	34.71405	134.86796	15.2	5.3	1300	Japan
<i>Chrysopa matsumurae</i>	34.06800	139.55533	17.1	9.7	2497	Japan
<i>Chrysopa matsumurae</i>	33.85110	132.78704	15.8	6.2	1410	Japan
<i>Chrysopa matsumurae</i>	33.93572	130.95146	15.9	6.9	1749	Japan
<i>Chrysopa furcifera</i>	38.06669	139.43330	12.3	1.5	2009	Japan
<i>Chrysopa furcifera</i>	34.68004	138.94247	16.0	8.0	2121	Japan
<i>Chrysopa furcifera</i>	34.82099	138.12924	15.7	6.5	2155	Japan
<i>Chrysopa furcifera</i>	35.01974	135.76436	15.3	5.2	1725	Japan
<i>Chrysopa furcifera</i>	33.84024	132.76378	15.8	6.2	1410	Japan
<i>Chrysopa furcifera</i>	28.16049	129.32320	21.2	15.1	2755	Japan
<i>Chrysopa furcifera</i>	43.06349	141.34386	8.3	-3.8	1149	Japan
<i>Chrysopa formosa</i>	38.06670	139.43330	12.3	1.5	2009	Japan
<i>Chrysopa formosa</i>	38.22081	139.44774	12.6	2.0	2155	Japan
<i>Chrysopa formosa</i>	37.16494	138.24770	13.3	3.1	2578	Japan
<i>Chrysopa formosa</i>	37.92124	138.49701	11.4	1.1	1908	Japan
<i>Chrysopa formosa</i>	35.67659	139.69828	15.4	5.9	1450	Japan
<i>Chrysopa formosa</i>	34.68152	138.20092	16.3	7.4	2131	Japan
<i>Chrysopa formosa</i>	35.42150	136.76513	15.3	5.0	2008	Japan
<i>Chrysopa formosa</i>	34.77678	134.79887	15.2	5.3	1326	Japan
<i>Chrysopa formosa</i>	35.50421	134.24400	14.6	4.7	1922	Japan
<i>Chrysopa formosa</i>	34.22676	133.78673	15.5	5.9	1229	Japan
<i>Chrysopa formosa</i>	34.34188	134.04687	15.5	5.9	1177	Japan
<i>Chrysopa formosa</i>	33.85110	132.78704	15.8	6.2	1410	Japan
<i>Chrysopa phyllochroma</i>	44.88790	141.74967	6.7	-4.6	1233	Japan
<i>Chrysopa phyllochroma</i>	40.32605	141.46069	9.1	-1.7	1236	Japan
<i>Chrysopa lezeji</i>	42.92423	143.19980	6.6	-6.6	1096	Japan
<i>Chrysopa intima</i>	43.55076	144.96650	5.5	-6.2	1027	Japan
<i>Chrysopa intima</i>	43.48501	144.80889	5.3	-6.6	1074	Japan
<i>Chrysopa intima</i>	43.11905	144.12832	5.6	-6.7	1054	Japan
<i>Chrysopa intima</i>	43.75278	143.50750	4.7	-8.8	1076	Japan
<i>Chrysopa intima</i>	44.88790	141.74967	6.7	-4.6	1233	Japan
<i>Chrysopa intima</i>	42.92423	143.19980	6.6	-6.6	1096	Japan
<i>Chrysopa intima</i>	42.28390	143.31920	6.5	-4.3	1319	Japan

<i>Chrysopa intima</i>	34.64943	135.47407	15.7	5.8	1486	Japan
<i>Chrysopa intima</i>	42.69494	143.13333	5.9	-6.6	1340	Japan
<i>Chrysopa intima</i>	43.07922	142.83118	6.1	-7.4	1798	Japan
<i>Chrysopa intima</i>	43.36673	143.19054	3.1	-10.5	1464	Japan
<i>Chrysopa intima</i>	38.15364	140.26490	11.4	0.1	1383	Japan
<i>Chrysopa intima</i>	42.96838	141.16556	5.6	-6.6	1352	Japan
<i>Chrysopa intima</i>	43.05745	141.97352	5.5	-7.4	1269	Japan
<i>Chrysopa intima</i>	42.75801	141.81778	7.1	-5.3	1084	Japan
<i>Chrysopa intima</i>	40.89346	140.86248	9.6	-1.2	1283	Japan
<i>Chrysopa intima</i>	40.61097	141.20741	9.9	-1.0	1234	Japan
<i>Chrysopa intima</i>	40.32605	141.46069	9.1	-1.7	1236	Japan
<i>Chrysopa intima</i>	36.97816	139.80524	8.9	-1.6	1774	Japan
<i>Chrysopa intima</i>	34.06800	139.55533	17.1	9.7	2497	Japan
<i>Chrysopa nigra</i>	34.69021	135.80197	15.2	5.2	1533	Japan
<i>Chrysopa nigra</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa traviata</i>	-17.93177	145.92293	23.8	19.8	2833	Australia
<i>Chrysopa signatipennis</i>	-32.07798	121.67966	17.3	11.2	287	Australia
<i>Chrysopa australis</i>	-31.55747	121.59806	17.8	11.4	269	Australia
<i>Chrysopa australis</i>	-34.96001	138.64087	15.2	10.3	711	Australia
<i>Chrysopa australis</i>	-34.97209	138.64052	15.2	10.3	711	Australia
<i>Chrysopa triactinata</i>	-28.99439	153.27130	19.5	14.5	1362	Australia
<i>Chrysopa triactinata</i>	-26.56481	148.79870	19.8	12.3	626	Australia
<i>Chrysopa triactinata</i>	-23.78640	149.76250	22.1	16.1	733	Australia
<i>Chrysopa edwardsi</i>	-31.83509	115.79914	18.6	14.1	775	Australia
<i>Chrysopa edwardsi</i>	-34.99513	116.81071	15.4	11.8	1158	Australia
<i>Chrysopa edwardsi</i>	-32.01121	115.52839	18.5	14.8	678	Australia
<i>Chrysopa edwardsi</i>	-32.05817	115.74469	18.7	14.4	748	Australia
<i>Chrysopa edwardsi</i>	-34.92872	138.61666	16.4	11.4	543	Australia
<i>Chrysopa edwardsi</i>	-35.12014	139.25567	16.0	11.0	342	Australia
<i>Chrysopa edwardsi</i>	-42.83286	147.51549	12.6	8.7	539	Australia
<i>Chrysopa edwardsi</i>	-42.02746	147.82124	9.3	5.1	864	Australia
<i>Chrysopa edwardsi</i>	-42.16954	145.41411	10.9	7.7	2272	Australia
<i>Chrysopa edwardsi</i>	-42.99885	146.39948	8.0	4.4	1804	Australia
<i>Chrysopa edwardsi</i>	-42.88171	147.31846	11.6	7.6	759	Australia
<i>Chrysopa edwardsi</i>	-41.92940	147.48672	11.5	7.0	537	Australia
<i>Chrysopa edwardsi</i>	-39.93491	148.32829	13.6	10.0	794	Australia

<i>Chrysopa edwardsi</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Chrysopa edwardsi</i>	-35.27580	149.09620	12.8	6.1	667	Australia
<i>Chrysopa edwardsi</i>	-33.76807	151.17444	17.3	12.1	1284	Australia
<i>Chrysopa edwardsi</i>	-35.87444	148.49590	7.8	1.3	1515	Australia
<i>Chrysopa edwardsi</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa edwardsi</i>	-33.69196	151.30800	17.6	12.6	1276	Australia
<i>Chrysopa edwardsi</i>	-33.86103	151.22210	17.6	12.6	1320	Australia
<i>Chrysopa edwardsi</i>	-33.79462	151.13107	17.5	12.3	1201	Australia
<i>Chrysopa edwardsi</i>	-33.88336	151.26890	17.5	12.6	1262	Australia
<i>Chrysopa edwardsi</i>	-33.80601	151.25353	17.6	12.6	1297	Australia
<i>Chrysopa edwardsi</i>	-34.72121	149.09368	13.1	6.4	713	Australia
<i>Chrysopa edwardsi</i>	-33.66614	151.23060	17.1	11.9	1271	Australia
<i>Chrysopa edwardsi</i>	-33.64893	151.27865	17.0	11.9	1293	Australia
<i>Chrysopa edwardsi</i>	-36.73151	146.95986	13.0	6.7	1265	Australia
<i>Chrysopa edwardsi</i>	-37.99669	145.19346	14.6	10.0	781	Australia
<i>Chrysopa edwardsi</i>	-37.81481	144.98098	14.8	10.1	675	Australia
<i>Chrysopa edwardsi</i>	-37.71745	145.04764	14.6	9.7	723	Australia
<i>Chrysopa punctithorax</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Chrysopa ramburi</i>	-20.73167	139.49493	24.3	17.3	424	Australia
<i>Chrysopa ramburi</i>	-15.46861	145.25014	25.3	22.5	1904	Australia
<i>Chrysopa ramburi</i>	-28.07617	145.67856	20.5	12.5	384	Australia
<i>Chrysopa ramburi</i>	-13.94479	143.19817	25.4	22.6	1199	Australia
<i>Chrysopa ramburi</i>	-28.09576	153.44675	19.8	15.1	1639	Australia
<i>Chrysopa ramburi</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa ramburi</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa ramburi</i>	-27.42241	153.51293	20.1	15.7	1504	Australia
<i>Chrysopa ramburi</i>	-23.38354	150.50687	22.4	17.0	885	Australia
<i>Chrysopa ramburi</i>	-28.01663	153.16628	18.8	13.8	1249	Australia
<i>Chrysopa ramburi</i>	-22.97216	145.24362	23.4	16.4	498	Australia
<i>Chrysopa ramburi</i>	-22.82475	147.63268	22.0	15.5	656	Australia
<i>Chrysopa ramburi</i>	-26.43184	147.30939	19.1	11.2	566	Australia
<i>Chrysopa ramburi</i>	-26.56563	146.45796	20.3	12.3	483	Australia
<i>Chrysopa ramburi</i>	-23.70742	149.97273	21.9	16.0	715	Australia
<i>Chrysopa ramburi</i>	-28.96889	147.79687	20.3	12.5	450	Australia
<i>Chrysopa ramburi</i>	-26.48786	147.98191	19.7	12.0	562	Australia
<i>Chrysopa ramburi</i>	-27.11958	144.41160	21.8	13.4	346	Australia

<i>Chrysopa ramburi</i>	-26.56481	148.79870	19.8	12.3	626	Australia
<i>Chrysopa ramburi</i>	-25.37417	151.11935	20.2	13.9	736	Australia
<i>Chrysopa ramburi</i>	-28.03081	151.20480	18.3	11.4	667	Australia
<i>Chrysopa ramburi</i>	-23.77344	149.82395	22.1	16.1	729	Australia
<i>Chrysopa ramburi</i>	-24.56833	150.66230	20.2	14.0	684	Australia
<i>Chrysopa ramburi</i>	-24.11547	148.08619	20.9	14.1	730	Australia
<i>Chrysopa ramburi</i>	-18.65083	146.15900	24.2	20.0	1973	Australia
<i>Chrysopa ramburi</i>	-26.90000	151.60000	15.7	9.4	844	Australia
<i>Chrysopa ramburi</i>	-28.60916	148.43341	20.3	12.6	496	Australia
<i>Chrysopa ramburi</i>	-19.92243	138.11496	25.3	18.2	400	Australia
<i>Chrysopa ramburi</i>	-17.65394	145.27681	21.3	17.2	1110	Australia
<i>Chrysopa ramburi</i>	-23.52671	148.15586	22.3	15.7	675	Australia
<i>Chrysopa ramburi</i>	-28.65641	151.93999	15.1	8.8	831	Australia
<i>Chrysopa ramburi</i>	-26.88572	152.10006	17.8	11.7	916	Australia
<i>Chrysopa ramburi</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa ramburi</i>	-19.57666	147.39417	23.9	19.5	1084	Australia
<i>Chrysopa ramburi</i>	-26.88794	152.13901	17.9	11.9	933	Australia
<i>Chrysopa ramburi</i>	-27.18136	151.26030	18.9	12.2	659	Australia
<i>Chrysopa ramburi</i>	-26.60447	144.31956	22.1	13.8	355	Australia
<i>Chrysopa ramburi</i>	-25.38368	142.58551	23.0	14.8	282	Australia
<i>Chrysopa ramburi</i>	-27.56588	152.59874	19.6	13.8	918	Australia
<i>Chrysopa ramburi</i>	-15.46968	144.87905	24.9	21.9	1458	Australia
<i>Chrysopa ramburi</i>	-26.56011	152.95594	20.1	15.1	1732	Australia
<i>Chrysopa ramburi</i>	-26.56481	148.79870	19.8	12.3	626	Australia
<i>Chrysopa ramburi</i>	-17.67003	141.07803	27.2	22.7	833	Australia
<i>Chrysopa ramburi</i>	-27.56896	152.32741	19.5	13.5	846	Australia
<i>Chrysopa ramburi</i>	-14.51667	132.36667	27.4	22.9	974	Australia
<i>Chrysopa ramburi</i>	-19.20001	135.92643	25.8	19.1	383	Australia
<i>Chrysopa ramburi</i>	-12.44762	130.83645	27.5	25.1	1680	Australia
<i>Chrysopa ramburi</i>	-25.06008	135.32723	22.3	14.1	148	Australia
<i>Chrysopa ramburi</i>	-15.56667	130.90000	27.8	22.9	841	Australia
<i>Chrysopa ramburi</i>	-16.46667	136.15000	26.9	21.5	728	Australia
<i>Chrysopa ramburi</i>	-16.80549	135.66650	26.7	21.1	652	Australia
<i>Chrysopa ramburi</i>	-18.16667	130.25000	25.9	19.4	494	Australia
<i>Chrysopa ramburi</i>	-17.91667	129.63333	25.9	19.6	467	Australia
<i>Chrysopa ramburi</i>	-17.48333	130.71667	26.5	20.3	593	Australia

<i>Chrysopa ramburi</i>	-17.49998	130.78336	26.8	20.6	586	Australia
<i>Chrysopa ramburi</i>	-16.39708	131.03169	27.3	21.5	678	Australia
<i>Chrysopa ramburi</i>	-17.63334	130.00000	26.0	19.8	529	Australia
<i>Chrysopa ramburi</i>	-13.46670	131.41670	27.2	23.6	1278	Australia
<i>Chrysopa ramburi</i>	-25.62107	131.01381	20.5	12.2	310	Australia
<i>Chrysopa ramburi</i>	-23.70588	133.88359	20.8	12.6	290	Australia
<i>Chrysopa ramburi</i>	-12.44762	130.83645	27.5	25.1	1680	Australia
<i>Chrysopa ramburi</i>	-15.56559	136.81470	27.3	22.7	1074	Australia
<i>Chrysopa ramburi</i>	-28.78934	114.60753	19.7	15.0	485	Australia
<i>Chrysopa ramburi</i>	-31.55025	115.62657	18.5	14.2	725	Australia
<i>Chrysopa ramburi</i>	-20.45262	115.52266	26.0	21.4	299	Australia
<i>Chrysopa ramburi</i>	-23.87174	114.43867	24.2	17.7	239	Australia
<i>Chrysopa ramburi</i>	-30.74483	121.48295	18.3	11.4	256	Australia
<i>Chrysopa ramburi</i>	-32.01121	115.52839	18.5	14.8	678	Australia
<i>Chrysopa ramburi</i>	-30.74483	121.48295	18.3	11.4	256	Australia
<i>Chrysopa ramburi</i>	-29.58136	115.82390	19.7	13.1	381	Australia
<i>Chrysopa ramburi</i>	-25.03619	113.78323	22.0	16.7	223	Australia
<i>Chrysopa ramburi</i>	-26.05037	114.32961	22.4	15.8	202	Australia
<i>Chrysopa ramburi</i>	-22.30395	117.78423	25.3	17.8	387	Australia
<i>Chrysopa ramburi</i>	-31.20336	116.17608	17.5	11.6	592	Australia
<i>Chrysopa ramburi</i>	-26.36015	119.82237	21.8	13.3	259	Australia
<i>Chrysopa ramburi</i>	-31.98646	115.86617	18.7	14.1	793	Australia
<i>Chrysopa ramburi</i>	-34.49443	116.17585	14.8	11.0	1074	Australia
<i>Chrysopa ramburi</i>	-31.18221	118.09722	18.1	11.4	309	Australia
<i>Chrysopa ramburi</i>	-31.07003	120.78246	17.8	11.1	279	Australia
<i>Chrysopa ramburi</i>	-30.88978	116.71050	18.4	12.0	380	Australia
<i>Chrysopa ramburi</i>	-32.07798	121.67966	17.3	11.2	287	Australia
<i>Chrysopa ramburi</i>	-15.68603	128.68732	29.0	24.4	730	Australia
<i>Chrysopa ramburi</i>	-33.09684	119.01707	16.5	10.9	349	Australia
<i>Chrysopa ramburi</i>	-29.83471	116.01274	19.1	12.5	390	Australia
<i>Chrysopa ramburi</i>	-15.47866	128.12132	29.4	25.1	726	Australia
<i>Chrysopa ramburi</i>	-31.55747	121.59806	17.8	11.4	269	Australia
<i>Chrysopa ramburi</i>	-31.28829	125.08236	17.8	12.0	226	Australia
<i>Chrysopa ramburi</i>	-31.96666	124.46667	17.5	11.9	263	Australia
<i>Chrysopa ramburi</i>	-32.35146	124.19467	17.3	11.9	283	Australia
<i>Chrysopa ramburi</i>	-32.03443	122.76039	16.6	10.7	299	Australia

<i>Chrysopa ramburi</i>	-32.08786	125.56455	17.0	12.0	295	Australia
<i>Chrysopa ramburi</i>	-20.65740	116.70899	26.4	20.6	254	Australia
<i>Chrysopa ramburi</i>	-21.58337	117.06672	26.4	19.5	352	Australia
<i>Chrysopa ramburi</i>	-21.59052	117.07025	26.4	19.5	352	Australia
<i>Chrysopa ramburi</i>	-14.64497	126.94388	27.3	23.4	1137	Australia
<i>Chrysopa ramburi</i>	-31.28354	119.98283	17.5	10.7	294	Australia
<i>Chrysopa ramburi</i>	-23.81632	114.01039	23.9	17.9	228	Australia
<i>Chrysopa ramburi</i>	-22.74504	117.77799	24.0	16.3	386	Australia
<i>Chrysopa ramburi</i>	-27.82796	114.68647	20.2	14.5	380	Australia
<i>Chrysopa ramburi</i>	-18.92153	123.44473	26.5	20.7	476	Australia
<i>Chrysopa ramburi</i>	-20.65740	116.70899	26.4	20.6	254	Australia
<i>Chrysopa ramburi</i>	-25.11599	113.83514	22.2	16.6	218	Australia
<i>Chrysopa ramburi</i>	-31.98084	115.79955	18.7	14.1	782	Australia
<i>Chrysopa ramburi</i>	-22.23488	118.33720	26.3	18.7	386	Australia
<i>Chrysopa ramburi</i>	-25.18330	114.66670	23.3	16.4	206	Australia
<i>Chrysopa ramburi</i>	-15.47866	128.12132	29.4	25.1	726	Australia
<i>Chrysopa ramburi</i>	-25.79736	113.68783	21.8	16.1	213	Australia
<i>Chrysopa ramburi</i>	-33.31552	117.73937	16.0	10.6	386	Australia
<i>Chrysopa ramburi</i>	-21.63330	117.60000	26.0	18.9	360	Australia
<i>Chrysopa ramburi</i>	-31.77093	115.86032	18.4	13.7	773	Australia
<i>Chrysopa ramburi</i>	-31.95160	116.16689	16.9	11.4	955	Australia
<i>Chrysopa ramburi</i>	-28.04285	114.67386	19.5	14.0	435	Australia
<i>Chrysopa ramburi</i>	-21.59052	117.07025	26.4	19.5	352	Australia
<i>Chrysopa ramburi</i>	-31.90197	115.80234	18.7	14.2	774	Australia
<i>Chrysopa ramburi</i>	-21.41948	117.31315	26.4	19.6	340	Australia
<i>Chrysopa ramburi</i>	-29.86395	116.16345	19.1	12.4	369	Australia
<i>Chrysopa ramburi</i>	-20.78907	115.46301	26.1	21.4	305	Australia
<i>Chrysopa ramburi</i>	-31.91889	116.09971	17.4	12.1	871	Australia
<i>Chrysopa ramburi</i>	-20.88870	120.18727	26.5	19.7	351	Australia
<i>Chrysopa ramburi</i>	-31.31120	119.12549	17.7	10.8	307	Australia
<i>Chrysopa ramburi</i>	-32.12579	133.73306	17.1	12.1	307	Australia
<i>Chrysopa ramburi</i>	-30.61411	138.38806	19.1	11.3	170	Australia
<i>Chrysopa ramburi</i>	-27.78038	135.65066	21.8	13.6	165	Australia
<i>Chrysopa ramburi</i>	-31.46257	130.04887	17.4	12.4	253	Australia
<i>Chrysopa ramburi</i>	-30.59165	138.39302	19.1	11.3	170	Australia
<i>Chrysopa ramburi</i>	-30.59851	130.56107	18.0	12.1	190	Australia

<i>Chrysopa ramburi</i>	-32.28206	135.86258	17.5	11.1	236	Australia
<i>Chrysopa ramburi</i>	-35.67556	139.83731	15.6	10.9	450	Australia
<i>Chrysopa ramburi</i>	-28.99633	140.74152	21.0	12.8	179	Australia
<i>Chrysopa ramburi</i>	-34.92872	138.61666	16.4	11.4	543	Australia
<i>Chrysopa ramburi</i>	-34.45165	140.56349	16.9	10.8	265	Australia
<i>Chrysopa ramburi</i>	-35.42996	149.06293	12.9	6.2	694	Australia
<i>Chrysopa ramburi</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Chrysopa ramburi</i>	-31.53340	146.28333	18.2	10.5	447	Australia
<i>Chrysopa ramburi</i>	-31.98346	147.94999	18.1	10.6	537	Australia
<i>Chrysopa ramburi</i>	-35.11293	147.36424	15.8	8.7	558	Australia
<i>Chrysopa ramburi</i>	-29.46017	149.84581	19.1	11.5	587	Australia
<i>Chrysopa ramburi</i>	-34.51324	144.83766	17.1	10.1	391	Australia
<i>Chrysopa ramburi</i>	-35.83771	150.17388	16.0	11.6	1089	Australia
<i>Chrysopa ramburi</i>	-32.55310	148.94045	16.5	9.4	667	Australia
<i>Chrysopa ramburi</i>	-30.02073	148.11496	19.7	11.9	512	Australia
<i>Chrysopa ramburi</i>	-31.95549	141.46259	17.4	10.3	269	Australia
<i>Chrysopa ramburi</i>	-31.83295	141.51259	17.7	10.4	253	Australia
<i>Chrysopa ramburi</i>	-28.53912	153.55166	19.9	15.3	1829	Australia
<i>Chrysopa ramburi</i>	-31.26605	149.15813	15.3	7.9	813	Australia
<i>Chrysopa ramburi</i>	-30.01673	142.01654	20.2	12.1	214	Australia
<i>Chrysopa ramburi</i>	-33.61926	151.32810	17.4	12.3	1263	Australia
<i>Chrysopa ramburi</i>	-31.88199	149.07501	16.3	9.1	662	Australia
<i>Chrysopa ramburi</i>	-33.70400	150.37320	12.3	6.4	1352	Australia
<i>Chrysopa ramburi</i>	-31.40120	141.22862	18.7	11.3	204	Australia
<i>Chrysopa ramburi</i>	-33.39352	151.34356	17.3	12.2	1388	Australia
<i>Chrysopa ramburi</i>	-34.00492	151.07096	17.3	12.1	1194	Australia
<i>Chrysopa ramburi</i>	-33.71126	151.29800	17.6	12.7	1293	Australia
<i>Chrysopa ramburi</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa ramburi</i>	-33.86103	151.22210	17.6	12.6	1320	Australia
<i>Chrysopa ramburi</i>	-33.04231	146.18561	17.7	10.2	422	Australia
<i>Chrysopa ramburi</i>	-33.81257	151.10778	17.5	12.2	1129	Australia
<i>Chrysopa ramburi</i>	-33.88336	151.26890	17.5	12.6	1262	Australia
<i>Chrysopa ramburi</i>	-33.53828	149.06612	12.6	6.1	890	Australia
<i>Chrysopa ramburi</i>	-37.81481	144.98098	14.8	10.1	675	Australia
<i>Chrysopa ramburi</i>	-34.23449	142.17520	17.0	10.4	302	Australia
<i>Chrysopa ramburi</i>	-36.49596	141.74979	14.3	8.8	460	Australia

<i>Chrysopa ramburi</i>	-37.64471	145.50476	14.1	8.9	1026	Australia
<i>Chrysopa ramburi</i>	-36.72111	146.81812	8.3	2.1	1416	Australia
<i>Chrysopa ramburi</i>	-31.53148	159.07019	19.0	16.0	1519	Australia
<i>Chrysopa ramburi</i>	-12.15600	96.82304	26.7	25.8	1943	Australia
<i>Chrysopa atalotis</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Chrysopa atalotis</i>	-19.15738	146.84395	23.5	19.1	1213	Australia
<i>Chrysopa atalotis</i>	-17.52098	146.02069	23.8	20.0	3436	Australia
<i>Chrysopa atalotis</i>	-28.17010	153.53815	19.9	15.3	1646	Australia
<i>Chrysopa atalotis</i>	-18.65083	146.15900	24.2	20.0	1973	Australia
<i>Chrysopa atalotis</i>	-28.07617	145.67856	20.5	12.5	384	Australia
<i>Chrysopa atalotis</i>	-18.12279	144.81864	21.5	17.0	696	Australia
<i>Chrysopa atalotis</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa atalotis</i>	-19.57666	147.39417	23.9	19.5	1084	Australia
<i>Chrysopa atalotis</i>	-12.41672	132.96684	27.9	25.3	1460	Australia
<i>Chrysopa atalotis</i>	-11.12631	132.13847	27.4	25.3	1344	Australia
<i>Chrysopa atalotis</i>	-14.64576	126.94199	27.3	23.4	1137	Australia
<i>Chrysopa eremita</i>	-20.45262	115.52266	26.0	21.4	299	Australia
<i>Chrysopa personata</i>	-33.86103	151.222210	17.6	12.6	1320	Australia
<i>Chrysopa innotata</i>	-33.86103	151.222210	17.6	12.6	1320	Australia
<i>Chrysopa innotata</i>	-27.42241	153.51293	20.1	15.7	1504	Australia
<i>Chrysopa innotata</i>	-26.56481	148.79870	19.8	12.3	626	Australia
<i>Chrysopa innotata</i>	-27.38939	152.77905	17.9	12.5	1272	Australia
<i>Chrysopa innotata</i>	-19.25946	146.81180	24.1	19.6	1099	Australia
<i>Chrysopa innotata</i>	-28.17010	153.53815	19.9	15.3	1646	Australia
<i>Chrysopa innotata</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa innotata</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa innotata</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa innotata</i>	-28.09576	153.44675	19.8	15.1	1639	Australia
<i>Chrysopa innotata</i>	-27.96752	153.40083	19.9	15.2	1542	Australia
<i>Chrysopa innotata</i>	-19.25946	146.81180	24.1	19.6	1099	Australia
<i>Chrysopa innotata</i>	-20.00808	148.25338	24.2	20.0	991	Australia
<i>Chrysopa innotata</i>	-25.60116	152.59108	21.3	16.4	1104	Australia
<i>Chrysopa innotata</i>	-27.52094	153.18768	20.1	15.2	1267	Australia
<i>Chrysopa innotata</i>	-21.13774	148.63295	21.9	16.8	1290	Australia
<i>Chrysopa innotata</i>	-12.44762	130.83645	27.5	25.1	1680	Australia
<i>Chrysopa innotata</i>	-23.68530	132.66981	21.0	12.8	292	Australia

<i>Chrysopa innotata</i>	-34.82293	138.49734	16.7	11.5	448	Australia
<i>Chrysopa innotata</i>	-34.45165	140.56349	16.9	10.8	265	Australia
<i>Chrysopa innotata</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa innotata</i>	-33.59516	151.32422	17.4	12.3	1263	Australia
<i>Chrysopa innotata</i>	-37.18061	148.72516	10.9	5.5	855	Australia
<i>Chrysopa innotata</i>	-37.71745	145.04764	14.6	9.7	723	Australia
<i>Chrysopa italotis</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Chrysopa italotis</i>	-24.85388	152.33812	21.6	16.8	1100	Australia
<i>Chrysopa italotis</i>	-16.99682	145.42861	22.8	19.3	1935	Australia
<i>Chrysopa italotis</i>	-23.16571	150.49051	22.0	16.8	1003	Australia
<i>Chrysopa otalatis</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa otalatis</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa otalatis</i>	-17.37210	145.38234	19.6	15.6	1252	Australia
<i>Chrysopa otalatis</i>	-27.23153	153.09924	20.2	15.3	1279	Australia
<i>Chrysopa otalatis</i>	-28.17010	153.53815	19.9	15.3	1646	Australia
<i>Chrysopa otalatis</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa otalatis</i>	-21.14031	149.17577	22.6	17.8	1727	Australia
<i>Chrysopa satilota</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Chrysopa satilota</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa satilota</i>	-10.57704	142.20950	26.5	25.1	1722	Australia
<i>Chrysopa satilota</i>	-19.25946	146.81180	24.1	19.6	1099	Australia
<i>Chrysopa satilota</i>	-19.15738	146.84395	23.5	19.1	1213	Australia
<i>Chrysopa satilota</i>	-18.65083	146.15900	24.2	20.0	1973	Australia
<i>Chrysopa satilota</i>	-12.71390	143.13164	25.5	23.2	1866	Australia
<i>Chrysopa satilota</i>	-13.93418	143.21135	24.8	22.0	1225	Australia
<i>Chrysopa darwini</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Chrysopa cardaleae</i>	-15.56667	130.90000	27.8	22.9	841	Australia
<i>Chrysopa cardaleae</i>	-16.45000	131.20000	27.2	21.5	678	Australia
<i>Chrysopa cardaleae</i>	-17.48333	130.71667	26.5	20.3	593	Australia
<i>Chrysopa cardaleae</i>	-17.49998	130.78336	26.8	20.6	586	Australia
<i>Chrysopa cardaleae</i>	-19.93333	138.15000	25.3	18.2	400	Australia
<i>Chrysopa dispar</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa dispar</i>	-33.39317	143.95973	17.8	10.6	316	Australia
<i>Chrysopa dispar</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa basalis</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Chrysopa basalis</i>	-16.81810	145.63425	23.0	19.6	2184	Australia

<i>Chrysopa basalis</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa basalis</i>	-27.49247	153.21446	20.2	15.3	1295	Australia
<i>Chrysopa basalis</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa basalis</i>	-10.88686	142.38723	26.4	24.9	1763	Australia
<i>Chrysopa basalis</i>	-27.55508	152.27273	19.4	13.3	851	Australia
<i>Chrysopa basalis</i>	-17.26733	145.47249	20.6	16.7	1675	Australia
<i>Chrysopa basalis</i>	-25.23273	152.27604	21.1	16.2	1067	Australia
<i>Chrysopa basalis</i>	-27.38939	152.77905	17.9	12.5	1272	Australia
<i>Chrysopa basalis</i>	-18.65083	146.15900	24.2	20.0	1973	Australia
<i>Chrysopa basalis</i>	-17.52098	146.02069	23.8	20.0	3436	Australia
<i>Chrysopa basalis</i>	-27.96752	153.40083	19.9	15.2	1542	Australia
<i>Chrysopa basalis</i>	-27.88119	153.12926	19.5	14.4	1116	Australia
<i>Chrysopa basalis</i>	-30.01673	142.01654	20.2	12.1	214	Australia
<i>Chrysopa basalis</i>	-38.14558	145.12833	14.5	10.1	768	Australia
<i>Chrysopa basalis</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa tripunctata</i>	-28.86247	151.86691	15.4	9.0	795	Australia
<i>Chrysopa tripunctata</i>	-28.77588	151.97214	14.3	8.2	920	Australia
<i>Chrysopa tripunctata</i>	-27.52094	153.18768	20.1	15.2	1267	Australia
<i>Chrysopa tripunctata</i>	-33.64618	115.03434	16.8	13.4	860	Australia
<i>Chrysopa tripunctata</i>	-34.99513	116.81071	15.4	11.8	1158	Australia
<i>Chrysopa tripunctata</i>	-35.02964	117.90593	16.0	12.6	873	Australia
<i>Chrysopa tripunctata</i>	-32.01121	115.52839	18.5	14.8	678	Australia
<i>Chrysopa tripunctata</i>	-31.95160	116.16689	16.9	11.4	955	Australia
<i>Chrysopa tripunctata</i>	-31.93791	115.78073	18.6	14.2	765	Australia
<i>Chrysopa tripunctata</i>	-34.95013	138.66068	16.0	11.0	601	Australia
<i>Chrysopa tripunctata</i>	-34.96022	138.64108	15.2	10.3	711	Australia
<i>Chrysopa tripunctata</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Chrysopa tripunctata</i>	-33.39352	151.34356	17.3	12.2	1388	Australia
<i>Chrysopa tripunctata</i>	-32.55310	148.94045	16.5	9.4	667	Australia
<i>Chrysopa tripunctata</i>	-28.99439	153.27130	19.5	14.5	1362	Australia
<i>Chrysopa tripunctata</i>	-32.56921	151.15933	17.7	11.6	686	Australia
<i>Chrysopa tripunctata</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa tripunctata</i>	-37.71745	145.04764	14.6	9.7	723	Australia
<i>Chrysopa signata</i>	-28.07617	145.67856	20.5	12.5	384	Australia
<i>Chrysopa signata</i>	-19.51321	138.94910	25.3	18.8	479	Australia
<i>Chrysopa signata</i>	-23.21532	144.07305	23.6	16.2	429	Australia

<i>Chrysopa signata</i>	-26.41840	146.47775	20.1	12.1	503	Australia
<i>Chrysopa signata</i>	-26.24804	146.02373	20.7	12.6	490	Australia
<i>Chrysopa signata</i>	-28.97174	147.79416	20.3	12.5	450	Australia
<i>Chrysopa signata</i>	-26.48786	147.98191	19.7	12.0	562	Australia
<i>Chrysopa signata</i>	-28.99782	145.70866	20.4	12.5	356	Australia
<i>Chrysopa signata</i>	-20.88396	140.35101	24.9	18.0	466	Australia
<i>Chrysopa signata</i>	-27.11958	144.41160	21.8	13.4	346	Australia
<i>Chrysopa signata</i>	-16.88694	145.69050	23.7	20.3	2222	Australia
<i>Chrysopa signata</i>	-25.91055	144.60240	22.0	13.8	406	Australia
<i>Chrysopa signata</i>	-26.56481	148.79870	19.8	12.3	626	Australia
<i>Chrysopa signata</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Chrysopa signata</i>	-24.35547	143.28852	23.3	15.4	272	Australia
<i>Chrysopa signata</i>	-27.37825	152.81136	18.7	13.4	1248	Australia
<i>Chrysopa signata</i>	-27.46091	152.88055	19.8	14.5	1229	Australia
<i>Chrysopa signata</i>	-22.59080	144.54813	23.8	16.7	482	Australia
<i>Chrysopa signata</i>	-25.23273	152.27604	21.1	16.2	1067	Australia
<i>Chrysopa signata</i>	-28.40000	151.91670	15.5	9.2	809	Australia
<i>Chrysopa signata</i>	-26.60447	144.31956	22.1	13.8	355	Australia
<i>Chrysopa signata</i>	-25.89997	139.35667	22.9	14.6	180	Australia
<i>Chrysopa signata</i>	-16.56711	135.68214	26.9	21.4	686	Australia
<i>Chrysopa signata</i>	-25.34554	131.36281	20.8	12.4	285	Australia
<i>Chrysopa signata</i>	-23.58340	134.34997	20.9	12.8	284	Australia
<i>Chrysopa signata</i>	-23.76646	134.04982	21.2	13.0	273	Australia
<i>Chrysopa signata</i>	-24.96666	129.38335	21.6	13.3	288	Australia
<i>Chrysopa signata</i>	-25.08333	132.35000	20.9	12.5	253	Australia
<i>Chrysopa signata</i>	-24.26667	133.41667	21.0	12.8	259	Australia
<i>Chrysopa signata</i>	-24.00231	133.66024	20.6	12.4	276	Australia
<i>Chrysopa signata</i>	-23.70588	133.88359	20.8	12.6	290	Australia
<i>Chrysopa signata</i>	-16.11638	130.42545	27.5	22.2	761	Australia
<i>Chrysopa signata</i>	-16.39708	131.03169	27.3	21.5	678	Australia
<i>Chrysopa signata</i>	-19.43965	135.44481	25.8	19.1	378	Australia
<i>Chrysopa signata</i>	-23.76706	133.93943	21.0	12.8	280	Australia
<i>Chrysopa signata</i>	-17.37140	133.41121	26.7	20.6	542	Australia
<i>Chrysopa signata</i>	-24.33375	131.58332	21.1	12.7	309	Australia
<i>Chrysopa signata</i>	-15.57533	133.21301	26.8	21.7	794	Australia
<i>Chrysopa signata</i>	-19.65059	134.19196	25.4	18.8	399	Australia

<i>Chrysopa signata</i>	-25.33487	131.03474	20.8	12.5	322	Australia
<i>Chrysopa signata</i>	-23.70588	133.88359	20.8	12.6	290	Australia
<i>Chrysopa signata</i>	-22.91502	138.80126	24.1	16.2	237	Australia
<i>Chrysopa signata</i>	-23.68530	132.66981	21.0	12.8	292	Australia
<i>Chrysopa signata</i>	-32.07798	121.67966	17.3	11.2	287	Australia
<i>Chrysopa signata</i>	-30.88978	116.71050	18.4	12.0	380	Australia
<i>Chrysopa signata</i>	-34.99513	116.81071	15.4	11.8	1158	Australia
<i>Chrysopa signata</i>	-30.29126	115.32121	18.9	14.0	565	Australia
<i>Chrysopa signata</i>	-29.61807	117.14126	19.5	12.1	294	Australia
<i>Chrysopa signata</i>	-27.82796	114.68647	20.2	14.5	380	Australia
<i>Chrysopa signata</i>	-26.59923	125.86543	21.5	13.2	175	Australia
<i>Chrysopa signata</i>	-31.55747	121.59806	17.8	11.4	269	Australia
<i>Chrysopa signata</i>	-31.10174	120.74335	17.7	11.0	286	Australia
<i>Chrysopa signata</i>	-33.73413	121.84757	16.8	12.9	573	Australia
<i>Chrysopa signata</i>	-28.62359	115.36066	20.3	13.8	373	Australia
<i>Chrysopa signata</i>	-31.18221	118.09722	18.1	11.4	309	Australia
<i>Chrysopa signata</i>	-35.02964	117.90593	16.0	12.6	873	Australia
<i>Chrysopa signata</i>	-34.65982	117.89471	15.0	11.0	682	Australia
<i>Chrysopa signata</i>	-33.77995	119.13836	15.7	10.9	407	Australia
<i>Chrysopa signata</i>	-31.95717	115.84078	18.7	14.0	803	Australia
<i>Chrysopa signata</i>	-33.64618	115.03434	16.8	13.4	860	Australia
<i>Chrysopa signata</i>	-28.53751	115.51255	20.3	13.3	337	Australia
<i>Chrysopa signata</i>	-26.59093	118.49386	21.8	13.6	225	Australia
<i>Chrysopa signata</i>	-27.89151	117.86367	21.2	13.2	243	Australia
<i>Chrysopa signata</i>	-27.60567	117.88867	21.6	13.6	229	Australia
<i>Chrysopa signata</i>	-26.05037	114.32961	22.4	15.8	202	Australia
<i>Chrysopa signata</i>	-27.95079	114.68118	19.8	14.2	408	Australia
<i>Chrysopa signata</i>	-32.01121	115.52839	18.5	14.8	678	Australia
<i>Chrysopa signata</i>	-27.27975	114.59841	20.8	14.7	304	Australia
<i>Chrysopa signata</i>	-31.23335	121.46667	17.6	11.0	277	Australia
<i>Chrysopa signata</i>	-31.54851	116.46814	18.0	11.8	521	Australia
<i>Chrysopa signata</i>	-27.82796	114.68647	20.2	14.5	380	Australia
<i>Chrysopa signata</i>	-31.11018	122.68265	18.0	11.4	241	Australia
<i>Chrysopa signata</i>	-32.01299	122.76715	16.6	10.7	299	Australia
<i>Chrysopa signata</i>	-32.35863	124.20870	17.3	11.9	285	Australia
<i>Chrysopa signata</i>	-22.93342	114.75002	25.5	18.8	259	Australia

<i>Chrysopa signata</i>	-21.59052	117.07025	26.4	19.5	352	Australia
<i>Chrysopa signata</i>	-31.25126	124.11868	18.1	12.0	227	Australia
<i>Chrysopa signata</i>	-18.36667	122.88333	26.4	21.3	557	Australia
<i>Chrysopa signata</i>	-18.88333	123.71667	26.6	20.8	470	Australia
<i>Chrysopa signata</i>	-18.81667	123.28333	26.3	20.6	500	Australia
<i>Chrysopa signata</i>	-21.58980	117.06513	26.4	19.5	352	Australia
<i>Chrysopa signata</i>	-15.02722	126.66517	26.7	22.8	1219	Australia
<i>Chrysopa signata</i>	-26.02866	118.68995	22.2	13.8	214	Australia
<i>Chrysopa signata</i>	-31.90926	116.10460	17.2	11.8	865	Australia
<i>Chrysopa signata</i>	-20.78907	115.46301	26.1	21.4	305	Australia
<i>Chrysopa signata</i>	-24.88430	113.66201	21.9	16.8	227	Australia
<i>Chrysopa signata</i>	-33.31552	117.73937	16.0	10.6	386	Australia
<i>Chrysopa signata</i>	-28.62869	122.40383	20.0	12.2	225	Australia
<i>Chrysopa signata</i>	-32.01047	115.84075	18.6	14.0	798	Australia
<i>Chrysopa signata</i>	-31.03716	116.04518	18.1	12.3	550	Australia
<i>Chrysopa signata</i>	-21.41948	117.31315	26.4	19.6	340	Australia
<i>Chrysopa signata</i>	-22.94135	116.96450	26.4	18.8	280	Australia
<i>Chrysopa signata</i>	-24.99999	124.99999	23.1	14.6	184	Australia
<i>Chrysopa signata</i>	-25.73329	116.99999	23.0	14.8	198	Australia
<i>Chrysopa signata</i>	-28.72520	114.68297	19.3	14.4	503	Australia
<i>Chrysopa signata</i>	-30.22451	115.29619	18.8	13.8	572	Australia
<i>Chrysopa signata</i>	-35.00065	138.54706	16.1	11.3	560	Australia
<i>Chrysopa signata</i>	-32.65000	137.53334	17.9	11.6	241	Australia
<i>Chrysopa signata</i>	-32.43250	137.69189	18.6	12.1	237	Australia
<i>Chrysopa signata</i>	-33.09905	136.65987	16.7	10.7	329	Australia
<i>Chrysopa signata</i>	-32.85757	135.15386	16.6	11.2	335	Australia
<i>Chrysopa signata</i>	-33.09905	136.65987	16.7	10.7	329	Australia
<i>Chrysopa signata</i>	-26.95340	135.25331	21.6	13.4	159	Australia
<i>Chrysopa signata</i>	-30.59165	138.39302	19.1	11.3	170	Australia
<i>Chrysopa signata</i>	-34.92872	138.61666	16.4	11.4	543	Australia
<i>Chrysopa signata</i>	-42.16954	145.41411	10.9	7.7	2272	Australia
<i>Chrysopa signata</i>	-35.30678	149.12023	12.9	6.2	647	Australia
<i>Chrysopa signata</i>	-35.27580	149.09620	12.8	6.1	667	Australia
<i>Chrysopa signata</i>	-35.22818	149.06941	13.0	6.2	682	Australia
<i>Chrysopa signata</i>	-33.69992	151.09366	16.7	11.4	1218	Australia
<i>Chrysopa signata</i>	-33.41735	149.56393	12.9	6.4	694	Australia

<i>Chrysopa signata</i>	-29.73760	151.73319	13.5	7.2	882	Australia
<i>Chrysopa signata</i>	-30.51597	151.66490	13.1	6.8	793	Australia
<i>Chrysopa signata</i>	-33.77349	151.07799	17.0	11.7	1133	Australia
<i>Chrysopa signata</i>	-33.59516	151.32422	17.4	12.3	1263	Australia
<i>Chrysopa signata</i>	-34.87020	150.60356	16.9	12.2	1255	Australia
<i>Chrysopa signata</i>	-33.90511	150.94072	17.5	11.9	901	Australia
<i>Chrysopa signata</i>	-33.91658	151.09216	17.6	12.4	1118	Australia
<i>Chrysopa signata</i>	-33.29296	149.40626	13.3	6.7	731	Australia
<i>Chrysopa signata</i>	-34.10488	141.86276	17.3	10.8	288	Australia
<i>Chrysopa signata</i>	-33.66173	151.00681	16.7	11.1	1120	Australia
<i>Chrysopa signata</i>	-33.89261	148.15728	15.6	8.5	673	Australia
<i>Chrysopa signata</i>	-29.46017	149.84581	19.1	11.5	587	Australia
<i>Chrysopa signata</i>	-34.51324	144.83766	17.1	10.1	391	Australia
<i>Chrysopa signata</i>	-36.08053	146.91728	15.1	8.3	739	Australia
<i>Chrysopa signata</i>	-30.44469	146.22061	19.8	12.1	380	Australia
<i>Chrysopa signata</i>	-31.53340	146.28333	18.2	10.5	447	Australia
<i>Chrysopa signata</i>	-31.37956	148.50430	17.9	10.4	572	Australia
<i>Chrysopa signata</i>	-32.55310	148.94045	16.5	9.4	667	Australia
<i>Chrysopa signata</i>	-29.11368	145.78842	20.4	12.5	343	Australia
<i>Chrysopa signata</i>	-32.03018	147.98660	18.0	10.6	549	Australia
<i>Chrysopa signata</i>	-36.14777	146.61428	14.4	7.7	715	Australia
<i>Chrysopa signata</i>	-30.97409	145.89991	19.1	11.4	360	Australia
<i>Chrysopa signata</i>	-30.02073	148.111496	19.7	11.9	512	Australia
<i>Chrysopa signata</i>	-33.88846	149.92787	9.9	4.0	1107	Australia
<i>Chrysopa signata</i>	-34.56480	145.99859	16.7	9.5	415	Australia
<i>Chrysopa signata</i>	-30.45529	153.01873	18.7	13.7	1663	Australia
<i>Chrysopa signata</i>	-30.95594	145.90232	19.1	11.4	361	Australia
<i>Chrysopa signata</i>	-31.99619	147.93987	18.1	10.6	537	Australia
<i>Chrysopa signata</i>	-33.04231	146.18561	17.7	10.2	422	Australia
<i>Chrysopa signata</i>	-32.03587	146.31381	17.5	9.9	459	Australia
<i>Chrysopa signata</i>	-33.91081	147.14932	16.4	9.0	501	Australia
<i>Chrysopa signata</i>	-31.54611	145.24541	18.6	10.9	354	Australia
<i>Chrysopa signata</i>	-31.71240	148.67088	17.3	9.9	607	Australia
<i>Chrysopa signata</i>	-30.56827	151.46302	13.5	7.1	773	Australia
<i>Chrysopa signata</i>	-33.53828	149.06612	12.6	6.1	890	Australia
<i>Chrysopa signata</i>	-36.49596	141.74979	14.3	8.8	460	Australia

<i>Chrysopa signata</i>	-36.42035	143.61149	14.6	8.5	508	Australia
<i>Chrysopa signata</i>	-37.33362	142.67899	13.2	8.1	619	Australia
<i>Chrysopa signata</i>	-37.61964	145.62438	12.5	7.1	1335	Australia
<i>Chrysopa signata</i>	-37.48534	144.59400	12.4	7.2	826	Australia
<i>Chrysopa signata</i>	-36.53664	147.37498	13.8	7.3	1010	Australia
<i>Chrysopa signata</i>	-37.27972	144.72606	12.6	7.0	777	Australia
<i>Chrysopa signata</i>	-37.64471	145.50476	14.1	8.9	1026	Australia
<i>Chrysopa signata</i>	-37.81481	144.98098	14.8	10.1	675	Australia
<i>Chrysopa signata</i>	-32.82998	137.97891	17.8	11.5	353	Australia
<i>Chrysopa adamsi</i>	-26.48786	147.98191	19.7	12.0	562	Australia
<i>Chrysopa adamsi</i>	-26.43184	147.30939	19.1	11.2	566	Australia
<i>Chrysopa adamsi</i>	-32.55310	148.94045	16.5	9.4	667	Australia
<i>Chrysopa adamsi</i>	-31.53340	146.28333	18.2	10.5	447	Australia
<i>Chrysopa maculithorax</i>	-10.18406	142.33440	26.6	25.2	1621	Australia
<i>Chrysopa maculithorax</i>	-16.21303	167.56438	24.7	23.3	2007	Australia
<i>Chrysopa sequens</i>	-28.07617	145.67856	20.5	12.5	384	Australia
<i>Chrysoperla zastrawi</i>	-33.05000	20.58330	14.6	8.2	180	South Africa
<i>Chrysoperla zastrawi</i>	-33.35000	22.05000	12.3	7.6	442	South Africa
<i>Chrysoperla zastrawi</i>	-33.16670	26.61670	18.2	14.1	554	South Africa
<i>Chrysoperla zastrawi</i>	-32.58330	20.41670	14.9	8.3	158	South Africa
<i>Chrysoperla zastrawi</i>	-32.90000	21.36670	16.4	10.1	142	South Africa
<i>Chrysoperla pudica</i>	-32.66670	21.51670	16.7	10.0	138	South Africa
<i>Chrysoperla zastrawi</i>	-32.66670	21.51670	16.7	10.0	138	South Africa
<i>Chrysoperla zastrawi</i>	-32.90000	21.36670	16.4	10.1	142	South Africa
<i>Chrysoperla</i>	-32.37500	22.62500	17.9	12.2	226	South Africa
<i>Chrysoperla pudica</i>	-32.37500	22.62500	17.9	12.2	226	South Africa
<i>Chrysoperla zastrawi</i>	-31.98330	18.78330	18.7	13.4	231	South Africa
<i>Chrysoperla zastrawi</i>	-31.61670	19.35000	16.4	10.7	271	South Africa
<i>Chrysoperla zastrawi</i>	-31.00000	19.35000	17.3	11.4	216	South Africa
<i>Chrysoperla zastrawi</i>	-30.11670	21.53330	19.1	11.4	179	South Africa
<i>Chrysoperla congrua</i>	-30.78330	27.48330	10.5	4.4	750	South Africa
<i>Chrysoperla zastrawi</i>	-29.20000	18.85000	18.8	11.9	146	South Africa
<i>Chrysoperla zastrawi</i>	-29.35000	18.35000	19.3	12.7	129	South Africa
<i>Chrysoperla zastrawi</i>	-29.87500	20.87500	18.9	11.4	159	South Africa
<i>Chrysoperla congrua</i>	-28.45000	18.73330	20.6	13.4	103	Namibia
<i>Chrysoperla zastrawi</i>	-28.95000	18.11670	21.4	14.2	73	South Africa

<i>Chrysoperla zastrowi</i>	-28.78330	20.61670	20.3	13.3	137	South Africa	W-GBIF-7
<i>Chrysoperla congrua</i>	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
<i>Chrysoperla congrua</i>	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11594	-109.35000	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
<i>Chrysoperla externa</i>	-26.85000	-65.38333	17.0	11.8	1089	Argentina	W-GBIF-2
<i>Chrysoperla congrua</i>	-25.05000	33.80000	22.9	19.3	882	Mozambique	W-GBIF-7
<i>Chrysoperla pudica</i>	-24.43613	28.98333	19.4	13.8	524	South Africa	W-GBIF-2
<i>Chrysoperla comans</i>	-24.25000	28.26666	17.7	12.0	636	South Africa	W-GBIF-2
<i>Chrysoperla congrua</i>	-23.85970	35.34720	23.6	20.2	921	Mozambique	W-GBIF-7
<i>Chrysoperla pudica</i>	-22.25000	24.81666	20.6	14.7	373	South Africa	W-GBIF-2
<i>Chrysoperla pudica</i>	-22.93261	29.90000	18.3	13.7	900	South Africa	W-GBIF-2
<i>Chrysoperla pudica</i>	-22.93261	29.90000	18.3	13.7	900	South Africa	W-GBIF-2
<i>Chrysoperla congrua</i>	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
<i>Chrysoperla pudica</i>	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
<i>Chrysoperla zastrowi</i>	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7

<i>Chrysopera congrua</i>	-19.63330	14.83330	21.0	16.7	316	Namibia
<i>Chrysopera pudica</i>	-19.63330	14.83330	21.0	16.7	316	Namibia
<i>Chrysopera pudica</i>	-19.50000	14.33330	21.6	17.6	277	Namibia
<i>Chrysopera pudica</i>	-19.85000	15.46670	21.2	16.9	331	Namibia
<i>Chrysopera pudica</i>	-18.05000	13.38330	21.3	17.9	204	Namibia
<i>Chrysopera congrua</i>	-18.23330	16.23330	22.7	17.4	459	Namibia
<i>Chrysopera congrua</i>	-19.00000	17.33330	22.7	17.8	515	Namibia
<i>Chrysopera sp.</i>	-18.48916	127.66305	26.3	20.0	409	Australia
<i>Chrysopera externa</i>	-17.61666	-149.45000	23.4	22.0	2106	Fr Polynesia
<i>Chrysopera congrua</i>	-17.50000	14.25000	22.5	18.4	340	Namibia
<i>Chrysopera sp.</i>	-17.86670	15.16670	22.7	17.8	450	Namibia
<i>Chrysopera congrua</i>	-17.91670	15.95000	22.6	17.3	467	Namibia
<i>Chrysopera congrua</i>	-17.99305	123.49777	27.4	22.3	533	Australia
<i>Chrysopera sp.</i>	-17.66972	125.26055	27.1	21.6	657	Australia
<i>Chrysopera sp.</i>	-17.57694	127.84583	26.9	21.0	621	Australia
<i>Chrysopera sp.</i>	-17.50805	127.40138	25.8	20.0	680	Australia
<i>Chrysopera sp.</i>	-17.57694	127.84583	26.9	21.0	621	Australia
<i>Chrysopera sp.</i>	-17.50805	127.40138	25.8	20.0	680	Australia
<i>Chrysopera sp.</i>	-17.57694	127.84583	26.9	21.0	621	Australia
<i>Chrysopera sp.</i>	-17.60000	128.46666	27.3	21.4	576	Australia
<i>Chrysopera sp.</i>	-17.98750	145.19055	21.5	17.1	834	Australia
<i>Chrysopera sp.</i>	-17.74951	122.20584	26.9	22.5	605	Australia
<i>Chrysopera sp.</i>	-15.92611	129.08888	28.5	23.6	768	Australia
<i>Chrysopera sp.</i>	-15.55000	131.65416	26.6	21.5	858	Australia
<i>Chrysopera sp.</i>	-14.48000	144.42361	25.6	22.8	1252	Australia
<i>Chrysopera sp.</i>	-11.58444	130.92084	26.9	24.7	1679	Australia
<i>Chrysopera congrua</i>	-4.05000	37.80000	22.9	20.4	672	Tanzania
<i>Chrysopera congrua</i>	-4.11194	38.02280	23.3	20.9	707	Tanzania
<i>Chrysopera pudica</i>	-4.23333	38.40000	23.4	21.2	739	Tanzania
<i>Chrysopera congrua</i>	-3.96667	37.80000	22.9	20.5	657	Tanzania
<i>Chrysopera congrua</i>	-3.96667	37.81670	22.9	20.5	657	Tanzania
<i>Chrysopera congrua</i>	-3.88333	37.90000	23.0	20.7	650	Tanzania
<i>Chrysopera congrua</i>	-3.90000	37.78330	22.3	19.9	716	Tanzania
<i>Chrysopera carnea Gp</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Chrysopera carnea Gp</i>	9.93333	-84.18333	22.2	21.6	1876	Costa Rica
<i>Chrysopera externa</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica

<i>Chrysoperla carnea</i> Gp	10.08333	-84.54971	23.8	23.1	3021	Costa Rica	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	10.08333	-84.54971	23.8	23.1	3021	Costa Rica	W-GBIF-2
<i>Chrysoperla</i> sp.	14.10345	-87.00184	20.6	18.6	1099	Honduras	W-GBIF-2
<i>Chrysoperla</i> sp.	15.03333	-86.71667	22.6	20.5	1410	Honduras	W-GBIF-2
<i>Chrysoperla</i> sp.	16.97729	-96.71667	20.6	18.2	667	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	17.85000	-100.45780	24.2	22.7	1260	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	17.03333	-96.73334	20.5	18.0	670	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.81667	-99.23334	23.5	21.1	904	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.91861	-99.16772	21.1	19.4	1038	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.81667	-99.23334	23.5	21.1	904	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	18.61666	-99.30000	25.0	22.2	962	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.38831	-97.44798	18.3	15.7	491	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	18.24224	-97.14999	22.5	19.8	505	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.38831	-97.44798	18.3	15.7	491	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	18.12842	-97.64635	17.6	14.9	631	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	18.94785	-96.47644	25.7	22.4	1092	Mexico	W-GBIF-2
<i>Chrysoperla externa</i>	18.03330	-77.50000	21.2	20.0	1961	Jamaica	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.60000	-72.28989	26.5	24.9	1045	Haiti	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	18.60000	-72.28989	26.5	24.9	1045	Haiti	W-GBIF-2
<i>Chrysoperla</i> sp.	18.47241	-69.90000	25.8	24.3	1536	Dominican Rep.	W-GBIF-2
<i>Chrysoperla</i> sp.	19.42611	-101.90820	19.3	16.8	1399	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	20.91675	-104.28590	17.8	14.8	860	Mexico	W-GBIF-2
<i>Chrysoperla comanche</i>	20.20000	-101.15000	18.4	15.1	734	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	20.57027	-101.47010	20.4	17.0	689	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	20.57027	-101.47010	20.4	17.0	689	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	20.45000	-97.33209	23.9	19.3	1221	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	20.45000	-97.33209	23.9	19.3	1221	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	21.23143	-104.78110	19.6	16.6	1071	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	21.23143	-104.78110	19.6	16.6	1071	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	21.88334	-102.51800	17.0	13.1	655	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	22.02439	-102.91350	20.0	15.5	579	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	22.02439	-102.91350	20.0	15.5	579	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	22.15000	-100.87410	18.0	14.5	361	Mexico	W-GBIF-2
<i>Chrysoperla</i> sp.	22.20814	-100.98200	18.0	14.4	340	Mexico	W-GBIF-2
<i>Chrysoperla carnea</i> Gp	22.30000	-97.85447	23.9	19.3	1098	Mexico	W-GBIF-2
<i>Chrysoperla rufilabris</i>	23.07667	-82.43000	24.7	21.9	1402	Cuba	W-GBIF-2

<i>Chrysopera sp.</i>	-99.80663	20.7	15.3	710	Mexico
<i>Chrysopera sp.</i>	-111.35010	23.2	17.6	178	Mexico
<i>Chrysopera sp.</i>	-101.03810	18.8	12.0	425	Mexico
<i>Chrysopera sp.</i>	-100.31670	17.7	12.7	574	Mexico
<i>Chrysopera sp.</i>	-97.49748	23.2	16.6	687	USA
<i>Chrysopera sp.</i>	-97.49748	23.2	16.6	687	USA
<i>Chrysopera sp.</i>	-97.49748	23.2	16.6	687	USA
<i>Chrysopera sp.</i>	-97.49748	23.2	16.6	687	USA
<i>Chrysopera sp.</i>	-97.41730	23.2	16.6	691	USA
<i>Chrysopera sp.</i>	-98.38252	23.3	15.5	566	USA
<i>Chrysopera sp.</i>	-98.38252	23.3	15.5	566	USA
<i>Chrysopera sp.</i>	-97.99084	23.1	15.7	612	USA
<i>Chrysopera rufilabris</i>	-97.99084	23.1	15.7	612	USA
<i>Chrysopera rufilabris</i>	-97.99084	23.1	15.7	612	USA
<i>Chrysopera rufilabris</i>	-97.99084	23.1	15.7	612	USA
<i>Chrysopera rufilabris</i>	-97.78917	22.5	14.9	655	USA
<i>Chrysopera rufilabris</i>	-82.19022	23.3	18.1	1284	USA
<i>Chrysopera rufilabris</i>	-99.43972	23.3	14.6	531	USA
<i>Chrysopera rufilabris</i>	-99.43972	23.3	14.6	531	USA
<i>Chrysopera rufilabris</i>	-98.67834	21.9	13.4	570	USA
<i>Chrysopera rufilabris</i>	-97.39639	22.1	14.4	797	USA
<i>Chrysopera rufilabris</i>	-97.43088	22.0	14.2	811	USA
<i>Chrysopera rufilabris</i>	-97.43088	22.0	14.2	811	USA
<i>Chrysopera rufilabris</i>	-97.43088	22.0	14.2	811	USA
<i>Chrysopera rufilabris</i>	-97.66889	22.1	14.1	777	USA
<i>Chrysopera rufilabris</i>	-82.57493	22.3	16.5	1318	USA
<i>Chrysopera rufilabris</i>	-82.84557	22.4	16.1	1260	USA
<i>Chrysopera rufilabris</i>	-82.57493	22.3	16.5	1318	USA
<i>Chrysopera rufilabris</i>	-82.64056	22.5	16.6	1303	USA
<i>Chrysopera rufilabris</i>	-82.84557	22.4	16.1	1260	USA
<i>Chrysopera rufilabris</i>	-82.78574	22.4	16.2	1251	USA
<i>Chrysopera rufilabris</i>	-82.64056	22.5	16.6	1303	USA
<i>Chrysopera rufilabris</i>	-82.84557	22.4	16.1	1260	USA
<i>Chrysopera rufilabris</i>	-82.57493	22.3	16.5	1318	USA
<i>Chrysopera rufilabris</i>	-82.84557	22.4	16.1	1260	USA
<i>Chrysopera rufilabris</i>	-82.84557	22.4	16.1	1260	USA
<i>Chrysopera rufilabris</i>	-106.08330	17.4	9.5	403	Mexico
<i>Chrysopera externa</i>					
<i>Chrysopera carneae Gp</i>					

<i>Chrysopera carnea</i> Gp	28.777854	-106.08330	17.4	9.5	403	Mexico
<i>Chrysopera comanche</i>	28.55000	-102.05000	21.3	13.2	328	Mexico
<i>Chrysopera sp.</i>	28.55000	-102.05000	21.3	13.2	328	Mexico
<i>Chrysopera sp.</i>	28.03333	-101.73330	22.1	13.9	580	Mexico
<i>Chrysopera sp.</i>	28.11515	-98.61779	21.7	12.9	605	USA
<i>Chrysopera sp.</i>	28.11666	-97.40833	21.7	13.8	884	USA
<i>Chrysopera sp.</i>	28.03172	-97.67610	21.9	13.7	799	USA
<i>Chrysopera sp.</i>	28.02028	-97.05417	21.8	13.9	888	USA
<i>Chrysopera rufilabris</i>	28.07807	-82.75156	22.2	15.9	1286	USA
<i>Chrysopera rufilabris</i>	28.07807	-82.75156	22.2	15.9	1286	USA
<i>Chrysopera carnea</i>	28.07807	-82.75156	22.2	15.9	1286	USA
<i>Chrysopera carnea</i> Gp	28.98193	-81.92426	21.1	14.5	1265	USA
<i>Chrysopera rufilabris</i>	28.39127	-16.52343	18.3	15.2	411	Spain
<i>Chrysopera carnea</i>	28.17836	-16.47948	17.9	14.8	394	Spain
<i>Chrysopera carnea</i>	28.36824	-16.71923	16.7	13.4	463	Spain
<i>Chrysopera sp.</i>	29.49416	-104.06055	18.5	9.7	322	USA
<i>Chrysopera carnea</i>	29.32907	-103.28350	17.5	9.3	415	USA
<i>Chrysopera comanche</i>	29.55551	-103.27230	19.4	10.1	331	USA
<i>Chrysopera sp.</i>	29.51666	-103.50277	19.0	9.9	341	USA
<i>Chrysopera sp.</i>	29.88438	-100.99340	20.0	10.4	466	USA
<i>Chrysopera sp.</i>	29.88438	-100.99340	20.0	10.4	466	USA
<i>Chrysopera sp.</i>	29.88438	-100.99340	20.0	10.4	466	USA
<i>Chrysopera sp.</i>	29.94389	-99.03611	19.0	10.0	756	USA
<i>Chrysopera sp.</i>	29.23108	-99.14131	20.6	11.8	661	USA
<i>Chrysopera sp.</i>	29.70300	-98.12446	20.2	11.2	821	USA
<i>Chrysopera sp.</i>	29.09889	-98.85853	20.9	12.1	678	USA
<i>Chrysopera sp.</i>	29.70300	-98.12446	20.2	11.2	821	USA
<i>Chrysopera sp.</i>	29.09889	-98.85853	20.9	12.1	678	USA
<i>Chrysopera sp.</i>	29.01571	-98.65806	21.0	12.1	688	USA
<i>Chrysopera sp.</i>	29.48708	-98.69572	20.3	11.6	722	USA
<i>Chrysopera rufilabris</i>	29.76306	-95.36306	20.6	12.3	1156	USA
<i>Chrysopera harrisii</i>	29.13863	-83.04219	20.8	13.8	1162	USA
<i>Chrysopera harrisii</i>	29.63432	-82.37269	20.5	13.3	1330	USA
<i>Chrysopera rufilabris</i>	29.18720	-82.14009	20.9	14.1	1332	USA
<i>Chrysopera harrisii</i>	29.18220	-81.70896	20.9	14.2	1295	USA
<i>Chrysopera sp.</i>	30.97290	-115.73620	15.7	10.7	244	Mexico

<i>Chrysopera sp.</i>	-104.98638	16.3	6.9	294	USA
<i>Chrysopera sp.</i>	-104.09370	14.3	6.3	394	USA
<i>Chrysopera sp.</i>	-104.08450	13.7	5.9	435	USA
<i>Chrysopera sp.</i>	-104.08450	13.7	5.9	435	USA
<i>Chrysopera sp.</i>	-104.09370	14.3	6.3	394	USA
<i>Chrysopera sp.</i>	-103.89460	15.4	7.2	370	USA
<i>Chrysopera plorabunda Gp</i>	-101.48120	18.1	8.1	444	USA
<i>Chrysopera sp.</i>	-101.20070	18.0	8.1	492	USA
<i>Chrysopera sp.</i>	-101.17310	19.7	10.0	449	USA
<i>Chrysopera sp.</i>	-100.35820	18.1	8.7	580	USA
<i>Chrysopera plorabunda Gp</i>	-99.34708	18.2	8.6	645	USA
<i>Chrysopera sp.</i>	-99.78645	18.0	8.4	592	USA
<i>Chrysopera sp.</i>	-99.14031	18.6	9.6	732	USA
<i>Chrysopera sp.</i>	-99.67301	17.4	8.2	697	USA
<i>Chrysopera sp.</i>	-99.69173	17.4	8.2	706	USA
<i>Chrysopera sp.</i>	-99.67301	17.4	8.2	697	USA
<i>Chrysopera sp.</i>	-99.14031	18.6	9.6	732	USA
<i>Chrysopera sp.</i>	-99.14032	18.6	9.6	732	USA
<i>Chrysopera sp.</i>	-99.14031	18.6	9.6	732	USA
<i>Chrysopera sp.</i>	-99.32445	18.3	8.7	644	USA
<i>Chrysopera sp.</i>	-98.67472	18.9	9.5	732	USA
<i>Chrysopera sp.</i>	-98.47222	18.5	8.8	729	USA
<i>Chrysopera sp.</i>	-98.76317	18.8	9.4	731	USA
<i>Chrysopera sp.</i>	-98.74397	18.8	9.4	725	USA
<i>Chrysopera sp.</i>	-98.73671	18.2	9.2	783	USA
<i>Chrysopera plorabunda</i>	-97.87194	19.2	9.9	831	USA
<i>Chrysopera sp.</i>	-97.40917	19.4	9.7	858	USA
<i>Chrysopera sp.</i>	-97.26082	19.7	10.4	913	USA
<i>Chrysopera plorabunda Gp</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopera plorabunda Gp</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopera rufilabris</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopera plorabunda Gp</i>	-96.38333	20.2	11.1	999	USA
<i>Chrysopera rufilabris</i>	-96.28333	19.9	10.8	1022	USA
<i>Chrysopera rufilabris</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopera rufilabris</i>	-96.29311	19.9	10.9	1010	USA
<i>Chrysopera rufilabris</i>	-96.38333	20.2	11.1	999	USA

<i>Chrysoperla rufilabris</i>	30.51666	-96.38333	20.2	11.1	999	USA
<i>Chrysoperla harrisii</i>	30.58833	-96.25333	20.0	10.8	1014	USA
<i>Chrysoperla harrisii</i>	30.59477	-96.29311	19.9	10.9	1010	USA
<i>Chrysoperla sp.</i>	30.88055	-96.69305	20.0	10.9	923	USA
<i>Chrysoperla sp.</i>	30.53333	-96.28333	19.9	10.8	1022	USA
<i>Chrysoperla sp.</i>	30.59477	-96.29311	19.9	10.9	1010	USA
<i>Chrysoperla sp.</i>	30.81054	-96.17475	19.8	10.7	1014	USA
<i>Chrysoperla sp.</i>	30.57054	-96.21826	19.9	10.8	1024	USA
<i>Chrysoperla sp.</i>	30.91657	-96.63943	20.0	10.9	931	USA
<i>Chrysoperla sp.</i>	30.64166	-96.52000	20.2	11.6	972	USA
<i>Chrysoperla sp.</i>	30.64166	-96.52000	20.2	11.6	972	USA
<i>Chrysoperla sp.</i>	30.83598	-96.56496	20.0	11.0	949	USA
<i>Chrysoperla sp.</i>	30.67436	-96.36996	19.9	10.9	1001	USA
<i>Chrysoperla sp.</i>	30.57054	-96.21826	19.9	10.8	1024	USA
<i>Chrysoperla sp.</i>	30.81083	-96.17500	19.8	10.7	1014	USA
<i>Chrysoperla sp.</i>	30.35234	-95.47993	19.6	10.5	1189	USA
<i>Chrysoperla rufilabris</i>	30.45000	-88.11000	19.6	11.4	1561	USA
<i>Chrysoperla sp.</i>	30.64000	-88.06000	19.5	11.3	1577	USA
<i>Chrysoperla sp.</i>	30.45000	-88.11000	19.6	11.4	1561	USA
<i>Chrysoperla sp.</i>	30.31532	-87.73275	19.9	11.7	1541	USA
<i>Chrysoperla harrisii</i>	30.42111	-87.21694	19.8	11.7	1529	USA
<i>Chrysoperla rufilabris</i>	30.53000	-87.74000	19.5	11.3	1604	USA
<i>Chrysoperla sp.</i>	30.42111	-87.21694	19.8	11.7	1529	USA
<i>Chrysoperla sp.</i>	30.88000	-87.96000	19.3	10.9	1605	USA
<i>Chrysoperla sp.</i>	30.43000	-87.43000	19.8	11.8	1511	USA
<i>Chrysoperla harrisii</i>	30.18561	-85.80109	19.7	11.8	1551	USA
<i>Chrysoperla rufilabris</i>	30.17361	-85.69944	19.7	11.8	1560	USA
<i>Chrysoperla harrisii</i>	30.56908	-84.94770	19.3	11.3	1471	USA
<i>Chrysoperla rufilabris</i>	30.69635	-81.44121	20.2	12.5	1271	USA
<i>Chrysoperla harrisii</i>	31.83941	-111.88130	19.6	11.1	318	USA
<i>Chrysoperla sp.</i>	31.96786	-110.29450	17.2	8.5	329	USA
<i>Chrysoperla comanche</i>	31.85416	-106.54111	16.4	6.9	241	USA
<i>Chrysoperla plorabunda Gp</i>	31.86416	-106.54111	16.4	6.9	241	USA
<i>Chrysoperla sp.</i>	31.79113	-106.47440	17.4	7.6	219	USA
<i>Chrysoperla sp.</i>	31.91472	-106.50138	15.9	6.5	255	USA
<i>Chrysoperla sp.</i>	31.32028	-103.37350	18.3	8.4	292	USA

<i>Chrysoperla</i> sp.	31.64763	-102.82290	17.8	7.5	323	USA
<i>Chrysoperla</i> sp.	31.47655	-100.22570	18.6	8.9	570	USA
<i>Chrysoperla</i> sp.	31.85570	-99.02338	18.0	7.8	706	USA
<i>Chrysoperla</i> sp.	31.54933	-97.14668	19.2	9.2	823	USA
<i>Chrysoperla plorabunda</i> Gp	31.22359	-96.12440	18.9	9.4	1018	USA
<i>Chrysoperla rufilabris</i>	31.22359	-96.12440	18.9	9.4	1018	USA
<i>Chrysoperla</i> sp.	31.22359	-96.12440	18.9	9.4	1018	USA
<i>Chrysoperla</i> sp.	31.19666	-96.12250	19.0	9.5	1018	USA
<i>Chrysoperla</i> sp.	31.21833	-96.11888	18.9	9.4	1018	USA
<i>Chrysoperla harrisii</i>	31.05972	-94.27111	18.6	9.4	1279	USA
<i>Chrysoperla</i> sp.	31.38530	-93.70810	18.2	8.8	1325	USA
<i>Chrysoperla</i> sp.	31.05000	-88.18000	18.7	10.2	1612	USA
<i>Chrysoperla rufilabris</i>	31.60744	-81.88540	19.1	10.9	1266	USA
<i>Chrysoperla</i> sp.	32.81116	-115.38030	22.6	13.2	56	USA
<i>Chrysoperla</i> sp.	32.22762	-112.69040	21.2	12.6	240	USA
<i>Chrysoperla</i> sp.	32.43674	-111.22540	20.8	11.6	313	USA
<i>Chrysoperla</i> sp.	32.12250	-110.82611	19.7	11.2	330	USA
<i>Chrysoperla carneae</i> s.l.	32.34691	-108.70240	15.4	6.0	299	USA
<i>Chrysoperla</i> sp.	32.66536	-107.15310	15.1	5.4	263	USA
<i>Chrysoperla</i> sp.	32.66536	-107.15310	15.1	5.4	263	USA
<i>Chrysoperla</i> sp.	32.66536	-107.15310	15.1	5.4	263	USA
<i>Chrysoperla</i> sp.	32.74527	-106.19666	15.8	5.7	241	USA
<i>Chrysoperla</i> sp.	32.31232	-106.94920	15.2	5.8	258	USA
<i>Chrysoperla</i> sp.	32.89953	-105.96030	15.9	6.3	277	USA
<i>Chrysoperla</i> sp.	32.93031	-105.92380	15.0	5.8	301	USA
<i>Chrysoperla comanche</i>	32.38000	-103.72166	16.5	6.8	344	USA
<i>Chrysoperla comanche</i>	32.32833	-103.78166	16.9	7.1	332	USA
<i>Chrysoperla rufilabris</i>	32.32833	-103.78166	16.9	7.1	332	USA
<i>Chrysoperla</i> sp.	32.42067	-103.78400	16.6	6.8	342	USA
<i>Chrysoperla</i> sp.	32.33000	-103.78833	16.9	7.1	332	USA
<i>Chrysoperla</i> sp.	32.73344	-102.63380	16.4	6.5	423	USA
<i>Chrysoperla</i> sp.	32.22070	-98.20227	17.6	7.5	802	USA
<i>Chrysoperla</i> sp.	32.22070	-98.20227	17.6	7.5	802	USA
<i>Chrysoperla harrisii</i>	32.82611	-95.16250	17.5	7.2	1112	USA
<i>Chrysoperla</i> sp.	32.81166	-95.16777	17.5	7.2	1109	USA
<i>Chrysoperla</i> sp.	32.70833	-95.41000	17.8	7.6	1066	USA

<i>Chrysoperla</i> sp.	-95.25737	17.9	7.7	1074	USA
<i>Chrysoperla</i> sp.	-95.25644	17.9	7.7	1074	USA
<i>Chrysoperla</i> sp.	-95.16250	17.5	7.2	1112	USA
<i>Chrysoperla harrisii</i>	-93.56666	18.0	8.5	1227	USA
<i>Chrysoperla</i> sp.	-80.81566	18.0	9.3	1280	USA
<i>Chrysoperla downesi</i>	-118.48400	16.4	13.5	288	USA
<i>Chrysoperla downesi</i>	-118.48400	16.4	13.5	288	USA
<i>Chrysoperla</i> sp.	-117.12300	17.1	10.7	381	USA
<i>Chrysoperla carnea</i> s.l.	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla downesi</i>	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla carnea</i> s.l.	-117.91450	17.1	10.7	381	USA
<i>Chrysoperla downesi</i>	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla carnea</i> s.l.	-117.12300	17.1	10.7	381	USA
<i>Chrysoperla downesi</i>	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla carnea</i> s.l.	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla downesi</i>	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla carnea</i> s.l.	-117.91450	17.1	10.7	381	USA
<i>Chrysoperla downesi</i>	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla carnea</i> s.l.	-117.91450	17.8	13.5	324	USA
<i>Chrysoperla</i> sp.	-117.39630	18.0	12.4	263	USA
<i>Chrysoperla</i> sp.	-116.86500	16.0	9.5	445	USA
<i>Chrysoperla</i> sp.	-116.25480	16.5	9.0	304	USA
<i>Chrysoperla</i> sp.	-112.22638	20.6	11.2	220	USA
<i>Chrysoperla</i> sp.	-112.72960	18.7	9.8	300	USA
<i>Chrysoperla</i> sp.	-105.57220	11.0	2.3	382	USA
<i>Chrysoperla</i> sp.	-105.57220	11.0	2.3	382	USA
<i>Chrysoperla</i> sp.	-105.57220	11.0	2.3	382	USA
<i>Chrysoperla</i> sp.	-105.74944	8.3	0.3	544	USA
<i>Chrysoperla</i> sp.	-101.38770	15.4	4.9	517	USA
<i>Chrysoperla</i> sp.	-101.85520	15.5	5.3	472	USA
<i>Chrysoperla</i> sp.	-90.93666	17.5	7.2	1356	USA
<i>Chrysoperla</i> sp.	-90.92444	17.3	6.8	1335	USA
<i>Chrysoperla</i> sp.	-90.90194	17.2	6.7	1338	USA
<i>Chrysoperla</i> sp.	-90.90833	17.2	6.7	1338	USA
<i>Chrysoperla</i> sp.	-90.93666	17.5	7.2	1356	USA
<i>Chrysoperla</i> sp.	-90.90083	17.2	6.7	1338	USA
<i>Chrysoperla</i> sp.	-90.92972	17.0	6.4	1338	USA
<i>Chrysoperla</i> sp.	-90.93233	17.5	7.2	1362	USA
<i>Chrysoperla</i> sp.	-90.92972	17.0	6.4	1338	USA

<i>Chrysoperla harrisii</i>	33.49305	-85.80888	14.7	5.0	1530	USA
<i>Chrysoperla sp.</i>	33.81666	-84.30000	15.7	6.1	1319	USA
<i>Chrysoperla sp.</i>	33.96095	-83.37793	16.2	6.7	1261	USA
<i>Chrysoperla sp.</i>	33.96095	-83.37793	16.2	6.7	1261	USA
<i>Chrysoperla rufilabris</i>	33.68906	-78.88669	17.3	8.3	1304	USA
<i>Chrysoperla downesi</i>	34.08112	-118.17790	18.2	14.0	418	USA
<i>Chrysoperla downesi</i>	34.06862	-118.02760	18.3	13.6	398	USA
<i>Chrysoperla downesi</i>	34.11195	-118.19900	18.1	13.6	439	USA
<i>Chrysoperla downesi</i>	34.09611	-118.10500	18.2	13.5	439	USA
<i>Chrysoperla downesi</i>	34.11195	-118.19900	18.1	13.6	439	USA
<i>Chrysoperla mohave</i>	34.20390	-117.76060	15.9	9.3	625	USA
<i>Chrysoperla comanche</i>	34.28667	-117.40750	12.4	5.1	727	USA
<i>Chrysoperla carnea s.l.</i>	34.08861	-117.27970	18.1	11.9	296	USA
<i>Chrysoperla carnea s.l.</i>	34.08861	-117.27970	18.1	11.9	296	USA
<i>Chrysoperla downesi</i>	34.16084	-117.90870	17.8	12.5	519	USA
<i>Chrysoperla downesi</i>	34.16084	-117.90870	17.8	12.5	519	USA
<i>Chrysoperla downesi</i>	34.08861	-117.27970	18.1	11.9	296	USA
<i>Chrysoperla downesi</i>	34.16084	-117.90870	17.8	12.5	519	USA
<i>Chrysoperla downesi</i>	34.60166	-117.85120	15.7	7.3	220	USA
<i>Chrysoperla downesi</i>	34.16084	-117.90870	17.8	12.5	519	USA
<i>Chrysoperla downesi</i>	34.15138	-117.71722	16.7	10.6	605	USA
<i>Chrysoperla downesi</i>	34.15138	-117.71722	16.7	10.6	605	USA
<i>Chrysoperla downesi</i>	34.30277	-116.22888	19.2	10.1	137	USA
<i>Chrysoperla downesi</i>	34.46750	-115.93830	20.8	11.2	101	USA
<i>Chrysoperla sp.</i>	34.47863	-112.49710	11.3	2.9	563	USA
<i>Chrysoperla sp.</i>	34.50587	-109.18470	10.7	1.1	286	USA
<i>Chrysoperla rufilabris</i>	34.18480	-101.70680	14.8	4.5	499	USA
<i>Chrysoperla sp.</i>	34.07603	-101.39950	14.7	4.0	516	USA
<i>Chrysoperla sp.</i>	34.22454	-101.90020	14.4	4.0	479	USA
<i>Chrysoperla sp.</i>	34.94336	-101.66200	14.5	3.7	490	USA
<i>Chrysoperla harrisii</i>	34.86918	-95.22153	16.1	5.2	1227	USA
<i>Chrysoperla harrisii</i>	34.44650	-82.39151	15.8	6.2	1239	USA
<i>Chrysoperla harrisii</i>	34.68344	-82.83736	15.8	6.2	1366	USA
<i>Chrysoperla rufilabris</i>	34.65344	-82.83959	15.8	6.3	1348	USA
<i>Chrysoperla sp.</i>	34.68565	-82.95320	15.4	5.9	1443	USA
<i>Chrysoperla sp.</i>	34.68344	-82.83736	15.8	6.2	1366	USA

<i>Chrysoperla rotundata</i>	34.51666	46.85000	12.7	1.6	490	Iran
<i>Chrysoperla rotundata</i>	34.30000	46.80000	13.6	2.7	467	Iran
<i>Chrysoperla sp.</i>	35.75468	-118.42540	15.3	7.2	364	USA
<i>Chrysoperla comanche</i>	35.86828	-117.47510	13.8	4.7	191	USA
<i>Chrysoperla plorabunda</i>	35.36829	-117.90790	18.2	8.8	105	USA
<i>Chrysoperla comanche</i>	35.72387	-117.61410	18.4	8.2	86	USA
<i>Chrysoperla carnea s.l.</i>	35.24945	-112.19100	8.0	-0.1	575	USA
<i>Chrysoperla sp.</i>	35.22501	-112.48410	12.1	3.2	341	USA
<i>Chrysoperla comanche</i>	35.23333	-111.31333	10.9	1.2	380	USA
<i>Chrysoperla carnea s.l.</i>	35.19807	-111.65130	8.0	-0.8	534	USA
<i>Chrysoperla sp.</i>	35.81396	-109.66780	10.4	-0.3	264	USA
<i>Chrysoperla sp.</i>	35.62865	-105.24530	9.1	-0.3	406	USA
<i>Chrysoperla sp.</i>	35.29116	-99.64009	15.5	3.8	623	USA
<i>Chrysoperla harrisii</i>	35.21666	-93.25000	15.0	4.1	1250	USA
<i>Chrysoperla sp.</i>	35.21666	-93.25000	15.0	4.1	1250	USA
<i>Chrysoperla rufilabris</i>	35.05259	-83.19682	10.5	1.4	2040	USA
<i>Chrysoperla harrisii</i>	35.05259	-83.19682	10.5	1.4	2040	USA
<i>Chrysoperla rufilabris</i>	35.05259	-83.19682	10.5	1.4	2040	USA
<i>Chrysoperla sp.</i>	35.61758	-83.79407	12.4	2.7	1473	USA
<i>Chrysoperla furcifera</i>	35.50420	134.24400	14.6	4.7	1922	Japan
<i>Chrysoperla sp.</i>	36.06528	-119.01580	17.7	9.1	282	USA
<i>Chrysoperla carnea s.l.</i>	36.43889	-118.90360	17.0	8.8	565	USA
<i>Chrysoperla comanche</i>	36.11661	-117.75650	12.6	3.8	239	USA
<i>Chrysoperla sp.</i>	36.71333	-112.21630	6.7	-2.3	469	USA
<i>Chrysoperla downesi</i>	37.88298	-122.23860	14.1	9.5	715	USA
<i>Chrysoperla sp.</i>	37.79885	-113.92410	9.1	-1.1	282	USA
<i>Chrysoperla comanche</i>	37.07416	-112.70305	9.1	-0.3	402	USA
<i>Chrysoperla comanche</i>	37.14527	-112.53916	10.7	0.9	350	USA
<i>Chrysoperla comanche</i>	37.03444	-112.73138	10.4	0.8	371	USA
<i>Chrysoperla plorabunda</i>	37.04194	-112.67250	9.1	-0.3	402	USA
<i>Chrysoperla comanche</i>	37.07416	-112.70305	9.1	-0.3	402	USA
<i>Chrysoperla comanche</i>	37.14527	-112.53916	10.7	0.9	350	USA
<i>Chrysoperla comanche</i>	37.34583	-112.00888	10.5	0.4	261	USA
<i>Chrysoperla comanche</i>	37.11722	-112.24972	9.8	0.0	321	USA
<i>Chrysoperla comanche</i>	37.07416	-112.70305	9.1	-0.3	402	USA
<i>Chrysoperla plorabunda</i>	37.08859	-112.67300	9.5	0.0	391	USA

<i>Chrysoperla plorabunda</i>	37.07416	-112.70305	9.1	-0.3	402	USA
<i>Chrysoperla plorabunda</i>	37.07416	-112.70305	9.1	-0.3	402	USA
<i>Chrysoperla plorabunda</i>	37.36138	-112.18722	8.4	-1.3	325	USA
<i>Chrysoperla plorabunda</i>	37.14527	-112.53916	10.7	0.9	350	USA
<i>Chrysoperla comanche</i>	37.25666	-111.90777	11.3	0.9	225	USA
<i>Chrysoperla plorabunda</i>	37.40388	-111.98805	8.9	-0.9	287	USA
<i>Chrysoperla plorabunda</i>	37.79944	-111.42555	10.3	-0.7	219	USA
<i>Chrysoperla comanche</i>	37.07888	-111.88944	13.0	2.2	188	USA
<i>Chrysoperla plorabunda</i>	37.86083	-111.35944	10.4	-0.6	216	USA
<i>Chrysoperla comanche</i>	37.25666	-111.90777	11.3	0.9	225	USA
<i>Chrysoperla plorabunda</i>	37.92111	-111.13916	9.6	-1.3	235	USA
<i>Chrysoperla plorabunda</i>	37.40388	-111.98805	8.9	-0.9	287	USA
<i>Chrysoperla comanche</i>	37.42055	-111.05850	13.3	1.4	140	USA
<i>Chrysoperla plorabunda</i>	37.68750	-111.49416	10.8	-0.2	206	USA
<i>Chrysoperla plorabunda</i>	37.07888	-111.88944	13.0	2.2	188	USA
<i>Chrysoperla plorabunda</i>	37.47750	-111.20250	12.9	1.2	147	USA
<i>Chrysoperla plorabunda</i>	37.47750	-111.20250	12.9	1.2	147	USA
<i>Chrysoperla plorabunda</i>	37.47750	-111.20250	12.9	1.2	147	USA
<i>Chrysoperla plorabunda</i>	37.47750	-111.20250	12.9	1.2	147	USA
<i>Chrysoperla comanche</i>	37.25666	-111.90777	11.3	0.9	225	USA
<i>Chrysoperla plorabunda</i>	37.07888	-111.88944	13.0	2.2	188	USA
<i>Chrysoperla comanche</i>	37.15805	-111.52916	14.0	2.4	122	USA
<i>Chrysoperla plorabunda</i>	37.47750	-111.20250	12.9	1.2	147	USA
<i>Chrysoperla comanche</i>	37.25666	-111.90777	11.3	0.9	225	USA
<i>Chrysoperla plorabunda</i>	37.86083	-111.35944	10.4	-0.6	216	USA
<i>Chrysoperla comanche</i>	37.42055	-111.05850	13.3	1.4	140	USA
<i>Chrysoperla plorabunda</i>	37.07888	-111.88944	13.0	2.2	188	USA
<i>Chrysoperla comanche</i>	37.72727	-89.21675	13.1	0.9	1134	USA
<i>Chrysoperla rufilabris</i>	37.72727	-89.21675	13.1	0.9	1134	USA
<i>Chrysoperla carnea s.l.</i>	38.38130	-122.03830	15.6	8.4	636	USA
<i>Chrysoperla mohave</i>	38.58157	-121.49440	16.0	8.4	450	USA
<i>Chrysoperla carnea s.l.</i>	38.02798	-121.88470	15.3	8.7	400	USA
<i>Chrysoperla carnea Gp</i>	38.89165	-121.21740	16.3	8.4	633	USA
<i>Chrysoperla sp.</i>	38.25575	-119.23130	6.4	-2.2	302	USA
<i>Chrysoperla harrisii</i>	38.05006	-85.54578	13.1	1.6	1181	USA
<i>Chrysoperla carnea s.l.</i>	38.18867	-85.67648	13.2	1.7	1138	USA

<i>Chrysopera carnea</i> s.l.	-85.67648	13.2	1.7	1138	USA
<i>Chrysopera</i> sp.	-120.36740	5.4	-2.1	965	USA
<i>Chrysopera</i> sp.	-105.10000	2.9	-6.7	494	USA
<i>Chrysopera</i> sp.	-82.10125	11.1	-0.5	1020	USA
<i>Chrysopera rufilabris</i>	-76.73191	12.5	1.2	1119	USA
<i>Chrysopera rufilabris</i>	-76.98664	12.0	0.7	1092	USA
<i>Chrysopera carnea</i> s.l.	-76.98664	12.0	0.7	1092	USA
<i>Chrysopera carnea</i> s.l.	-114.03020	10.5	-1.4	146	USA
<i>Chrysopera carnea</i> s.l.	-109.52880	7.3	-6.4	213	USA
<i>Chrysopera harrisii</i>	-88.24338	10.9	-2.4	968	USA
<i>Chrysopera</i> sp.	-86.35667	10.0	-3.2	954	USA
<i>Chrysopera</i> sp.	-75.21239	11.9	0.4	1133	USA
<i>Chrysopera carnea</i> s.l.	26.48333	13.8	5.2	637	Turkey
<i>Chrysopera harrisii</i>	-121.76970	7.3	-0.2	835	USA
<i>Chrysopera</i> sp.	-117.78540	8.8	-0.8	258	USA
<i>Chrysopera rufilabris</i>	-96.49808	10.2	-4.1	768	USA
<i>Chrysopera harrisii</i>	-71.71951	8.9	-2.5	1245	USA
<i>Chrysopera carnea</i> s.l.	26.35000	13.8	4.8	609	Turkey
<i>Chrysopera</i> sp.	-102.87020	8.5	-3.1	422	USA
<i>Chrysopera carnea</i> Gp	-76.49660	8.3	-3.6	897	USA
<i>Chrysopera carnea</i> Gp	-76.49660	8.3	-3.6	897	USA
<i>Chrysopera downesi</i>	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopera downesi</i>	-74.13792	6.4	-6.0	1062	USA
<i>Chrysopera harrisii</i>	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopera harrisii</i>	-71.25380	9.2	-2.6	1120	USA
<i>Chrysopera rufilabris</i>	-71.10561	9.7	-1.8	1115	USA
<i>Chrysopera harrisii</i>	-71.25380	9.2	-2.6	1120	USA
<i>Chrysopera harrisii</i>	-71.22449	9.2	-2.5	1140	USA
<i>Chrysopera carnea</i> s.l.	-123.34170	12.3	6.1	930	USA
<i>Chrysopera</i> sp.	-103.23080	8.8	-3.8	423	USA
<i>Chrysopera</i> sp.	5.94758	11.8	4.2	745	France
<i>Chrysopera</i> sp.	-97.85091	7.2	-8.5	539	USA
<i>Chrysopera</i> sp.	-64.13333	6.6	-4.7	1274	Canada
<i>Chrysopera carnea</i> Gp	3.82195	7.1	0.1	815	France
<i>Chrysopera carnea</i>	12.24972	13.1	4.2	686	Italy
<i>Chrysopera</i> sp.	-121.12310	11.2	2.2	340	USA

<i>Chrysoperla</i> sp.	-121.17870	11.9	2.9	376	USA	W-GBIF-2
<i>Chrysoperla carneae</i>	2.87998	6.4	-0.1	914	France	W-GBIF-13
<i>Chrysoperla carneae</i>	9.666666	13.1	2.9	785	Italy	W-GBIF-2
<i>Chrysoperla johnsoni</i>	-115.49150	2.9	-6.2	758	USA	W-GBIF-2
<i>Chrysoperla carneae</i>	4.35131	9.5	1.6	857	France	W-GBIF-13
<i>Chrysoperla carneae</i>	13.32590	5.1	-3.7	1250	Austria	W-GBIF-14
<i>Chrysoperla</i> sp.	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.05000	10.7	0.8	765	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.20166	10.9	1.0	766	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.84833	10.9	0.5	565	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.21166	10.6	0.6	737	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	19.75166	10.8	0.4	535	Hungary	W-GBIF-2
<i>Chrysoperla</i> sp.	-110.72990	6.4	-3.7	487	USA	W-GBIF-2
<i>Chrysoperla</i> sp.	-79.26600	3.0	-12.4	900	Canada	W-GBIF-12
<i>Chrysoperla carneae</i>	9.69618	9.2	0.3	1154	Austria	W-GBIF-11
<i>Chrysoperla carneae</i>	12.46730	7.4	-1.8	1075	Germany	W-GBIF-14
<i>Chrysoperla</i> sp.	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
<i>Chrysoperla carneae</i>	-0.12827	10.3	4.2	709	France	W-GBIF-13
<i>Chrysoperla carneae</i>	8.87695	8.2	-0.1	972	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	8.92416	9.0	0.7	784	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	9.76998	8.6	0.0	717	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	9.53025	8.9	0.4	713	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	9.52507	8.5	0.1	747	Germany	W-GBIF-14
<i>Chrysoperla pallida</i>	10.80920	8.6	-0.3	754	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	11.60590	7.7	-1.1	834	Germany	W-GBIF-14
<i>Chrysoperla carneae</i>	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
<i>Chrysoperla carneae</i>	-1.67296	11.8	6.5	830	France	W-GBIF-13
<i>Chrysoperla lucasina/kolthoffi</i>	6.33000	8.9	1.5	772	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i>	6.32000	8.9	1.5	772	Luxembourg	W-GBIF-21
<i>Chrysoperla carneae</i>	6.32000	8.9	1.5	772	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina/kolthoffi</i>	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla carneae</i>	6.28000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina/kolthoffi</i>	6.29000	9.5	1.9	789	Luxembourg	W-GBIF-21

<i>Chrysopera lucasina/kolthoffi</i>	49.56000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera carnea</i>	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.51000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.57000	6.32000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.51000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.51000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.24000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.31000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.20000	9.5	1.9	798	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.51000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.56000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.52000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.20000	9.5	1.9	798	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.21000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.27000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.58000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.55000	6.35000	9.7	2.2	744	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.53000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysopera lucasina/kolthoffi</i>	49.54000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21

<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.21000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.28000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.56000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.53000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.58000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.56000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.72220	6.82780	8.2	0.5	810	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>koltzoffi</i>	49.99026	8.27461	9.6	1.3	567	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.83410	8.82320	9.7	1.2	670	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.83090	8.82540	9.6	1.1	680	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.76260	8.78627	9.2	0.7	711	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.86728	10.87889	8.4	-0.2	644	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.77150	11.05290	8.6	0.2	636	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.50680	11.75180	8.0	-0.8	666	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	49.63350	11.24650	8.0	-0.4	699	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>pallida</i>	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-14
<i>Chrysoperla lucasina</i> <i>carnnea</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysoperla lucasina</i> <i>carnnea</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysoperla lucasina</i> <i>carnnea</i>	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
<i>Chrysoperla lucasina</i>	50.82791	-1.22609	10.6	4.8	800	UK	W-GBIF-15

<i>Chrysopera carnea</i> s.l.	50.66666	5.65000	9.6	2.6	865	Belgium
<i>Chrysopera carnea</i> s.l.	50.53333	5.73333	8.9	1.9	985	Belgium
<i>Chrysopera carnea</i>	50.43790	7.19472	8.3	0.9	811	Germany
<i>Chrysopera carnea</i>	50.59290	8.69838	9.3	0.9	694	Germany
<i>Chrysopera carnea</i>	50.30600	8.60435	8.3	0.2	769	Germany
<i>Chrysopera carnea</i>	50.62570	9.03057	8.6	0.3	732	Germany
<i>Chrysopera carnea</i>	50.26120	10.96050	8.0	-0.9	625	Germany
<i>Chrysopera carnea</i>	50.94070	10.74100	7.9	-0.4	573	Germany
<i>Chrysopera carnea</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Chrysopera carnea</i> s.l.	50.20750	19.83350	7.3	-2.9	738	Poland
<i>Chrysopera carnea</i>	51.89899	-1.38225	9.4	3.5	623	UK
<i>Chrysopera lucasina</i>	51.84620	-1.67334	9.0	3.1	671	UK
<i>Chrysopera lucasina</i>	51.84571	-1.52816	9.2	3.3	645	UK
<i>Chrysopera lucasina</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Chrysopera lucasina</i>	51.17780	-0.84896	9.5	3.1	818	UK
<i>Chrysopera lucasina</i>	51.31017	-0.47114	10.2	3.9	656	UK
<i>Chrysopera lucasina</i>	51.45967	-0.20053	11.0	5.1	621	UK
<i>Chrysopera lucasina</i>	51.50060	-0.14344	11.1	5.1	628	UK
<i>Chrysopera lucasina</i>	51.57248	-0.98261	9.4	3.1	718	UK
<i>Chrysopera lucasina</i>	51.31667	-0.53333	10.1	3.7	669	UK
<i>Chrysopera lucasina</i>	51.55934	0.05518	10.6	4.6	604	UK
<i>Chrysopera lucasina</i>	51.86285	0.15687	9.9	3.6	611	UK
<i>Chrysopera lucasina</i>	51.63900	6.18748	9.9	2.6	764	Germany
<i>Chrysopera lucasina</i>	51.63000	7.63810	9.5	2.2	804	Germany
<i>Chrysopera lucasina</i>	51.26218	7.18812	9.1	1.7	908	Germany
<i>Chrysopera lucasina</i>	51.83650	13.18660	9.2	0.4	569	Germany
<i>Chrysopera carnea</i> s.l.	51.29596	13.51619	9.1	0.4	592	Germany
<i>Chrysopera carnea</i>	51.87380	13.29630	9.2	0.3	569	Germany
<i>Chrysopera carnea</i>	51.18580	14.20000	8.2	-0.7	614	Germany
<i>Chrysopera carnea</i>	52.58699	-2.16312	9.1	3.5	711	UK
<i>Chrysopera carnea</i>	52.58699	-2.16312	9.1	3.5	711	UK
<i>Chrysopera lucasina</i>	52.21888	-0.07116	9.7	3.5	567	UK
<i>Chrysopera lucasina</i>	52.21697	-0.06393	9.7	3.5	567	UK
<i>Chrysopera lucasina</i>	52.21775	-0.05657	9.7	3.5	567	UK
<i>Chrysopera lucasina</i>	52.21775	-0.05657	9.7	3.5	567	UK
<i>Chrysopera lucasina</i>	52.10576	-0.41559	10.0	3.8	575	UK

<i>Chrysoperla carnea</i> s.s.	52.10576	-0.41559	10.0	3.8	575	UK	W-GBIF-15
<i>Chrysoperla lucasina</i>	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
<i>Chrysoperla carnea</i> s.s.	52.30577	0.29938	9.7	3.6	539	UK	W-GBIF-15
<i>Chrysoperla carnea</i> s.s.	52.30965	0.28490	9.7	3.6	542	UK	W-GBIF-15
<i>Chrysoperla carnea</i>	52.28350	7.43191	9.2	1.9	792	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	52.24610	8.49715	8.8	1.5	832	Germany	W-GBIF-14
<i>Chrysoperla pallida</i>	52.51420	13.35050	9.1	0.1	572	Germany	W-GBIF-22
<i>Chrysoperla carnea</i>	52.56900	13.38860	9.0	0.0	574	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	53.44053	-2.38920	10.0	4.4	906	UK	W-GBIF-15
<i>Chrysoperla carnea</i>	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
<i>Chrysoperla carnea</i>	53.35761	-2.97675	9.4	4.2	773	UK	W-GBIF-15
<i>Chrysoperla carnea</i>	53.31780	-2.69134	9.3	4.0	880	UK	W-GBIF-15
<i>Chrysoperla lucasina</i>	53.62840	-2.83176	9.3	3.7	933	UK	W-GBIF-15
<i>Chrysoperla carnea</i>	53.44750	-2.977881	9.3	4.0	813	UK	W-GBIF-15
<i>Chrysoperla carnea</i> s.s.	53.05930	8.76434	8.9	1.3	729	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.70460	9.63903	8.5	0.7	763	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.64190	9.79230	8.5	0.7	757	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.69680	9.63946	8.5	0.7	763	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.31850	10.90630	8.7	0.6	612	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	53.44220	14.15500	8.7	-0.5	548	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	54.81730	8.86877	8.1	1.1	834	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	54.14250	11.74180	8.4	0.6	607	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	54.44500	13.48110	8.3	0.5	544	Germany	W-GBIF-14
<i>Chrysoperla carnea</i>	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	55.26600	-118.78300	1.4	-13.6	470	Canada	W-GBIF-12
<i>Chrysoperla carnea</i>	55.70150	13.14720	8.0	0.6	639	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.73080	13.06610	7.1	-0.6	894	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.39820	13.05180	7.3	-0.3	788	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.39820	13.05180	7.3	-0.3	788	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.70530	13.09290	7.1	-0.6	892	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.61480	14.19880	6.8	-1.2	697	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	56.11420	15.46930	7.9	0.2	556	Sweden	W-GBIF-17

<i>Chrysoperla carnea</i>	56.52890	16.44100	7.6	-0.5	511	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.50550	11.98780	7.5	-0.8	766	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.50550	11.98780	7.5	-0.8	766	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.78230	13.42880	5.4	-3.0	803	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.11710	13.67670	6.4	-1.7	803	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.15850	13.65000	6.4	-1.7	807	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.08070	13.72590	6.5	-1.6	791	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.15400	13.63770	6.4	-1.7	807	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.64200	14.71460	5.3	-3.1	655	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.66890	14.68820	5.3	-3.1	652	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	57.26710	16.41170	7.3	-0.8	510	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	58.93084	5.86553	7.1	1.0	1538	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	58.11170	15.51660	6.1	-2.4	580	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	58.97640	17.09720	6.6	-2.2	557	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	59.30496	4.88408	7.7	2.6	1336	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	59.22570	9.62111	6.6	-1.8	749	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.08811	9.81756	6.6	-1.5	758	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.30228	9.97700	5.5	-2.9	780	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	59.55275	10.56832	6.1	-2.7	762	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.89545	10.60054	6.3	-3.3	728	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.49682	10.66111	6.8	-1.9	745	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.83632	10.43175	5.5	-4.0	754	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.89977	10.53996	6.1	-3.4	730	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.89977	10.53996	6.1	-3.4	730	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.99933	10.62528	4.5	-5.0	785	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.08384	10.41773	7.5	-0.3	720	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.91500	10.68912	6.4	-3.2	733	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.88271	10.61422	6.3	-3.3	728	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.04290	10.95771	7.3	-0.9	739	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.83638	10.50670	6.3	-3.1	726	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.89472	10.75968	6.0	-3.6	756	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.97333	10.47180	4.8	-4.8	761	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.95153	10.60834	5.7	-3.9	751	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	59.84246	10.42232	5.5	-4.0	754	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	59.97371	10.62433	5.0	-4.6	768	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	59.22966	10.34646	7.2	-1.0	728	Norway	W-GBIF-18

<i>Chrysoperla carnea</i>	59.59525	10.07902	5.5	-3.5	752	Norway
<i>Chrysoperla carnea</i>	59.20881	10.40113	7.2	-0.9	728	Norway
<i>Chrysoperla carnea</i>	59.84246	10.42232	5.5	-4.0	754	Norway
<i>Chrysoperla carnea</i>	59.89172	10.63585	6.3	-3.2	730	Norway
<i>Chrysoperla carnea</i>	59.59525	10.07902	5.5	-3.5	752	Norway
<i>Chrysoperla carnea</i>	59.50629	10.13218	6.2	-2.6	741	Norway
<i>Chrysoperla carnea</i>	59.53790	10.09945	6.3	-2.5	730	Norway
<i>Chrysoperla carnea</i>	59.54054	10.07143	5.7	-3.1	752	Norway
<i>Chrysoperla carnea</i>	59.34427	10.93350	6.7	-1.9	767	Norway
<i>Chrysoperla carnea</i>	59.82348	10.43261	5.7	-3.7	747	Norway
<i>Chrysoperla carnea</i>	59.30210	10.81442	7.0	-1.5	746	Norway
<i>Chrysoperla carnea</i>	59.53705	10.09089	6.3	-2.5	730	Norway
<i>Chrysoperla carnea</i>	59.54278	10.10228	6.3	-2.6	726	Norway
<i>Chrysoperla carnea</i>	59.00215	11.07693	7.2	-1.0	748	Norway
<i>Chrysoperla carnea</i>	59.59908	11.05117	5.9	-3.2	790	Norway
<i>Chrysoperla carnea</i>	59.62250	11.03191	5.8	-3.3	796	Norway
<i>Chrysoperla carnea</i>	59.62250	11.03191	5.8	-3.3	796	Norway
<i>Chrysoperla carnea</i>	59.37600	13.44700	5.7	-3.6	647	Sweden
<i>Chrysoperla carnea</i>	59.37660	13.45980	5.8	-3.5	646	Sweden
<i>Chrysoperla carnea</i>	59.60390	16.60050	6.0	-3.2	566	Sweden
<i>Chrysoperla carnea</i>	59.53730	16.46670	6.2	-3.0	575	Sweden
<i>Chrysoperla carnea</i>	59.73340	16.53100	5.7	-3.7	589	Sweden
<i>Chrysoperla carnea</i>	59.53730	16.46670	6.2	-3.0	575	Sweden
<i>Chrysoperla carnea</i>	59.99750	17.86200	5.7	-3.6	558	Sweden
<i>Chrysoperla carnea</i>	59.17900	17.41950	6.6	-2.2	536	Sweden
<i>Chrysoperla carnea</i>	59.83300	17.58380	5.7	-3.6	556	Sweden
<i>Chrysoperla carnea</i>	59.61170	17.63660	6.3	-2.9	542	Sweden
<i>Chrysoperla carnea</i>	59.70640	17.29630	6.0	-3.3	555	Sweden
<i>Chrysoperla carnea</i>	59.31310	17.99840	7.0	-1.9	528	Sweden
<i>Chrysoperla carnea</i>	59.70650	17.29670	6.0	-3.3	555	Sweden
<i>Chrysoperla carnea</i>	59.38950	17.13750	6.3	-2.7	553	Sweden
<i>Chrysoperla carnea</i>	59.34900	18.16970	6.9	-1.9	524	Sweden
<i>Chrysoperla carnea</i>	59.38960	18.01220	7.0	-1.9	531	Sweden
<i>Chrysoperla carnea</i>	59.46700	18.23760	6.7	-2.2	530	Sweden
<i>Chrysoperla carnea</i>	59.28290	18.28920	6.9	-1.8	518	Sweden
<i>Chrysoperla carnea</i>	59.35150	18.16550	7.0	-1.8	525	Sweden

<i>Chrysoperla carnea</i>	59.63180	18.93910	5.9	-2.7	502	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	59.86260	18.80860	5.8	-3.1	518	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.01892	10.59134	4.8	-4.8	768	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.91029	10.74153	4.1	-6.4	589	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.25496	10.61826	3.1	-6.9	769	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.25454	10.65469	3.5	-6.5	762	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.55899	10.32942	4.4	-6.0	672	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.83484	10.07414	3.2	-7.4	657	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.22016	11.10242	4.4	-5.8	801	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	60.80531	11.11082	4.3	-6.2	587	Norway	W-GBIF-19
<i>Chrysoperla carnea</i>	60.45867	11.54480	3.2	-6.9	741	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	60.61480	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.61490	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.62080	15.71490	4.7	-5.6	623	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.61480	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.40870	17.57910	5.2	-4.5	587	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	60.62520	23.92740	4.2	-6.0	614	Finland	W-GBIF-20
<i>Chrysoperla carnea</i>	61.17311	10.40610	3.3	-7.3	596	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	61.54943	10.00983	2.0	-8.2	628	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	61.24839	10.18977	3.0	-7.6	610	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	62.75063	7.26926	5.7	0.2	1280	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	62.93750	7.73731	5.0	-0.9	1203	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	62.92540	17.79650	3.5	-7.3	638	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	62.86220	18.39610	3.5	-7.4	640	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.66684	9.40410	5.5	-0.7	1123	Norway	W-GBIF-18
<i>Chrysoperla carnea</i>	63.24860	14.52850	3.1	-7.0	540	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.24860	14.52850	3.1	-7.0	540	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.24880	14.55200	2.9	-7.2	545	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.28070	18.77700	3.0	-8.3	612	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.46040	19.46780	2.9	-8.4	586	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.83640	20.12660	2.6	-8.8	573	Sweden	W-GBIF-17
<i>Chrysoperla carnea</i>	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
<i>Chrysoperla congrua</i>	-30.80000	27.96667	11.4	5.7	757	South Africa	Tjeder 1966

<i>Chrysoperla congrua</i>	-28.23334	28.30000	14.2	7.9	698	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-28.85159	30.08285	17.7	11.6	694	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-28.69031	28.91048	12.3	7.2	861	Lesotho	Tjeder 1966
<i>Chrysoperla congrua</i>	-29.61380	30.52332	18.7	14.3	863	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-27.84961	31.26885	16.7	13.4	900	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-28.37945	32.30849	21.6	18.0	1072	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-29.79511	30.77720	18.8	15.6	940	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-28.96667	30.38333	17.4	12.4	747	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-27.29652	32.16814	22.4	18.0	599	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-29.45274	27.72000	15.0	9.1	771	Lesotho	Tjeder 1966
<i>Chrysoperla congrua</i>	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
<i>Chrysoperla congrua</i>	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-24.99590	31.59687	21.8	16.5	641	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-23.04238	29.91201	19.0	14.5	720	South Africa	Tjeder 1966
<i>Chrysoperla congrua</i>	-20.15833	28.37667	18.7	14.0	566	Zimbabwe	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
<i>Chrysoperla congrua</i>	-17.82896	31.05244	18.2	14.2	842	Zimbabwe	Tjeder 1966
<i>Chrysoperla congrua</i>	-17.82977	30.50409	18.5	14.3	805	Zimbabwe	Tjeder 1966
<i>Chrysoperla congrua</i>	-18.36531	26.50613	24.1	19.3	582	Zimbabwe	Tjeder 1966
<i>Chrysoperla congrua</i>	-25.03166	33.48215	23.0	19.1	913	Mozambique	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.83948	34.85640	24.7	21.0	1315	Mozambique	Tjeder 1966
<i>Chrysoperla congrua</i>	-18.40033	36.10293	25.3	22.1	1035	Mozambique	Tjeder 1966
<i>Chrysoperla congrua</i>	-26.81528	17.80091	21.1	15.1	107	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-22.00320	15.58296	21.8	17.9	131	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-21.98330	16.91319	20.2	14.7	368	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.56668	18.11666	20.7	15.8	547	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.64199	18.59541	21.3	15.9	446	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-18.80762	16.94029	22.9	17.9	463	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-18.98647	17.33286	22.7	17.8	515	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-17.88604	15.06636	22.7	17.9	443	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-17.90998	15.97448	22.6	17.3	473	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-17.30665	15.84238	22.7	17.8	571	Angola	Tjeder 1966
<i>Chrysoperla congrua</i>	-28.44620	18.73424	20.6	13.4	103	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.62382	14.84223	20.9	16.6	320	Namibia	Tjeder 1966
<i>Chrysoperla congrua</i>	-19.12526	13.61668	23.6	19.8	111	Namibia	Tjeder 1966

<i>Chrysoperla congrua</i>	-7.47863	31.67553	24.6	22.2	916	Tanzania
<i>Chrysoperla congrua</i>	-3.17811	37.09281	19.3	17.0	1246	Tanzania
<i>Chrysoperla congrua</i>	-0.60567	30.64855	20.3	19.9	943	Uganda
<i>Chrysoperla congrua</i>	9.02271	38.74678	15.9	14.5	1154	Ethiopia
<i>Chrysoperla congrua</i>	-5.38283	26.98806	25.1	24.6	1204	DR Congo
<i>Chrysoperla congrua</i>	-5.36675	14.51677	23.1	20.5	1318	DR Congo
<i>Chrysoperla congrua</i>	0.51924	25.19607	25.4	24.7	1799	DR Congo
<i>Chrysoperla congrua</i>	1.75000	30.60000	18.0	17.1	1454	DR Congo
<i>Chrysoperla congrua</i>	-4.26984	26.24835	25.8	25.4	1398	DR Congo
<i>Chrysoperla congrua</i>	-5.92983	29.17589	23.5	21.8	1099	DR Congo
<i>Chrysoperla congrua</i>	-11.66667	27.46667	20.2	16.7	1243	DR Congo
<i>Chrysoperla congrua</i>	-4.76666	13.10001	24.3	21.6	1254	Congo
<i>Chrysoperla congrua</i>	-4.18162	19.61238	24.9	24.5	1644	DR Congo
<i>Chrysoperla congrua</i>	-6.74954	23.95292	24.2	23.9	1437	DR Congo
<i>Chrysoperla congrua</i>	-0.10493	20.12577	26.2	25.3	2045	DR Congo
<i>Chrysoperla congrua</i>	-7.83851	26.99375	25.1	23.8	996	DR Congo
<i>Chrysoperla congrua</i>	-9.69825	22.94234	23.2	21.8	1307	DR Congo
<i>Chrysoperla congrua</i>	-4.86672	12.86677	25.0	22.2	1243	DR Congo
<i>Chrysoperla congrua</i>	-6.10331	23.42956	24.7	24.3	1577	DR Congo
<i>Chrysoperla congrua</i>	-1.18554	29.44715	21.9	21.6	1174	DR Congo
<i>Chrysoperla congrua</i>	-5.63334	12.70000	25.6	22.6	971	DR Congo
<i>Chrysoperla congrua</i>	0.06752	18.28200	25.5	24.7	1676	DR Congo
<i>Chrysoperla congrua</i>	-5.89694	22.44892	24.8	24.5	1657	DR Congo
<i>Chrysoperla congrua</i>	-3.07309	26.04136	25.2	24.6	1675	DR Congo
<i>Chrysoperla congrua</i>	-5.13718	15.10419	23.6	21.2	1413	DR Congo
<i>Chrysoperla congrua</i>	4.21667	8.98333	25.7	24.6	3902	Cameroon
<i>Chrysoperla congrua</i>	1.68071	7.44054	24.5	23.5	1943	São Tomé & Pr.
<i>Chrysoperla pudica</i>	-27.01494	30.79489	16.6	12.3	922	South Africa
<i>Chrysoperla pudica</i>	-33.47321	19.61008	16.0	10.6	440	South Africa
<i>Chrysoperla pudica</i>	-33.72428	18.95592	16.0	11.5	981	South Africa
<i>Chrysoperla pudica</i>	-33.93667	18.86139	16.5	12.1	790	South Africa
<i>Chrysoperla pudica</i>	-25.76796	20.00029	19.7	11.7	222	South Africa
<i>Chrysoperla pudica</i>	-28.77450	20.61297	20.3	13.3	137	South Africa
<i>Chrysoperla pudica</i>	-29.12578	27.83347	15.4	9.4	793	Lesotho
<i>Chrysoperla pudica</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysoperla pudica</i>	-25.64500	28.35789	17.8	12.0	691	South Africa

<i>Chrysoperla pudica</i>	-25.65969	27.24319	18.7	12.4	663	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-24.29721	29.25673	18.9	13.5	544	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-25.40765	28.08453	18.8	12.8	625	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-23.90000	30.06670	18.8	14.2	1119	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-27.01494	30.79489	16.6	12.3	922	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-25.32188	31.02193	19.0	14.8	955	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-20.17219	28.58116	18.2	13.5	598	Zimbabwe	Tjeder 1966
<i>Chrysoperla pudica</i>	-20.45003	29.03577	19.5	14.5	583	Zimbabwe	Tjeder 1966
<i>Chrysoperla pudica</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
<i>Chrysoperla pudica</i>	-18.19254	31.55610	16.7	12.7	898	Zimbabwe	Tjeder 1966
<i>Chrysoperla pudica</i>	-17.92649	25.85366	22.8	17.4	668	Zimbabwe	Tjeder 1966
<i>Chrysoperla pudica</i>	-21.70000	21.65000	20.7	14.6	428	Botswana	Tjeder 1966
<i>Chrysoperla pudica</i>	-22.67410	14.52784	15.3	13.3	10	Namibia	Tjeder 1966
<i>Chrysoperla pudica</i>	-20.10806	16.14585	21.4	17.6	390	Namibia	Tjeder 1966
<i>Chrysoperla pudica</i>	-19.84796	15.46905	21.2	16.9	331	Namibia	Tjeder 1966
<i>Chrysoperla pudica</i>	-19.62397	14.84286	20.9	16.6	320	Namibia	Tjeder 1966
<i>Chrysoperla pudica</i>	-28.52474	16.61863	16.9	14.5	48	South Africa	Tjeder 1966
<i>Chrysoperla pudica</i>	-19.13329	13.61670	23.6	19.8	111	Namibia	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.48973	21.26626	15.0	10.2	280	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.48333	21.46666	15.5	10.8	263	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-29.70000	17.58330	17.4	13.1	115	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.94999	23.88334	14.7	11.4	990	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-30.16670	18.35000	16.0	10.5	230	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.55455	25.69444	18.5	14.3	392	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-33.16972	26.61902	18.2	14.1	554	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-30.98975	23.80165	15.0	7.8	309	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-29.36904	22.13106	19.4	11.9	233	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-28.72929	24.75404	18.0	11.0	443	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-29.23722	18.84088	19.5	12.5	130	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-28.89647	18.14587	22.0	14.8	67	Namibia	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-29.00169	17.09935	15.6	12.3	89	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-28.77450	20.61297	20.3	13.3	137	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-29.12952	19.39360	18.5	11.6	192	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-28.45486	21.27459	19.3	12.1	182	South Africa	Tjeder 1966
<i>Chrysoperla zastrowi</i>	-27.29381	20.06547	20.1	12.7	156	Namibia	Tjeder 1966

<i>Chrysopera zastrowi</i>	-30.21253	26.53130	14.7	7.9	507	South Africa
<i>Chrysopera zastrowi</i>	-29.12578	27.83347	15.4	9.4	793	Lesotho
<i>Chrysopera zastrowi</i>	-27.45934	15.39217	15.8	13.8	30	Namibia
<i>Chrysopera zastrowi</i>	-24.14932	16.36330	16.2	11.2	199	Namibia
<i>Chrysopera zastrowi</i>	-22.55579	17.07434	19.6	14.4	359	Namibia
<i>Chrysopera zastrowi</i>	-19.56667	18.11667	20.7	15.8	547	Namibia
<i>Chrysopera zastrowi</i>	-19.12526	13.61668	23.6	19.8	111	Namibia
<i>Chrysopera zastrowi</i>	-18.16009	12.56207	17.8	15.0	128	Namibia
<i>Chrysopera zastrowi</i>	-18.37820	31.70723	17.0	12.9	833	Zimbabwe
<i>Chrysopera plicata</i>	-18.97562	32.65572	19.5	15.2	781	Zimbabwe
<i>Chrysopera comans</i>	-29.85788	31.02758	20.9	17.4	974	South Africa
<i>Chrysopera principissa</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Chrysopera principissa</i>	-25.97301	32.58257	22.9	19.2	760	Mozambique
<i>Chrysopera chloris</i>	-33.99966	23.40124	16.5	13.2	902	South Africa
<i>Chrysopera chloris</i>	-33.94999	23.88334	14.7	11.4	990	South Africa
<i>Chrysopera chloris</i>	-31.10000	19.43330	17.4	11.5	215	South Africa
<i>Chrysopera chloris</i>	-33.93481	24.29834	15.7	12.5	868	South Africa
<i>Chrysopera chloris</i>	-33.99261	22.58114	16.8	14.0	754	South Africa
<i>Chrysopera chloris</i>	-33.39960	25.44336	18.8	13.8	339	South Africa
<i>Chrysopera chloris</i>	-33.30854	26.52373	16.6	12.7	706	South Africa
<i>Chrysopera chloris</i>	-32.63000	27.17001	16.7	12.8	754	South Africa
<i>Chrysopera chloris</i>	-32.98325	27.86636	18.4	15.5	839	South Africa
<i>Chrysopera chloris</i>	-29.57033	30.34889	17.6	13.3	891	South Africa
<i>Chrysopera sjostedti</i>	-29.85788	31.02758	20.9	17.4	974	South Africa
<i>Chrysopera sjostedti</i>	-30.00853	30.24417	18.6	14.6	878	South Africa
<i>Chrysopera sjostedti</i>	-25.78577	31.05122	19.5	15.6	970	South Africa
<i>Chrysopera sjostedti</i>	-19.06917	34.23028	24.9	21.1	987	Mozambique
<i>Chrysopera sjostedti</i>	-1.35304	36.79473	18.9	17.0	812	Kenya
<i>Chrysopera sjostedti</i>	1.20384	34.66914	14.2	13.4	1535	Kenya
<i>Chrysopera sjostedti</i>	-3.17811	37.09281	19.3	17.0	1246	Tanzania
<i>Chrysopera handschini</i>	-34.03002	18.33725	16.2	12.9	1080	South Africa
<i>Chrysopera handschini</i>	-34.17709	18.34362	16.0	13.0	870	South Africa
<i>Chrysopera handschini</i>	-25.01657	33.72656	23.0	19.2	877	Mozambique
<i>Chrysopera handschini</i>	-26.00832	32.93250	23.0	19.8	881	Mozambique
<i>Chrysopera handschini</i>	1.75592	30.60723	18.0	17.1	1454	DR Congo
<i>Chrysopera nyassalandica</i>	-27.42075	32.07229	22.3	18.6	577	South Africa

<i>Chrysoperla nyassalandica</i>	-25.17006	31.26882	21.1	17.1	733	South Africa	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-25.49482	31.51063	21.7	17.2	708	South Africa	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-23.51667	29.70000	18.2	13.4	830	South Africa	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-20.37063	32.74430	18.8	15.1	1254	Mozambique	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-17.87012	31.10801	18.0	14.1	843	Zimbabwe	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	Tjeder 1966
<i>Chrysoperla nyassalandica</i>	-15.78611	35.00617	20.6	17.4	1099	Malawi	Tjeder 1966
<i>Chrysoperla baronissa</i>	-32.98325	27.86636	18.4	15.5	839	South Africa	Tjeder 1966
<i>Chrysoperla baronissa</i>	-30.21712	30.79762	20.5	17.4	1029	South Africa	Tjeder 1966
<i>Chrysoperla baronissa</i>	-29.79511	30.77720	18.8	15.6	940	South Africa	Tjeder 1966
<i>Chrysoperla baronissa</i>	-27.33804	31.99817	20.9	17.0	671	South Africa	Tjeder 1966
<i>Chrysoperla baronissa</i>	-22.95738	29.75013	18.5	13.8	748	South Africa	Tjeder 1966
<i>Chrysoperla baronissa</i>	-1.30860	36.72866	17.6	15.7	967	Kenya	Tjeder 1966
<i>Chrysoperla hamata</i>	-28.71670	31.13330	16.8	13.2	893	South Africa	Tjeder 1966
<i>Chrysoperla hamata</i>	-27.84961	31.26885	16.7	13.4	900	South Africa	Tjeder 1966
<i>Chrysoperla hamata</i>	-31.29878	25.82267	14.1	7.5	447	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-33.72428	18.95592	16.0	11.5	981	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-33.78082	20.12671	17.4	11.8	338	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-29.78161	17.83683	16.5	11.3	200	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-29.12952	19.39360	18.5	11.6	192	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-29.00152	17.09881	15.6	12.3	89	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-33.36161	21.41077	13.3	8.1	306	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-32.66829	21.51071	16.7	10.0	138	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-30.35000	21.81667	18.8	11.1	194	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-31.47671	19.77239	16.4	10.5	216	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-28.77130	17.62991	19.6	14.2	60	South Africa	Tjeder 1966
<i>Chrysoperla tacta</i>	-24.14932	16.36330	16.2	11.2	199	Namibia	Tjeder 1966
<i>Chrysoperla tacta</i>	-24.84710	16.97812	17.3	11.6	173	Namibia	Tjeder 1966
<i>Chrysoperla tacta</i>	-19.62382	14.84223	20.9	16.6	320	Namibia	Tjeder 1966
<i>Chrysoperla tacta</i>	-18.64953	12.66136	18.3	15.7	65	Namibia	Tjeder 1966
<i>Chrysoperla tacta</i>	-18.18319	12.51667	18.0	15.2	106	Namibia	Tjeder 1966
<i>Chrysoperla tacta</i>	-19.52572	17.09493	21.1	16.1	549	Namibia	Tjeder 1966
<i>Chrysoperla burgeonina</i>	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
<i>Chrysoperla burgeonina</i>	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966

<i>Chrysopera burgeonina</i>	-33.72428	18.95592	16.0	11.5	981	South Africa
<i>Chrysopera burgeonina</i>	-33.91673	18.95000	15.5	11.4	1048	South Africa
<i>Chrysopera burgeonina</i>	-33.29994	23.48138	15.7	10.1	389	South Africa
<i>Chrysopera burgeonina</i>	-33.46854	25.54114	18.7	14.1	357	South Africa
<i>Chrysopera burgeonina</i>	-33.39960	25.44336	18.8	13.8	339	South Africa
<i>Chrysopera burgeonina</i>	-33.93264	25.56993	17.6	14.5	556	South Africa
<i>Chrysopera burgeonina</i>	-33.30854	26.52373	16.6	12.7	706	South Africa
<i>Chrysopera burgeonina</i>	-30.21250	26.53139	14.7	7.9	507	South Africa
<i>Chrysopera burgeonina</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysopera burgeonina</i>	-25.64500	28.35789	17.8	12.0	691	South Africa
<i>Chrysopera burgeonina</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique
<i>Chrysopera burgeonina</i>	-1.67927	29.22250	20.1	19.7	1189	DR Congo
<i>Chrysopera burgeonina</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysopera burgeonina</i>	-33.93481	24.29834	15.7	12.5	868	South Africa
<i>Chrysopera spissinervis</i>	-33.99261	22.58114	16.8	14.0	754	South Africa
<i>Chrysopera spissinervis</i>	-33.39960	25.44336	18.8	13.8	339	South Africa
<i>Chrysopera spissinervis</i>	-33.36161	21.41077	13.3	8.1	306	South Africa
<i>Chrysopera spissinervis</i>	-19.88359	28.24535	19.9	15.4	562	Zimbabwe
<i>Chrysopera incrassata</i>	-33.36161	21.41077	13.3	8.1	306	South Africa
<i>Chrysopera incrassata</i>	-33.47321	19.61008	16.0	10.6	440	South Africa
<i>Chrysopera spissinervis</i>	-29.12578	27.83347	15.4	9.4	793	Lesotho
<i>Chrysopera spissinervis</i>	-29.29658	29.06633	10.1	4.6	667	Lesotho
<i>Chrysopera perpallida</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique
<i>Chrysopera luaboensis</i>	-29.45274	27.72000	15.0	9.1	771	Lesotho
<i>Chrysopera venosella</i>	-29.12578	27.83347	15.4	9.4	793	Lesotho
<i>Chrysopera venosella</i>	-29.00715	28.33490	11.4	5.8	876	Lesotho
<i>Chrysopera venosella</i>	-26.20445	28.04556	16.1	11.2	784	South Africa
<i>Chrysopera venosella</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysopera pervensa</i>	-17.87133	31.11272	18.0	14.1	843	Zimbabwe
<i>Chrysopera pervensa</i>	-20.15833	28.37667	18.7	14.0	566	Zimbabwe
<i>Chrysopera pervensa</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe
<i>Chrysopera gunvorae</i>	-24.99590	31.59687	21.8	16.5	641	South Africa
<i>Chrysopera gunvorae</i>	-25.73137	28.21829	17.6	11.9	708	South Africa
<i>Chrysopera atrosparsa</i>	-30.53687	29.68606	14.6	10.1	889	South Africa
<i>Chrysopera pulchrina</i>	-28.89453	31.44906	19.1	16.1	1112	South Africa
<i>Chrysopera pulchrina</i>	-22.95738	29.75013	18.5	13.8	748	South Africa

<i>Chrysopera pulchrina</i>	-20.37063	32.74430	18.8	15.1	1254	Mozambique
<i>Chrysopera boninensis</i>	-32.21667	26.58333	12.1	7.4	741	South Africa
<i>Chrysopera boninensis</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Chrysopera boninensis</i>	-25.64500	28.35789	17.8	12.0	691	South Africa
<i>Chrysopera boninensis</i>	-25.46521	30.98644	19.9	15.5	793	South Africa
<i>Chrysopera boninensis</i>	-20.26415	30.92455	18.9	14.5	865	Zimbabwe
<i>Chrysopera boninensis</i>	-21.16365	31.54556	22.8	18.1	538	Zimbabwe
<i>Chrysopera boninensis</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe
<i>Chrysopera boninensis</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique
<i>Chrysopera boninensis</i>	0.06752	18.28200	25.5	24.7	1676	DR Congo
<i>Chrysopera boninensis</i>	-11.66667	27.46667	20.2	16.7	1243	DR Congo
<i>Chrysopera boninensis</i>	16.56289	-24.28110	23.1	21.1	200	Cape Verde
<i>Chrysopera boninensis</i>	14.86142	-24.69849	19.6	17.7	283	Cape Verde
<i>Chrysopera boninensis</i>	27.07297	142.19131	22.9	18.0	1338	Japan
<i>Chrysopera umbrosa</i>	-18.43568	34.00218	18.8	15.4	1855	Mozambique
<i>Chrysopera umbrosa</i>	-16.00330	35.73917	19.2	16.3	1845	Malawi
<i>Chrysopera umbrosa</i>	-1.35304	36.79473	18.9	17.0	812	Kenya
<i>Chrysopera umbrosa</i>	-0.94500	36.59500	14.3	12.4	1267	Kenya
<i>Chrysopera umbrosa</i>	-0.17418	37.14129	13.9	13.1	1228	Kenya
<i>Chrysopera umbrosa</i>	0.01667	37.06667	16.3	15.8	809	Kenya
<i>Chrysopera umbrosa</i>	-34.01162	19.35719	13.3	9.6	842	South Africa
<i>Chrysopera caffer</i>	-33.96670	20.70000	16.3	11.4	478	South Africa
<i>Chrysopera caffer</i>	-33.30854	26.52373	16.6	12.7	706	South Africa
<i>Chrysopera caffer</i>	-28.89453	31.44906	19.1	16.1	1112	South Africa
<i>Chrysopera zulu</i>	-27.33804	31.99817	20.9	17.0	671	South Africa
<i>Chrysopera basuto</i>	-29.20310	29.11076	11.0	5.3	683	Lesotho
<i>Chrysopera aculeata</i>	-27.47206	31.94632	22.2	18.1	567	South Africa
<i>Chrysopera nyerina</i>	-0.41703	36.95097	16.9	15.8	1071	Kenya
<i>Chrysopera congrua</i>	-5.38350	26.98859	25.1	24.6	1204	DR Congo
<i>Chrysopera congrua</i>	2.91034	29.41517	23.8	22.7	1745	DR Congo
<i>Chrysopera commans</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Chrysopera commans</i>	-25.74245	28.20970	17.6	11.9	708	South Africa
<i>Chrysopera commans</i>	-24.19995	28.63841	16.8	11.6	657	South Africa
<i>Chrysopera commans</i>	-24.61667	28.08333	18.1	12.2	658	South Africa
<i>Chrysopera congrua</i>	5.08519	-1.35033	26.4	24.8	1214	Ghana
<i>Chrysopera congrua</i>	-23.58332	27.45001	20.8	14.4	431	South Africa

<i>Chrysoperla congrua</i>	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-33.59934	26.89198	18.3	15.8	581	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-2.09576	37.49884	21.7	19.7	718	Kenya	W-RMCA-2
<i>Chrysoperla congrua</i>	-28.96651	30.86182	15.3	11.1	900	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-24.90520	30.75185	16.3	12.3	1042	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-32.83519	28.11469	18.4	15.6	862	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-28.62235	31.08928	17.0	13.2	856	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-20.46480	16.65410	20.2	15.3	427	Namibia	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.06510	30.88484	18.6	14.8	1105	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.78557	31.05128	19.5	15.6	970	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-29.34851	30.36250	17.1	12.5	853	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
<i>Chrysoperla congrua</i>	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.76401	28.26591	17.2	11.7	714	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-27.97615	32.36287	21.5	17.6	910	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-27.33802	31.99828	20.9	17.0	671	South Africa	W-RMCA-2
<i>Chrysoperla congrua</i>	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
<i>Chrysoperla plicata</i>	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-28.95281	31.75766	21.6	17.9	1083	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-22.42292	31.03596	23.9	19.2	457	South Africa	W-RMCA-2
<i>Chrysoperla plicata</i>	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	W-RMCA-2
<i>Chrysoperla plicata</i>	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
<i>Chrysoperla pudica</i>	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
<i>Chrysoperla pudica</i>	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
<i>Chrysoperla pudica</i>	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
<i>Chrysoperla pudica</i>	-22.55000	31.08333	23.3	18.9	502	South Africa	W-RMCA-2

<i>Chrysoperla pudica</i>	-22.45027	31.32063	24.7	19.7	405	Mozambique
<i>Chrysoperla pudica</i>	-24.99581	31.59265	21.8	16.5	641	South Africa
<i>Chrysoperla pudica</i>	-25.74245	28.20970	17.6	11.9	708	South Africa
<i>Chrysoperla pudica</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Chrysoperla pudica</i>	-24.19782	29.47676	18.0	12.8	621	South Africa
<i>Chrysoperla pudica</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Chrysoperla pudica</i>	-22.20122	29.88291	22.7	17.0	319	South Africa
<i>Chrysoperla pudica</i>	-25.71671	27.18333	17.0	11.2	713	South Africa
<i>Chrysoperla pudica</i>	-23.58332	27.45001	20.8	14.4	431	South Africa
<i>Chrysoperla pudica</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Chrysoperla pudica</i>	-22.44000	31.24000	24.5	19.5	416	Mozambique
<i>Chrysoperla pudica</i>	-22.55951	17.08543	19.3	14.2	368	Namibia
<i>Chrysoperla pudica</i>	-23.88422	29.73918	16.1	11.6	866	South Africa
<i>Chrysoperla pudica</i>	-26.87756	22.05211	19.7	12.2	205	South Africa
<i>Chrysoperla pudica</i>	-25.42136	20.59624	20.4	12.5	237	South Africa
<i>Chrysoperla pudica</i>	-23.74436	27.80750	20.9	14.8	458	South Africa
<i>Chrysoperla pudica</i>	-28.01657	18.75087	18.6	11.8	125	Namibia
<i>Chrysoperla pudica</i>	-22.59721	31.29954	23.0	18.5	526	Mozambique
<i>Chrysoperla pudica</i>	-28.89482	21.98355	20.0	12.7	219	South Africa
<i>Chrysoperla pudica</i>	-28.58833	24.51441	18.2	10.9	435	South Africa
<i>Chrysoperla pudica</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Chrysoperla pudica</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Chrysoperla pudica</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Chrysoperla pudica</i>	-23.78398	30.15467	19.6	15.0	1041	South Africa
<i>Chrysoperla pudica</i>	-26.65615	28.58878	15.4	9.5	697	South Africa
<i>Chrysoperla pudica</i>	-25.74445	27.89923	18.1	11.9	653	South Africa
<i>Chrysoperla pudica</i>	-24.64630	28.68400	19.1	13.7	588	South Africa
<i>Chrysoperla pudica</i>	-23.97523	31.45933	22.5	17.5	526	South Africa
<i>Chrysoperla pudica</i>	-22.55000	31.08333	23.3	18.9	502	South Africa
<i>Chrysoperla pudica</i>	-25.53322	26.08367	18.2	11.8	597	South Africa
<i>Chrysoperla pudica</i>	-25.47082	30.98480	19.9	15.5	793	South Africa
<i>Chrysoperla ducissa</i>	-9.70070	27.222318	23.1	20.3	820	DR Congo
<i>Chrysoperla externa</i>	-29.63836	-51.39871	19.6	15.4	1419	Brazil
<i>Chrysoperla externa</i>	-27.04846	-52.40184	18.2	14.4	2110	Brazil
<i>Chrysoperla externa</i>	-22.35764	-47.38479	20.2	16.9	1322	Brazil
<i>Chrysoperla externa</i>	-22.72294	-47.65974	20.8	17.4	1254	Brazil

<i>Chrysopera externa</i>	-19.78050	-42.59999	23.4	20.6	1140	Brazil	Adams & Penny 1985
<i>Chrysopera externa</i>	-12.65633	-60.09083	20.8	20.0	1937	Brazil	Adams & Penny 1985
<i>Chrysopera externa</i>	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
<i>Chrysopera externa</i>	-1.90032	-60.07918	26.7	26.4	2901	Brazil	Adams & Penny 1985
<i>Chrysopera externa</i>	1.98048	-61.07096	27.2	26.4	1702	Brazil	Adams & Penny 1985
<i>Chrysopera externa</i>	2.81945	-60.67116	27.2	26.3	1555	Brazil	Adams & Penny 1985
<i>Chrysopera defreitasi</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Chrysopera defreitasi</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
<i>Chrysopera externa</i>	-21.12347	-48.45029	21.8	19.0	1335	Brazil	de Freitas & Penny 2001
<i>Chrysopera externa</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Chrysopera externa</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
<i>Chrysopera raimundoi</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Chrysopera externa</i>	24.45514	46.97773	25.8	16.1	100	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	24.80333	46.48333	24.7	14.8	128	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	24.70753	46.80450	25.3	15.5	111	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	24.47273	39.32338	26.0	18.0	53	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	21.59323	39.22995	28.2	23.8	51	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	25.40034	49.59133	26.3	17.0	74	Saudi Arabia	Höfzel 1980a
<i>Chrysopera carneae</i>	24.68734	46.71050	25.3	15.5	113	Saudi Arabia	Höfzel 1980a
<i>Chrysopera concinna</i>	21.39911	39.48810	29.3	24.5	60	Saudi Arabia	Höfzel 1980a
<i>Chrysopera concinna</i>	21.15002	41.34995	24.3	17.5	141	Saudi Arabia	Höfzel 1980a
<i>Chrysopodes (Ch.) varicosa</i>	8.94944	-82.83640	19.3	18.6	3002	Costa Rica	W-GBIF-6
<i>Chrysopodes (Ch.) victoriae</i>	9.73841	-82.96640	26.1	25.3	2698	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes (N.) collaris</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Chrysopodes duckei</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes duckei</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985

<i>Chrysopodes pulchella</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes pulchella</i>	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
<i>Chrysopodes pulchella</i>	-1.54635	-60.23259	27.2	26.8	2683	Brazil	Adams & Penny 1985
<i>Chrysopodes pulchella</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes pulchella</i>	-8.76185	-63.90288	26.1	25.3	2104	Brazil	Adams & Penny 1985
<i>Chrysopodes spinella</i>	-5.45173	-54.36755	25.5	25.0	1953	Brazil	Adams & Penny 1985
<i>Chrysopodes nebulosa</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes nebulosa</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes nebulosa</i>	-3.08693	-60.02300	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes nebulosa</i>	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
<i>Chrysopodes nebulosa</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes lineafrons</i>	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
<i>Chrysopodes lineafrons</i>	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
<i>Chrysopodes lineafrons</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes lineafrons</i>	-6.41265	-48.53803	26.3	25.9	1557	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-8.25785	-49.27235	26.2	25.8	1729	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-5.45173	-54.36755	25.5	25.0	1953	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-2.95124	-51.86119	26.7	26.2	2067	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-3.77009	-49.67551	27.1	26.7	2424	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-6.07154	-49.89941	26.2	25.7	1832	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes polygonica</i>	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
<i>Chrysopodes indentata</i>	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
<i>Chrysopodes medioris</i>	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
<i>Chrysopodes medioris</i>	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
<i>Chrysopodes tefifera</i>	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
<i>Chrysopodes divisa</i>	-22.88282	-43.10322	23.3	20.9	1238	Brazil	Adams & Penny 1985
<i>Chrysopodes divisa</i>	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
<i>Chrysopodes (N.) collaris</i>	3.41548	-76.52620	24.0	23.5	1307	Colombia	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	23.11929	-82.38811	24.8	22.0	1318	Cuba	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.54143	-88.25351	25.6	23.3	1828	Belize	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	25.90020	-97.50582	23.2	16.6	689	USA	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.48556	-88.20303	25.7	23.3	1848	Belize	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.36391	-100.66764	28.6	26.5	979	Mexico	Tauber 2010

<i>Chrysopodes (N.) collaris</i>	26.12172	-80.14259	24.0	19.7	1521	USA
<i>Chrysopodes (N.) collaris</i>	25.08595	-80.44896	24.5	20.4	1236	USA
<i>Chrysopodes (N.) collaris</i>	25.78482	-80.22424	24.2	20.1	1290	USA
<i>Chrysopodes (N.) collaris</i>	26.52887	-82.19055	23.3	18.1	1284	USA
<i>Chrysopodes (N.) collaris</i>	30.32956	-81.64935	20.6	13.2	1263	USA
<i>Chrysopodes (N.) collaris</i>	27.41308	-82.65661	22.5	16.6	1303	USA
<i>Chrysopodes (N.) collaris</i>	24.67070	-81.35509	24.8	20.8	1067	USA
<i>Chrysopodes (N.) collaris</i>	24.71961	-81.07588	24.6	20.6	1106	USA
<i>Chrysopodes (N.) collaris</i>	24.98313	-80.54418	24.7	20.6	1161	USA
<i>Chrysopodes (N.) collaris</i>	25.18651	-80.53178	24.2	20.0	1298	USA
<i>Chrysopodes (N.) collaris</i>	28.52952	-81.38024	22.0	15.9	1251	USA
<i>Chrysopodes (N.) collaris</i>	27.89863	-82.84654	22.4	16.1	1260	USA
<i>Chrysopodes (N.) collaris</i>	27.88766	-82.83522	22.4	16.1	1260	USA
<i>Chrysopodes (N.) collaris</i>	27.77284	-82.63813	22.5	16.3	1233	USA
<i>Chrysopodes (N.) collaris</i>	25.91840	-97.40140	23.1	16.5	676	USA
<i>Chrysopodes (N.) collaris</i>	25.90020	-97.50582	23.2	16.6	689	USA
<i>Chrysopodes (N.) collaris</i>	25.99032	-97.50546	23.2	16.5	678	USA
<i>Chrysopodes (N.) collaris</i>	26.19938	-97.69243	23.0	16.2	672	USA
<i>Chrysopodes (N.) collaris</i>	26.07252	-97.48129	23.1	16.3	677	USA
<i>Chrysopodes (N.) collaris</i>	25.84888	-97.41649	23.2	16.6	687	USA
<i>Chrysopodes (N.) collaris</i>	25.84888	-97.41649	23.2	16.6	687	USA
<i>Chrysopodes (N.) collaris</i>	26.17208	-98.38411	23.3	15.5	566	USA
<i>Chrysopodes (N.) collaris</i>	26.15899	-97.99641	23.1	15.7	612	USA
<i>Chrysopodes (N.) collaris</i>	23.48492	-109.54718	23.7	17.9	297	Mexico
<i>Chrysopodes (N.) collaris</i>	23.64553	-109.68325	23.9	18.2	229	Mexico
<i>Chrysopodes (N.) collaris</i>	23.64553	-109.68325	23.9	18.2	229	Mexico
<i>Chrysopodes (N.) collaris</i>	23.44425	-110.23284	22.6	18.8	152	Mexico
<i>Chrysopodes (N.) collaris</i>	23.68537	-110.07331	20.4	15.6	436	Mexico
<i>Chrysopodes (N.) collaris</i>	23.25000	-109.72000	23.5	18.2	394	Mexico
<i>Chrysopodes (N.) collaris</i>	23.21851	-109.82344	21.9	17.0	425	Mexico
<i>Chrysopodes (N.) collaris</i>	24.23842	-109.91277	22.0	16.4	375	Mexico
<i>Chrysopodes (N.) collaris</i>	22.88461	-109.92318	23.6	19.3	207	Mexico
<i>Chrysopodes (N.) collaris</i>	24.87821	-110.56879	23.2	17.7	203	Mexico
<i>Chrysopodes (N.) collaris</i>	24.44008	-111.86683	21.5	18.4	40	Mexico
<i>Chrysopodes (N.) collaris</i>	26.20523	-112.03758	21.6	16.8	158	Mexico
<i>Chrysopodes (N.) collaris</i>	26.27488	-111.72149	21.5	16.5	195	Mexico

<i>Chrysopodes (N.) collaris</i>	27.03427	-112.02976	23.5	16.8	87	Mexico
<i>Chrysopodes (N.) collaris</i>	23.36015	-109.97194	19.8	15.2	422	Mexico
<i>Chrysopodes (N.) collaris</i>	23.34858	-110.01614	21.5	16.8	405	Mexico
<i>Chrysopodes (N.) collaris</i>	24.02574	-110.11819	20.6	15.5	445	Mexico
<i>Chrysopodes (N.) collaris</i>	23.80344	-110.10917	21.0	16.0	423	Mexico
<i>Chrysopodes (N.) collaris</i>	26.01171	-111.34806	24.0	18.1	132	Mexico
<i>Chrysopodes (N.) collaris</i>	23.71483	-110.07115	20.4	15.5	439	Mexico
<i>Chrysopodes (N.) collaris</i>	23.00137	-110.04448	23.2	19.0	205	Mexico
<i>Chrysopodes (N.) collaris</i>	22.97844	-109.93476	22.7	18.3	291	Mexico
<i>Chrysopodes (N.) collaris</i>	23.77291	-110.45570	22.6	18.1	201	Mexico
<i>Chrysopodes (N.) collaris</i>	23.47141	-109.44695	24.3	18.8	241	Mexico
<i>Chrysopodes (N.) collaris</i>	23.29990	-109.42916	24.1	18.8	271	Mexico
<i>Chrysopodes (N.) collaris</i>	17.50957	-92.13396	26.4	23.8	2847	Mexico
<i>Chrysopodes (N.) collaris</i>	18.72647	-110.94978	24.3	21.1	300	Mexico
<i>Chrysopodes (N.) collaris</i>	18.77795	-110.93948	22.9	19.8	346	Mexico
<i>Chrysopodes (N.) collaris</i>	18.85936	-110.98696	24.2	21.0	293	Mexico
<i>Chrysopodes (N.) collaris</i>	19.31976	-110.79947	24.3	20.9	259	Mexico
<i>Chrysopodes (N.) collaris</i>	17.29029	-99.48581	24.4	23.1	1487	Mexico
<i>Chrysopodes (N.) collaris</i>	18.35055	-99.53343	25.8	23.3	1007	Mexico
<i>Chrysopodes (N.) collaris</i>	18.00141	-99.54321	26.0	23.8	877	Mexico
<i>Chrysopodes (N.) collaris</i>	20.29802	-103.23321	18.3	14.9	783	Mexico
<i>Chrysopodes (N.) collaris</i>	19.49924	-105.04012	26.0	23.7	849	Mexico
<i>Chrysopodes (N.) collaris</i>	18.76615	-102.31370	27.3	25.1	758	Mexico
<i>Chrysopodes (N.) collaris</i>	18.82932	-99.23294	23.5	21.1	904	Mexico
<i>Chrysopodes (N.) collaris</i>	22.21195	-104.40292	21.6	17.6	800	Mexico
<i>Chrysopodes (N.) collaris</i>	22.63786	-105.33934	24.5	20.8	1416	Mexico
<i>Chrysopodes (N.) collaris</i>	21.36729	-104.55956	22.6	19.3	1106	Mexico
<i>Chrysopodes (N.) collaris</i>	25.67729	-100.31038	22.0	15.2	589	Mexico
<i>Chrysopodes (N.) collaris</i>	24.85983	-99.56850	22.6	15.6	808	Mexico
<i>Chrysopodes (N.) collaris</i>	16.55528	-94.94965	26.8	24.5	944	Mexico
<i>Chrysopodes (N.) collaris</i>	15.87491	-97.04253	27.6	26.4	941	Mexico
<i>Chrysopodes (N.) collaris</i>	18.50452	-88.30319	26.0	23.8	1180	Mexico
<i>Chrysopodes (N.) collaris</i>	22.36251	99.26576	22.2	17.2	1314	Mexico
<i>Chrysopodes (N.) collaris</i>	23.39828	-105.93061	23.7	20.0	1224	Mexico
<i>Chrysopodes (N.) collaris</i>	23.32521	-106.44307	24.8	20.8	792	Mexico
<i>Chrysopodes (N.) collaris</i>	23.08975	-106.25593	24.8	20.8	752	Mexico

<i>Chrysopodes (N.) collaris</i>	23.222379	-106.41183	24.7	20.7	785	Mexico
<i>Chrysopodes (N.) collaris</i>	22.57525	-105.59303	24.8	21.2	1002	Mexico
<i>Chrysopodes (N.) collaris</i>	27.06333	-109.46934	25.0	18.3	352	Mexico
<i>Chrysopodes (N.) collaris</i>	25.26464	-107.90907	24.2	18.9	743	Mexico
<i>Chrysopodes (N.) collaris</i>	26.25236	-109.04622	24.6	18.2	334	Mexico
<i>Chrysopodes (N.) collaris</i>	23.80676	-106.80121	25.3	20.8	614	Mexico
<i>Chrysopodes (N.) collaris</i>	22.74420	-98.97645	25.0	19.7	1056	Mexico
<i>Chrysopodes (N.) collaris</i>	23.73626	-99.14528	23.9	17.9	888	Mexico
<i>Chrysopodes (N.) collaris</i>	23.73626	-99.14528	23.9	17.9	888	Mexico
<i>Chrysopodes (N.) collaris</i>	23.64346	-99.10899	23.9	18.1	760	Mexico
<i>Chrysopodes (N.) collaris</i>	23.55138	-99.21350	19.0	14.4	724	Mexico
<i>Chrysopodes (N.) collaris</i>	23.92121	-99.00572	24.2	17.9	802	Mexico
<i>Chrysopodes (N.) collaris</i>	22.25980	-97.88025	24.0	19.3	1054	Mexico
<i>Chrysopodes (N.) collaris</i>	18.89956	-96.99841	20.6	17.7	1971	Mexico
<i>Chrysopodes (N.) collaris</i>	19.32979	-96.48268	25.4	22.1	1107	Mexico
<i>Chrysopodes (N.) collaris</i>	19.32979	-96.48268	25.4	22.1	1107	Mexico
<i>Chrysopodes (N.) collaris</i>	20.75322	-97.97266	24.5	19.8	1371	Mexico
<i>Chrysopodes (N.) collaris</i>	21.30146	-97.83708	22.8	18.1	1740	Mexico
<i>Chrysopodes (N.) collaris</i>	19.05773	-96.15523	25.7	22.4	1586	Mexico
<i>Chrysopodes (N.) collaris</i>	20.97287	-89.60005	25.8	23.0	950	Mexico
<i>Chrysopodes (N.) collaris</i>	20.97070	-89.62047	25.8	23.0	950	Mexico
<i>Chrysopodes (N.) collaris</i>	16.34691	-86.46293	26.4	24.5	2183	Honduras
<i>Chrysopodes (N.) collaris</i>	10.59774	-85.00939	22.0	21.2	3290	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.98300	-85.53900	24.2	23.4	2032	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.24957	-85.05880	26.7	25.9	1931	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.32099	-85.04727	26.7	25.9	1951	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.29986	-85.21170	26.7	25.9	1775	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.42503	-85.08474	26.8	26.0	1666	Costa Rica
<i>Chrysopodes (N.) collaris</i>	10.45223	-85.13032	26.9	26.1	1613	Costa Rica
<i>Chrysopodes (N.) collaris</i>	9.96670	-84.73336	27.1	26.2	1862	Costa Rica
<i>Chrysopodes (N.) collaris</i>	13.69074	-89.19132	23.3	22.3	1869	El Salvador
<i>Chrysopodes (N.) collaris</i>	13.84219	-89.15844	23.8	22.9	1928	El Salvador
<i>Chrysopodes (N.) collaris</i>	13.71856	-89.20341	23.6	22.6	1848	El Salvador
<i>Chrysopodes (N.) collaris</i>	13.72368	-88.93589	22.6	21.6	2022	El Salvador
<i>Chrysopodes (N.) collaris</i>	13.83331	-89.26668	23.7	22.7	1818	El Salvador

<i>Chrysopodes (N.) collaris</i>	13.68234	-89.28262	21.8	20.8	1997	El Salvador
<i>Chrysopodes (N.) collaris</i>	14.94358	-89.96748	25.9	24.2	722	Guatemala
<i>Chrysopodes (N.) collaris</i>	14.47984	-91.79386	27.2	26.1	2040	Guatemala
<i>Chrysopodes (N.) collaris</i>	14.04580	-87.00076	20.1	18.2	1098	Honduras
<i>Chrysopodes (N.) collaris</i>	14.39978	-87.08491	22.5	20.3	1107	Honduras
<i>Chrysopodes (N.) collaris</i>	15.44128	-87.92454	27.0	25.0	1353	Honduras
<i>Chrysopodes (N.) collaris</i>	15.44128	-87.92454	27.0	25.0	1353	Honduras
<i>Chrysopodes (N.) collaris</i>	13.41668	-86.40000	23.8	22.7	812	Nicaragua
<i>Chrysopodes (N.) collaris</i>	12.20347	-86.09903	27.2	26.2	1131	Nicaragua
<i>Chrysopodes (N.) collaris</i>	12.43508	-86.87914	26.9	25.8	1526	Nicaragua
<i>Chrysopodes (N.) collaris</i>	8.95253	-79.56017	27.0	26.5	1810	Panama
<i>Chrysopodes (N.) collaris</i>	8.87875	-79.77133	26.8	26.2	2003	Panama
<i>Chrysopodes (N.) collaris</i>	9.09138	-79.53506	26.2	25.6	2098	Panama
<i>Chrysopodes (N.) collaris</i>	9.16553	-79.83743	26.5	25.7	2550	Panama
<i>Chrysopodes (N.) collaris</i>	17.11701	-61.85139	26.5	24.9	1085	Antigua
<i>Chrysopodes (N.) collaris</i>	17.11701	-61.85139	26.5	24.9	1085	Antigua
<i>Chrysopodes (N.) collaris</i>	17.14152	-61.79080	26.6	25.0	1008	Antigua
<i>Chrysopodes (N.) collaris</i>	25.69829	-79.28060	25.1	21.0	1194	Bahamas
<i>Chrysopodes (N.) collaris</i>	24.56209	-75.63522	25.3	22.6	975	Bahamas
<i>Chrysopodes (N.) collaris</i>	24.16615	-75.46106	25.6	22.9	948	Bahamas
<i>Chrysopodes (N.) collaris</i>	26.52766	-78.69546	24.4	20.5	1452	Bahamas
<i>Chrysopodes (N.) collaris</i>	26.54055	-76.96112	24.4	20.6	1043	Bahamas
<i>Chrysopodes (N.) collaris</i>	23.50848	-75.82472	25.7	23.2	972	Bahamas
<i>Chrysopodes (N.) collaris</i>	25.05467	-77.35132	24.6	21.5	1233	Bahamas
<i>Chrysopodes (N.) collaris</i>	24.05384	-74.53038	25.6	22.9	1075	Bahamas
<i>Chrysopodes (N.) collaris</i>	24.03613	-74.45143	25.6	22.9	1052	Bahamas
<i>Chrysopodes (N.) collaris</i>	21.49559	-71.52626	26.1	23.9	652	Turks & Caicos
<i>Chrysopodes (N.) collaris</i>	21.49019	-71.13295	26.2	24.1	604	Turks & Caicos
<i>Chrysopodes (N.) collaris</i>	21.49636	-71.13288	26.2	24.1	604	Turks & Caicos
<i>Chrysopodes (N.) collaris</i>	21.49636	-71.13288	26.2	24.1	604	Turks & Caicos
<i>Chrysopodes (N.) collaris</i>	18.72324	-64.38129	26.5	25.0	1051	BR Virgin Isl.
<i>Chrysopodes (N.) collaris</i>	18.47590	-64.57509	26.4	24.9	1149	BR Virgin Isl.
<i>Chrysopodes (N.) collaris</i>	18.43890	-64.56923	26.2	24.7	1160	BR Virgin Isl.
<i>Chrysopodes (N.) collaris</i>	18.44310	-64.65715	25.5	23.9	1188	BR Virgin Isl.
<i>Chrysopodes (N.) collaris</i>	18.40283	-64.66130	25.3	23.8	1204	BR Virgin Isl.
<i>Chrysopodes (N.) collaris</i>	18.48603	-64.40230	25.8	24.3	1130	BR Virgin Isl.

<i>Chrysopodes (N.) collaris</i>	21.89705	-82.77152	25.4	22.5	1405	Cuba	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.34432	-70.96315	19.6	17.9	1314	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.43871	-71.44638	27.8	26.2	676	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.98298	-71.17018	24.6	23.2	1352	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.35000	-71.46000	27.2	25.5	695	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.37182	-71.52898	26.1	24.5	871	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.55768	-71.63383	26.3	24.6	970	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.33858	-68.81059	26.5	24.8	1017	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.37982	-69.84911	26.1	24.5	1731	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.70343	-71.67572	26.4	24.4	881	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.02868	-71.74684	27.2	25.4	505	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.20000	-71.56667	13.7	12.0	1612	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.90752	-71.66110	26.7	25.1	645	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.29885	-70.32803	25.6	24.1	1092	Dominican Rep.	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.33454	-81.38032	26.5	24.8	1391	Grand Cayman	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.32022	-81.24499	26.5	24.8	1386	Grand Cayman	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.29900	-81.10986	26.5	24.7	1369	Grand Cayman	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	19.32798	-81.36792	26.5	24.8	1408	Grand Cayman	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.54106	-72.33784	25.3	23.7	1454	Haiti	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.99413	-76.79290	26.2	24.9	929	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.00994	-76.74636	23.8	22.4	1862	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.93587	-76.87609	26.3	24.9	850	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.98341	-77.82766	26.4	25.1	1357	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.73954	-77.21747	26.4	25.1	1046	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.80882	-77.24252	26.5	25.2	1069	Jamaica	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	12.11499	-68.93464	27.4	26.2	539	Neth Antilles	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.17774	-66.11324	22.9	21.1	1899	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.11600	-66.57446	23.9	22.3	1657	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.97962	-66.30122	26.5	25.0	907	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.94815	-66.26841	26.7	25.2	914	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.97207	-67.04652	25.6	24.0	1052	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.89246	-66.52403	26.5	25.0	841	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.08551	-67.93431	25.6	24.1	1008	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	18.10982	-65.47924	26.1	24.5	1341	Puerto Rico	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.30290	-62.71613	26.0	24.5	1330	St. Kitts	Tauber 2010
<i>Chrysopodes (N.) collaris</i>	17.74066	-64.70341	26.1	24.7	1054	US Virgin Isl	Tauber 2010

<i>Chrysopodes (N.) collaris</i>	17.73720	-64.85209	25.8	24.3	1231	US Virgin Isl
<i>Chrysopodes (N.) collaris</i>	8.35791	-64.74431	27.4	26.9	1094	US Virgin Isl
<i>Chrysopodes (N.) collaris</i>	18.35639	-64.95251	25.7	24.2	1131	US Virgin Isl
<i>Chrysopodes (N.) collaris</i>	10.34925	-67.69012	20.2	19.3	979	Venezuela
<i>Chrysopodes (N.) collaris</i>	10.30843	-70.02838	25.0	24.2	632	Venezuela
<i>Chrysopodes (N.) collaris</i>	10.15849	-69.90468	25.6	24.8	688	Venezuela
<i>Chrysopodes (N.) collaris</i>	6.52242	-75.73715	23.0	22.6	1600	Colombia
<i>Chrysopodes (N.) collaris</i>	-11.94116	-76.70354	17.3	14.8	73	Peru
<i>Chrysopodes (N.) collaris</i>	17.54143	-88.25351	25.6	23.3	1828	Belize
<i>Chrysopodes (N.) collaris</i>	-18.45273	-70.27771	18.2	15.3	4	Chile
<i>Chrysopodes (N.) collaris</i>	-18.48031	-70.23136	17.7	14.7	4	Chile
<i>Chrysopodes (N.) collaris</i>	-18.48120	-70.29831	18.6	15.9	1	Chile
<i>Chrysopodes (N.) collaris</i>	-18.80314	-70.16685	16.9	13.9	0	Chile
<i>Chrysopodes (N.) collaris</i>	-18.51669	-70.18330	17.8	14.9	4	Chile
<i>Chrysopodes (N.) collaris</i>	-20.24905	-70.12245	17.1	14.4	1	Chile
<i>Chrysopodes (N.) collaris</i>	-18.48063	-70.29826	18.6	15.9	1	Chile
<i>Chrysopodes (N.) collaris</i>	-18.41734	-70.10716	17.3	14.1	7	Chile
<i>Chrysopodes (N.) collaris</i>	-2.20005	-80.86512	24.3	22.5	158	Ecuador
<i>Chrysopodes (N.) collaris</i>	-3.94320	-79.43249	18.2	18.0	958	Ecuador
<i>Chrysopodes (N.) collaris</i>	-3.65567	-79.24843	13.1	12.6	728	Ecuador
<i>Chrysopodes (N.) collaris</i>	-9.21177	-78.39372	19.4	17.3	13	Peru
<i>Chrysopodes (N.) collaris</i>	-5.71826	-78.82822	22.9	22.4	792	Peru
<i>Chrysopodes (N.) collaris</i>	-11.86776	-76.64353	15.9	13.7	135	Peru
<i>Chrysopodes (N.) collaris</i>	-11.66585	-76.79464	15.0	12.9	150	Peru
<i>Chrysopodes (N.) collaris</i>	-4.83640	-80.65063	24.0	21.5	82	Peru
<i>Chrysopodes (N.) collaris</i>	-7.99080	-78.68075	15.4	13.9	295	Peru
<i>Chrysopodes (N.) collaris</i>	-8.00807	-78.79150	18.7	16.9	116	Peru
<i>Chrysopodes (N.) collaris</i>	-8.12259	-78.91472	19.1	17.2	25	Peru
<i>Chrysopodes (N.) collaris</i>	-8.06295	-78.83586	19.3	17.3	37	Peru
<i>Chrysopodes (N.) collaris</i>	-6.70887	-79.91079	22.2	19.4	21	Peru
<i>Chrysopodes (N.) collaris</i>	-6.24242	-79.71514	23.6	21.3	108	Peru
<i>Chrysopodes (N.) collaris</i>	-13.07294	-76.37773	19.4	16.2	13	Peru
<i>Chrysopodes (N.) krugii</i>	18.20920	-63.05114	27.0	25.5	983	Anguilla
<i>Chrysopodes (N.) krugii</i>	15.42778	-61.43084	25.5	24.1	2108	Dominican Rep.
<i>Chrysopodes (N.) krugii</i>	15.58515	-61.46808	26.1	24.8	1608	Dominican Rep.
<i>Chrysopodes (N.) krugii</i>	15.34287	-61.37278	22.2	20.8	3211	Dominican Rep.

<i>Chrysopodes (N.) krugii</i>	15.99701	-61.71276	25.4	24.0	1649	Guadeloupe
<i>Chrysopodes (N.) krugii</i>	12.30595	-69.14433	27.3	26.0	608	Neth Antilles
<i>Chrysopodes (N.) krugii</i>	18.16153	-66.99781	21.7	20.1	2472	Puerto Rico
<i>Chrysopodes (N.) krugii</i>	18.43519	-66.01115	25.8	24.1	1627	Puerto Rico
<i>Chrysopodes (N.) krugii</i>	17.74705	-64.70259	26.1	24.7	1054	US Virgin Isl
<i>Chrysopodes (N.) oswaldi</i>	9.99162	-84.70356	26.5	25.6	2109	Costa Rica
<i>Chrysopodes (N.) escomeli</i>	18.51669	-70.18330	17.8	14.9	4	Chile
<i>Chrysopodes (N.) escomeli</i>	-20.42634	-69.58945	16.6	13.0	0	Chile
<i>Chrysopodes (N.) escomeli</i>	-19.01159	-69.85973	16.4	13.2	4	Chile
<i>Chrysopodes (N.) escomeli</i>	-18.41759	-70.10546	17.3	14.1	7	Chile
<i>Chrysopodes (N.) escomeli</i>	-11.84472	-76.38611	11.0	9.3	295	Peru
<i>Chrysopodes (N.) escomeli</i>	-11.66535	-76.79022	15.9	13.8	131	Peru
<i>Chrysopodes (N.) escomeli</i>	-11.88129	-76.53664	14.6	12.6	188	Peru
<i>Chrysopodes (N.) escomeli</i>	-12.16193	-76.99851	18.9	15.8	23	Peru
<i>Chrysopodes (N.) escomeli</i>	-11.83242	-76.62418	12.7	10.8	221	Peru
<i>Chrysopodes (N.) escomeli</i>	-12.04400	-77.03972	18.7	15.6	16	Peru
<i>Chrysopodes (N.) escomeli</i>	-7.98966	-78.67198	15.4	13.9	295	Peru
<i>Chrysopodes (N.) escomeli</i>	-3.94277	-79.43350	18.2	18.0	958	Ecuador
<i>Chrysopodes (N.) flavescens</i>	-39.67647	-70.96352	8.5	3.1	573	Argentina
<i>Chrysopodes (N.) flavescens</i>	-39.46784	-70.81094	6.2	0.7	525	Argentina
<i>Chrysopodes (N.) flavescens</i>	-38.95699	-68.13518	14.4	6.9	165	Argentina
<i>Chrysopodes (N.) flavescens</i>	-40.15584	-71.35687	8.8	3.6	976	Argentina
<i>Chrysopodes (N.) flavescens</i>	-37.80352	-72.70407	12.7	8.1	1062	Chile
<i>Chrysopodes (N.) flavescens</i>	-27.29813	-70.41067	15.8	12.1	28	Chile
<i>Chrysopodes (N.) flavescens</i>	-28.03977	-69.99379	11.4	7.7	31	Chile
<i>Chrysopodes (N.) flavescens</i>	-28.03977	-69.99379	11.4	7.7	31	Chile
<i>Chrysopodes (N.) flavescens</i>	-28.87616	-70.28253	10.5	6.8	41	Chile
<i>Chrysopodes (N.) flavescens</i>	-28.56790	-70.77826	16.2	12.9	54	Chile
<i>Chrysopodes (N.) flavescens</i>	-37.24854	-73.32462	13.4	10.3	1399	Chile
<i>Chrysopodes (N.) flavescens</i>	-38.00496	-73.22553	12.2	8.5	1661	Chile
<i>Chrysopodes (N.) flavescens</i>	-37.67820	-71.73718	10.8	5.9	1841	Chile
<i>Chrysopodes (N.) flavescens</i>	-36.80017	-71.73079	10.6	5.5	1362	Chile
<i>Chrysopodes (N.) flavescens</i>	-36.84120	-71.79865	11.5	6.4	1328	Chile
<i>Chrysopodes (N.) flavescens</i>	-37.66176	-72.01716	11.8	6.9	1419	Chile
<i>Chrysopodes (N.) flavescens</i>	-30.13962	-70.69123	10.5	6.7	80	Chile
<i>Chrysopodes (N.) flavescens</i>	-29.98466	-70.55005	12.6	8.7	70	Chile

<i>Chrysopodes (N.) flavescentis</i>	-29.97776	-70.56062	12.6	8.7	70	Chile
<i>Chrysopodes (N.) flavescentis</i>	-29.98199	-70.93587	14.6	11.1	81	Chile
<i>Chrysopodes (N.) flavescentis</i>	-30.36420	-71.43765	15.8	12.7	105	Chile
<i>Chrysopodes (N.) flavescentis</i>	-31.90787	-71.50158	17.0	13.2	211	Chile
<i>Chrysopodes (N.) flavescentis</i>	-32.11179	-71.50018	16.7	13.0	254	Chile
<i>Chrysopodes (N.) flavescentis</i>	-30.37047	-70.92002	12.8	9.1	103	Chile
<i>Chrysopodes (N.) flavescentis</i>	-30.35526	-71.62447	15.6	12.6	109	Chile
<i>Chrysopodes (N.) flavescentis</i>	-30.91807	-71.03634	13.0	9.1	172	Chile
<i>Chrysopodes (N.) flavescentis</i>	-35.10928	-71.68545	14.7	9.2	774	Chile
<i>Chrysopodes (N.) flavescentis</i>	-34.03528	-70.57109	12.2	6.7	763	Chile
<i>Chrysopodes (N.) flavescentis</i>	-34.06324	-70.73051	14.7	8.9	516	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.37731	-70.64812	14.8	9.3	349	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.55948	-70.66875	14.8	9.0	364	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.58807	-70.39471	11.7	6.5	614	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.34330	-70.69340	14.8	9.2	335	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.42482	-70.55957	14.4	8.9	397	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.44988	-70.54907	14.4	8.9	397	Chile
<i>Chrysopodes (N.) flavescentis</i>	-32.98510	-70.76917	13.8	8.9	342	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.51686	-70.77814	14.9	9.2	366	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.51880	-70.77860	14.9	9.2	366	Chile
<i>Chrysopodes (N.) flavescentis</i>	-33.04975	-71.61616	13.6	10.7	560	Chile
<i>Chrysopodes (N.) flavescentis</i>	-32.55940	-70.70028	15.3	10.3	293	Chile
<i>Chrysopodes (N.) flavescentis</i>	-32.91051	-70.30073	8.8	3.8	386	Chile
<i>Chrysopodes (N.) nigripilosus</i>	-0.65643	-90.39704	20.7	18.7	1043	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	-0.67721	-90.42842	22.5	20.4	660	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	0.58149	-90.76569	22.7	21.1	923	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	-0.45966	-90.27140	24.1	22.3	244	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	-0.74254	-90.31013	23.2	21.1	460	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	-0.95562	-90.96598	23.9	22.1	309	Ecuador
<i>Chrysopodes (N.) nigripilosus</i>	0.05436	-91.27944	24.2	22.5	778	Ecuador
<i>Chrysopodes (N.) porterinus</i>	-31.73641	-71.25729	15.7	11.5	213	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.35249	-70.34976	15.7	12.0	36	Chile
<i>Chrysopodes (N.) porterinus</i>	-39.67647	-70.96352	8.5	3.1	573	Argentina
<i>Chrysopodes (N.) porterinus</i>	-39.46784	-70.81094	6.2	0.7	525	Argentina
<i>Chrysopodes (N.) porterinus</i>	-38.95678	-68.13532	14.4	6.9	165	Argentina
<i>Chrysopodes (N.) porterinus</i>	-40.15482	-71.35639	8.8	3.6	976	Argentina

<i>Chrysopodes (N.) porterinus</i>	-40.56398	-70.63823	10.2	4.2	530	Argentina
<i>Chrysopodes (N.) porterinus</i>	-25.37374	-70.44012	17.7	14.4	14	Chile
<i>Chrysopodes (N.) porterinus</i>	-25.25172	-70.42839	17.9	14.6	21	Chile
<i>Chrysopodes (N.) porterinus</i>	-23.57070	-70.35741	16.6	13.6	2	Chile
<i>Chrysopodes (N.) porterinus</i>	-23.58188	-70.37191	16.6	13.6	2	Chile
<i>Chrysopodes (N.) porterinus</i>	-23.67116	-70.39591	17.4	14.4	3	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.37578	-70.33004	15.8	12.0	32	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.32264	-70.54173	15.6	12.1	29	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.29801	-70.41092	15.8	12.1	28	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.51937	-70.05160	11.0	7.8	27	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.51937	-70.05160	11.0	7.8	27	Chile
<i>Chrysopodes (N.) porterinus</i>	-28.45599	-71.18685	17.7	14.2	41	Chile
<i>Chrysopodes (N.) porterinus</i>	-28.57648	-70.76918	16.2	12.9	54	Chile
<i>Chrysopodes (N.) porterinus</i>	-28.08776	-71.14067	17.4	14.0	37	Chile
<i>Chrysopodes (N.) porterinus</i>	-28.03977	-69.99379	11.4	7.7	31	Chile
<i>Chrysopodes (N.) porterinus</i>	-28.26034	-70.69511	15.8	12.3	41	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.32346	-70.73279	15.5	12.3	33	Chile
<i>Chrysopodes (N.) porterinus</i>	-27.38892	-70.30519	15.8	12.0	32	Chile
<i>Chrysopodes (N.) porterinus</i>	-37.26056	-72.71827	13.3	8.9	1289	Chile
<i>Chrysopodes (N.) porterinus</i>	-36.80017	-71.73079	10.6	5.5	1362	Chile
<i>Chrysopodes (N.) porterinus</i>	-29.70514	-70.83440	10.9	7.5	64	Chile
<i>Chrysopodes (N.) porterinus</i>	-31.18196	-71.00528	11.9	8.0	197	Chile
<i>Chrysopodes (N.) porterinus</i>	-29.97776	-70.56062	12.6	8.7	70	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.25078	-71.49568	16.0	13.0	100	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.60061	-71.20462	15.5	11.9	132	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.13962	-70.69123	10.5	6.7	80	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.09392	-70.70358	11.1	7.3	77	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.02471	-70.71751	14.9	11.0	79	Chile
<i>Chrysopodes (N.) porterinus</i>	-30.05601	-70.72799	14.1	10.2	80	Chile
<i>Chrysopodes (N.) porterinus</i>	-31.90909	-71.50207	17.0	13.2	211	Chile
<i>Chrysopodes (N.) porterinus</i>	-31.78035	-70.96804	15.1	10.5	230	Chile
<i>Chrysopodes (N.) porterinus</i>	-35.00930	-70.73872	10.4	4.7	1115	Chile
<i>Chrysopodes (N.) porterinus</i>	-35.04886	-70.52553	8.7	3.0	896	Chile
<i>Chrysopodes (N.) porterinus</i>	-34.06324	-70.73051	14.7	8.9	516	Chile
<i>Chrysopodes (N.) porterinus</i>	-34.03534	-70.57353	12.2	6.7	763	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.40762	-70.71503	14.5	9.0	341	Chile

<i>Chrysopodes (N.) porterinus</i>	-33.555948	-70.666875	14.8	9.0	364	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.64510	-70.35451	11.8	6.6	635	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.44954	-70.76343	14.6	8.9	348	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.42482	-70.55957	14.4	8.9	397	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.82682	-70.06401	7.5	2.1	607	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.31855	-70.67593	14.5	9.1	338	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.28525	-70.87968	13.9	8.8	372	Chile
<i>Chrysopodes (N.) porterinus</i>	-32.91051	-70.30073	8.8	3.8	386	Chile
<i>Chrysopodes (N.) porterinus</i>	-32.55995	-70.69865	15.3	10.3	293	Chile
<i>Chrysopodes (N.) porterinus</i>	-32.13450	-71.53129	16.6	12.9	264	Chile
<i>Chrysopodes (N.) porterinus</i>	-33.39205	-71.25664	13.2	8.7	512	Chile
<i>Chrysopodes (N.) porterinus</i>	-32.69046	-71.20996	14.7	10.7	368	Chile
<i>Chrysopodes (N.) porterinus</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes (N.) porterinus</i>	-3.11037	-60.02985	27.5	27.0	2153	Brazil
<i>Chrysopodes (N.) porterinus</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Chrysopodes (N.) porterinus</i>	-3.06908	-60.01903	27.4	27.0	2165	Brazil
<i>Chrysopodes (N.) kariniae</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes lineafrons</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Chrysopodes lineafrons</i>	-5.41738	-54.37736	25.6	25.1	1961	Brazil
<i>Chrysopodes polygonica</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes polygonica</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Chrysopodes polygonica</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes spinella</i>	-21.17092	-47.84399	21.6	18.7	1496	Brazil
<i>Chrysopodes spinella</i>	-20.94534	-48.47503	22.3	19.5	1339	Brazil
<i>Chrysopodes alypnatus</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil
<i>Chrysopodes copia</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil
<i>Chrysopodes copia</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Chrysopodes copia</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Chrysopodes copia</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Chrysopodes crocinus</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Chrysopodes delicata</i>	-23.44001	-46.71396	18.1	15.3	1367	Brazil
<i>Chrysopodes elongata</i>	-20.55747	-48.56852	22.8	20.0	1309	Brazil
<i>Chrysopodes nigropicta</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes divisa</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Chrysopodes divisa</i>	-21.16977	-49.11126	22.6	19.6	1273	Brazil
<i>Chrysopodes divisa</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Chrysopodes kariniae</i>						

<i>Chrysopodes crassinervis</i>	8.79668	-82.95064	21.4	20.6	3471	Costa Rica	Penny 1998
<i>Chrysopodes crassinervis</i>	8.79042	-82.96931	20.2	19.5	3289	Costa Rica	Penny 1998
<i>Chrysopodes crassinervis</i>	10.51020	-83.49784	26.3	25.4	4658	Costa Rica	Penny 1998
<i>Chrysopodes victoriae</i>	9.74177	-82.96662	26.1	25.3	2698	Costa Rica	Penny 1998
<i>Cintameva collarinus</i>	0.51924	25.19607	25.4	24.7	1799	DR Congo	W-RMCA-1
<i>Crassochevra aculeata</i>	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
<i>Crassochevra aculeata</i>	-23.83631	28.22934	18.9	13.1	557	South Africa	W-RMCA-2
<i>Crassochevra aculeata</i>	-22.44000	31.24000	24.5	19.5	416	South Africa	W-RMCA-2
<i>Crassochevra aculeata</i>	-24.27210	29.22563	17.0	12.1	623	South Africa	W-RMCA-2
<i>Crassochevra aculeata</i>	-24.54972	30.81331	19.0	14.9	912	South Africa	W-RMCA-2
<i>Cunctochrysa kannemeyri</i>	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
<i>Cunctochrysa kannemeyri</i>	-30.48510	26.25408	15.2	8.3	475	South Africa	W-RMCA-2
<i>Dichochrysa</i>	-18.16940	177.48500	24.9	23.2	2078	Fiji	W-GBIF-23
<i>Dichochrysa</i>	-18.16940	177.48500	24.9	23.2	2078	Fiji	W-GBIF-23
<i>Dichochrysa</i>	-18.05750	178.42600	23.8	22.0	3101	Fiji	W-GBIF-23
<i>Dichochrysa</i>	-17.66670	177.55000	21.7	19.9	2573	Fiji	W-GBIF-23
<i>Dichochrysa</i>	-16.84330	-179.96600	21.1	19.5	3152	Fiji	W-GBIF-23
<i>Dichochrysa prasina</i>	16.73222	-62.20734	24.2	22.7	1937	West Indies	W-GBIF-2
<i>Oxythreya funesta</i>	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
<i>Oxythreya funesta</i>	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
<i>Oxythreya funesta</i>	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
<i>Dichochrysa ventralis</i>	40.42030	-3.70570	13.6	5.5	453	Spain	W-GBIF-2
<i>Dichochrysa ventralis</i>	41.81667	2.10000	12.4	5.8	754	Spain	W-GBIF-2
<i>Dichochrysa prasina</i>	41.51667	26.95000	13.8	4.8	615	Turkey	W-GBIF-2
<i>Dichochrysa zelleri</i>	41.60000	26.68333	13.5	4.2	610	Turkey	W-GBIF-2
<i>Dichochrysa ventralis</i>	42.56667	-0.54999	9.7	2.9	775	Spain	W-GBIF-2
<i>Dichochrysa ventralis</i>	42.56667	-0.54999	9.7	2.9	775	Spain	W-GBIF-2
<i>Dichochrysa ventralis</i>	43.55035	10.34687	14.9	7.9	846	Italy	W-GBIF-2
<i>Dichochrysa ventralis</i>	46.61667	9.74999	-0.3	-6.6	1441	Switzerland	W-GBIF-2
<i>Dichochrysa ventralis</i>	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
<i>Dichochrysa ventralis</i>	46.21833	17.05000	10.7	0.8	765	Hungary	W-GBIF-2
<i>Dichochrysa prasina</i>	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
<i>Dichochrysa prasina</i>	46.91666	17.84833	10.9	0.5	565	Hungary	W-GBIF-2
<i>Dichochrysa prasina</i>	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
<i>Dichochrysa prasina</i>	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
<i>Dichochrysa prasina</i>	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2

<i>Dichochrysa ventralis</i>	46.93833	17.33833	10.1	-0.1	629	Hungary
<i>Dichochrysa prasina</i>	46.34333	18.79000	11.3	0.8	577	Hungary
<i>Dichochrysa sp.</i>	47.19540	9.66962	8.1	-0.6	1132	Austria
<i>Dichochrysa sp.</i>	47.05190	9.60729	1.1	-5.5	1523	Austria
<i>Dichochrysa sp.</i>	47.19540	9.66962	8.1	-0.6	1132	Austria
<i>Dichochrysa flavifrons</i>	47.47908	19.12934	11.0	0.6	542	Hungary
<i>Dichochrysa prasina</i>	47.47908	19.12934	11.0	0.6	542	Hungary
<i>Dichochrysa flavifrons</i>	49.91438	-6.30855	11.2	7.0	1096	UK
<i>Dichochrysa flavifrons</i>	49.94863	-6.33114	11.2	7.0	1102	UK
<i>Dichochrysa flavifrons</i>	49.91431	-6.29809	11.2	7.0	1096	UK
<i>Dichochrysa prasina</i>	49.82000	6.33000	8.9	1.5	772	Luxemburg
<i>Dichochrysa ventralis</i>	49.80000	6.32000	8.9	1.5	772	Luxemburg
<i>Dichochrysa flavifrons</i>	49.80000	6.32000	8.9	1.5	772	Luxemburg
<i>Dichochrysa flavifrons</i>	50.17162	-5.15133	9.7	4.8	1100	UK
<i>Dichochrysa prasina</i>	50.37343	-5.12460	10.1	5.1	1054	UK
<i>Dichochrysa ventralis</i>	50.37343	-5.12460	10.1	5.1	1054	UK
<i>Dichochrysa ventralis</i>	50.01119	-5.25949	9.9	5.3	1062	UK
<i>Dichochrysa flavifrons</i>	50.20617	-5.40946	10.0	5.3	1068	UK
<i>Dichochrysa flavifrons</i>	50.81751	-4.48462	10.4	5.2	993	UK
<i>Dichochrysa ventralis</i>	50.81751	-4.48462	10.4	5.2	993	UK
<i>Dichochrysa ventralis</i>	50.37384	-4.18003	10.5	6.0	991	UK
<i>Dichochrysa ventralis</i>	50.37384	-4.18003	10.5	6.0	991	UK
<i>Dichochrysa prasina</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa ventralis</i>	50.75111	-3.42976	9.7	4.4	863	UK
<i>Dichochrysa flavifrons</i>	50.56078	-3.76501	8.5	3.2	1166	UK
<i>Dichochrysa ventralis</i>	50.56078	-3.76501	8.5	3.2	1166	UK
<i>Dichochrysa prasina</i>	50.56078	-3.76501	8.5	3.2	1166	UK
<i>Dichochrysa ventralis</i>	50.62940	-3.45294	9.8	4.5	832	UK
<i>Dichochrysa flavifrons</i>	50.62940	-3.45294	9.8	4.5	832	UK
<i>Dichochrysa prasina</i>	50.65462	-3.48555	9.8	4.6	844	UK
<i>Dichochrysa flavifrons</i>	50.65462	-3.48555	9.8	4.6	844	UK
<i>Dichochrysa ventralis</i>	50.59616	-3.71475	9.3	4.1	1038	UK
<i>Dichochrysa flavifrons</i>	50.59616	-3.71475	9.3	4.1	1038	UK
<i>Dichochrysa flavifrons</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa ventralis</i>	50.59616	-3.71475	9.3	4.1	1038	UK

<i>Dichochrysa prasina</i>	50.59616	-3.71475	9.3	4.1	1038	UK
<i>Dichochrysa ventralis</i>	50.59616	-3.71475	9.3	4.1	1038	UK
<i>Dichochrysa flavifrons</i>	50.59616	-3.71475	9.3	4.1	1038	UK
<i>Dichochrysa prasina</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa flavifrons</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa flavifrons</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa ventralis</i>	50.56283	-3.62387	10.0	4.9	880	UK
<i>Dichochrysa flavifrons</i>	50.69027	-3.11146	9.2	3.9	888	UK
<i>Dichochrysa flavifrons</i>	50.37877	-3.89892	9.6	4.7	1037	UK
<i>Dichochrysa ventralis</i>	50.66390	-2.21226	9.7	4.5	831	UK
<i>Dichochrysa ventralis</i>	50.75401	-2.07089	9.8	4.4	808	UK
<i>Dichochrysa prasina</i>	50.75401	-2.07089	9.8	4.4	808	UK
<i>Dichochrysa ventralis</i>	50.75349	-2.35444	9.5	4.1	821	UK
<i>Dichochrysa prasina</i>	50.66390	-2.21226	9.7	4.5	831	UK
<i>Dichochrysa flavifrons</i>	50.66856	-2.07784	10.1	4.8	795	UK
<i>Dichochrysa flavifrons</i>	50.75401	-2.07089	9.8	4.4	808	UK
<i>Dichochrysa ventralis</i>	50.75401	-2.07089	9.8	4.4	808	UK
<i>Dichochrysa ventralis</i>	50.67757	-2.04954	10.1	4.8	795	UK
<i>Dichochrysa prasina</i>	50.67757	-2.04954	10.1	4.8	795	UK
<i>Dichochrysa ventralis</i>	50.95627	-2.16375	9.1	3.6	838	UK
<i>Dichochrysa flavifrons</i>	50.67757	-2.04954	10.1	4.8	795	UK
<i>Dichochrysa ventralis</i>	50.67757	-2.04954	10.1	4.8	795	UK
<i>Dichochrysa ventralis</i>	50.66390	-2.21226	9.7	4.5	831	UK
<i>Dichochrysa prasina</i>	50.66390	-2.21226	9.7	4.5	831	UK
<i>Dichochrysa ventralis</i>	50.66390	-2.21226	9.7	4.5	831	UK
<i>Dichochrysa prasina</i>	50.67725	-2.277601	9.9	4.7	797	UK
<i>Dichochrysa flavifrons</i>	50.66356	-2.35376	9.7	4.5	829	UK
<i>Dichochrysa ventralis</i>	50.84343	-2.35512	9.3	3.8	827	UK
<i>Dichochrysa flavifrons</i>	50.88640	-2.85434	9.0	3.5	884	UK
<i>Dichochrysa prasina</i>	50.88196	-1.23941	10.4	4.7	798	UK
<i>Dichochrysa prasina</i>	50.84343	-1.644488	10.1	4.6	790	UK
<i>Dichochrysa ventralis</i>	50.84343	-1.644488	10.1	4.6	790	UK
<i>Dichochrysa prasina</i>	50.93336	-1.644420	9.8	4.1	795	UK
<i>Dichochrysa ventralis</i>	50.93336	-1.644420	9.8	4.1	795	UK
<i>Dichochrysa prasina</i>	50.69222	-1.50850	10.5	5.1	794	UK
<i>Dichochrysa ventralis</i>	50.69222	-1.50850	10.5	5.1	794	UK
<i>Dichochrysa prasina</i>	50.69222	-1.50850	10.5	5.1	794	UK

<i>Dichochrysa ventralis</i>	50.84394	-1.92898	9.8	4.4	792	UK
<i>Dichochrysa prasina</i>	50.84343	-1.64488	10.1	4.6	790	UK
<i>Dichochrysa ventralis</i>	50.84377	-1.78693	10.0	4.5	789	UK
<i>Dichochrysa prasina</i>	50.84377	-1.78693	10.0	4.5	789	UK
<i>Dichochrysa flavifrons</i>	50.84377	-1.78693	10.0	4.5	789	UK
<i>Dichochrysa prasina</i>	50.75401	-1.92911	9.9	4.6	804	UK
<i>Dichochrysa ventralis</i>	50.65226	-1.45052	10.2	4.8	836	UK
<i>Dichochrysa prasina</i>	50.81216	-1.72319	9.9	4.5	806	UK
<i>Dichochrysa prasina</i>	50.84343	-1.64488	10.1	4.6	790	UK
<i>Dichochrysa ventralis</i>	50.84343	-1.64488	10.1	4.6	790	UK
<i>Dichochrysa ventralis</i>	50.86548	-1.52391	10.4	4.9	776	UK
<i>Dichochrysa ventralis</i>	50.666725	-1.44101	10.4	4.9	812	UK
<i>Dichochrysa ventralis</i>	50.84291	-1.50284	10.4	4.9	776	UK
<i>Dichochrysa prasina</i>	50.84291	-1.50284	10.4	4.9	776	UK
<i>Dichochrysa prasina</i>	50.82791	-1.22609	10.6	4.8	800	UK
<i>Dichochrysa ventralis</i>	50.65959	-1.96463	9.9	4.7	825	UK
<i>Dichochrysa ventralis</i>	50.77651	-1.97872	9.8	4.5	805	UK
<i>Dichochrysa ventralis</i>	50.84885	-1.52621	10.4	4.9	776	UK
<i>Dichochrysa ventralis</i>	50.81100	-1.41091	10.5	5.0	792	UK
<i>Dichochrysa ventralis</i>	50.84343	-1.64488	10.1	4.6	790	UK
<i>Dichochrysa ventralis</i>	50.96094	-0.98179	9.5	3.4	876	UK
<i>Dichochrysa ventralis</i>	50.83910	-0.93473	10.3	4.3	834	UK
<i>Dichochrysa ventralis</i>	50.87610	0.01147	10.1	4.4	694	UK
<i>Dichochrysa ventralis</i>	50.99269	0.03076	10.1	4.3	687	UK
<i>Dichochrysa ventralis</i>	50.99091	0.13044	10.0	4.2	708	UK
<i>Dichochrysa ventralis</i>	50.92767	0.96732	10.4	4.6	665	UK
<i>Dichochrysa ventralis</i>	50.98730	0.92124	10.4	4.5	667	UK
<i>Dichochrysa ventralis</i>	50.85717	0.52226	10.3	4.5	713	UK
<i>Dichochrysa ventralis</i>	50.50164	4.47767	9.7	2.4	850	Belgium
<i>Dichochrysa ventralis</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Dichochrysa ventralis</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Dichochrysa prasina</i>	50.35000	18.96667	8.5	-2.0	673	Poland
<i>Dichochrysa prasina</i>	50.66666	18.68333	8.3	-1.6	635	Poland
<i>Dichochrysa ventralis</i>	51.70325	-5.15029	9.9	4.8	876	UK
<i>Dichochrysa ventralis</i>	51.70325	-5.15029	9.9	4.8	876	UK
<i>Dichochrysa ventralis</i>	51.63631	-4.24728	10.8	5.4	1043	UK

<i>Dichochrysa ventralis</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Dichochrysa prasina</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Dichochrysa flavifrons</i>	51.09280	-4.21368	11.0	5.8	1012	UK
<i>Dichochrysa flavifrons</i>	51.57183	-4.16111	10.5	4.9	1132	UK
<i>Dichochrysa ventralis</i>	51.57183	-4.16111	10.5	4.9	1132	UK
<i>Dichochrysa prasina</i>	51.67334	-4.30914	10.6	5.4	1017	UK
<i>Dichochrysa flavifrons</i>	51.50821	-3.16007	10.1	4.4	996	UK
<i>Dichochrysa flavifrons</i>	51.46709	-3.223382	10.2	4.6	1008	UK
<i>Dichochrysa ventralis</i>	51.50821	-3.16007	10.1	4.4	996	UK
<i>Dichochrysa prasina</i>	51.19002	-3.78895	8.5	3.0	1372	UK
<i>Dichochrysa flavifrons</i>	51.13915	-3.19368	9.0	3.6	1043	UK
<i>Dichochrysa prasina</i>	51.54955	-3.80302	10.4	5.0	1123	UK
<i>Dichochrysa ventralis</i>	51.57396	-2.82981	10.0	4.5	861	UK
<i>Dichochrysa flavifrons</i>	51.60681	-2.222024	9.2	3.7	767	UK
<i>Dichochrysa flavifrons</i>	51.11008	-2.92862	9.8	4.3	845	UK
<i>Dichochrysa prasina</i>	51.92307	-2.07272	9.6	4.0	683	UK
<i>Dichochrysa ventralis</i>	51.56320	-2.21642	9.4	3.8	757	UK
<i>Dichochrysa flavifrons</i>	51.56320	-2.21642	9.4	3.8	757	UK
<i>Dichochrysa prasina</i>	51.82007	-2.47520	9.3	3.9	802	UK
<i>Dichochrysa flavifrons</i>	51.65277	-2.36141	9.4	3.9	781	UK
<i>Dichochrysa flavifrons</i>	51.24906	-2.10389	9.0	3.4	800	UK
<i>Dichochrysa ventralis</i>	51.79178	-2.56771	9.4	3.9	824	UK
<i>Dichochrysa prasina</i>	51.32095	-2.14998	9.6	4.0	743	UK
<i>Dichochrysa ventralis</i>	51.32095	-2.14998	9.6	4.0	743	UK
<i>Dichochrysa prasina</i>	51.74305	-2.21728	9.5	3.9	741	UK
<i>Dichochrysa flavifrons</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Dichochrysa prasina</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Dichochrysa ventralis</i>	51.09027	-1.63799	9.6	3.7	767	UK
<i>Dichochrysa flavifrons</i>	51.09027	-1.63799	9.6	3.7	767	UK
<i>Dichochrysa ventralis</i>	51.11322	-1.64282	9.6	3.7	767	UK
<i>Dichochrysa prasina</i>	51.11322	-1.64282	9.6	3.7	767	UK
<i>Dichochrysa flavifrons</i>	51.11200	-1.35708	9.9	4.1	774	UK
<i>Dichochrysa ventralis</i>	51.06378	-1.65033	9.9	4.1	755	UK
<i>Dichochrysa flavifrons</i>	51.10199	-1.26080	10.0	4.1	777	UK
<i>Dichochrysa flavifrons</i>	51.61002	-1.18398	9.9	4.0	656	UK
<i>Dichochrysa prasina</i>	51.61002	-1.18398	9.9	4.0	656	UK

<i>Dichochrysa flavifrons</i>	51.61002	-1.18398	9.9	4.0	656	UK
<i>Dichochrysa prasina</i>	51.69673	-1.48992	9.7	3.8	623	UK
<i>Dichochrysa flavifrons</i>	51.08385	-1.39103	9.9	4.1	768	UK
<i>Dichochrysa ventralis</i>	51.08385	-1.39103	9.9	4.1	768	UK
<i>Dichochrysa ventralis</i>	51.82720	-1.41226	9.6	3.8	618	UK
<i>Dichochrysa flavifrons</i>	51.04516	-1.47927	10.0	4.2	766	UK
<i>Dichochrysa flavifrons</i>	51.07951	-1.19335	9.9	4.0	802	UK
<i>Dichochrysa ventralis</i>	51.07951	-1.19335	9.9	4.0	802	UK
<i>Dichochrysa flavifrons</i>	51.66334	-1.09626	9.9	3.9	656	UK
<i>Dichochrysa flavifrons</i>	51.68319	-1.38519	9.8	3.9	633	UK
<i>Dichochrysa prasina</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Dichochrysa flavifrons</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Dichochrysa prasina</i>	51.79217	-1.64473	9.3	3.4	639	UK
<i>Dichochrysa flavifrons</i>	51.59224	-1.21317	9.9	4.1	657	UK
<i>Dichochrysa prasina</i>	51.59425	-1.61740	9.6	3.7	638	UK
<i>Dichochrysa flavifrons</i>	51.91786	-1.58557	9.1	3.3	647	UK
<i>Dichochrysa ventralis</i>	51.99838	-1.48286	9.0	3.2	650	UK
<i>Dichochrysa ventralis</i>	51.82589	-1.12856	9.9	4.0	622	UK
<i>Dichochrysa ventralis</i>	51.19737	-0.78334	9.6	3.2	805	UK
<i>Dichochrysa ventralis</i>	51.19737	-0.78334	9.6	3.2	805	UK
<i>Dichochrysa flavifrons</i>	51.19737	-0.78334	9.6	3.2	805	UK
<i>Dichochrysa ventralis</i>	51.38570	-0.86531	9.8	3.1	733	UK
<i>Dichochrysa flavifrons</i>	51.18704	-0.78433	9.6	3.2	805	UK
<i>Dichochrysa ventralis</i>	51.18704	-0.78433	9.6	3.2	805	UK
<i>Dichochrysa prasina</i>	51.18704	-0.78433	9.6	3.2	805	UK
<i>Dichochrysa ventralis</i>	51.37859	-0.92225	9.9	3.4	726	UK
<i>Dichochrysa flavifrons</i>	51.77056	-0.68900	9.2	2.7	699	UK
<i>Dichochrysa ventralis</i>	51.19933	-0.38749	9.4	3.3	702	UK
<i>Dichochrysa ventralis</i>	51.73580	-0.80297	9.4	3.0	680	UK
<i>Dichochrysa prasina</i>	51.16537	-0.73412	9.4	3.1	817	UK
<i>Dichochrysa flavifrons</i>	51.16537	-0.73412	9.4	3.1	817	UK
<i>Dichochrysa ventralis</i>	51.63466	-0.60187	9.7	3.2	677	UK
<i>Dichochrysa ventralis</i>	51.37190	-0.34766	10.3	4.2	644	UK
<i>Dichochrysa ventralis</i>	51.68397	-0.74792	9.3	2.8	695	UK
<i>Dichochrysa flavifrons</i>	51.31017	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa ventralis</i>	51.15964	-0.66348	9.6	3.3	775	UK

<i>Dichochrysa prasina</i>	51.15964	-0.66348	9.6	3.3	775	UK
<i>Dichochrysa prasina</i>	51.82330	-0.47632	9.5	3.2	678	UK
<i>Dichochrysa ventralis</i>	51.55489	-0.62452	9.9	3.4	667	UK
<i>Dichochrysa prasina</i>	51.28873	-0.62818	9.8	3.4	732	UK
<i>Dichochrysa ventralis</i>	51.28873	-0.62818	9.8	3.4	732	UK
<i>Dichochrysa flavifrons</i>	51.52466	-0.82149	9.8	3.2	693	UK
<i>Dichochrysa ventralis</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Dichochrysa flavifrons</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Dichochrysa flavifrons</i>	51.14769	-0.76320	9.5	3.2	821	UK
<i>Dichochrysa prasina</i>	51.23690	-0.37328	9.8	3.7	674	UK
<i>Dichochrysa prasina</i>	51.44569	-0.88469	9.9	3.3	708	UK
<i>Dichochrysa flavifrons</i>	51.82133	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa prasina</i>	51.82133	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa ventralis</i>	51.20903	-0.61838	9.7	3.3	732	UK
<i>Dichochrysa prasina</i>	51.20903	-0.61838	9.7	3.3	732	UK
<i>Dichochrysa flavifrons</i>	51.52466	-0.82149	9.8	3.2	693	UK
<i>Dichochrysa prasina</i>	51.52466	-0.82149	9.8	3.2	693	UK
<i>Dichochrysa ventralis</i>	51.19579	-0.64025	9.7	3.4	760	UK
<i>Dichochrysa flavifrons</i>	51.19579	-0.64025	9.7	3.4	760	UK
<i>Dichochrysa prasina</i>	51.19579	-0.64025	9.7	3.4	760	UK
<i>Dichochrysa ventralis</i>	51.19579	-0.64025	9.7	3.4	760	UK
<i>Dichochrysa flavifrons</i>	51.63230	-0.79414	9.5	3.0	684	UK
<i>Dichochrysa ventralis</i>	51.63230	-0.79414	9.5	3.0	684	UK
<i>Dichochrysa flavifrons</i>	51.10746	-0.78571	9.2	2.9	853	UK
<i>Dichochrysa ventralis</i>	51.10746	-0.78571	9.2	2.9	853	UK
<i>Dichochrysa prasina</i>	51.28394	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa ventralis</i>	51.28728	-0.78097	9.5	3.0	792	UK
<i>Dichochrysa flavifrons</i>	51.17780	-0.84896	9.5	3.1	818	UK
<i>Dichochrysa ventralis</i>	51.17780	-0.84896	9.5	3.1	818	UK
<i>Dichochrysa prasina</i>	51.37384	-0.49129	10.3	3.9	648	UK
<i>Dichochrysa ventralis</i>	51.37384	-0.49129	10.3	3.9	648	UK
<i>Dichochrysa flavifrons</i>	51.37384	-0.49129	10.3	3.9	648	UK
<i>Dichochrysa ventralis</i>	51.75509	-0.75465	9.6	3.2	656	UK
<i>Dichochrysa prasina</i>	51.35575	-0.08466	10.5	4.6	664	UK
<i>Dichochrysa ventralis</i>	51.82330	-0.47632	9.5	3.2	678	UK
<i>Dichochrysa ventralis</i>	51.82509	-0.62138	9.4	2.9	684	UK

<i>Dichochrysa flavifrons</i>	-0.655528	10.1	3.5	658	UK
<i>Dichochrysa prasina</i>	-0.67149	9.7	3.0	736	UK
<i>Dichochrysa ventralis</i>	-0.59901	9.7	3.2	677	UK
<i>Dichochrysa prasina</i>	-0.30843	9.7	3.5	665	UK
<i>Dichochrysa prasina</i>	-0.30843	9.7	3.5	665	UK
<i>Dichochrysa flavifrons</i>	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa flavifrons</i>	-0.48278	10.2	3.8	637	UK
<i>Dichochrysa flavifrons</i>	-0.35089	9.9	3.8	671	UK
<i>Dichochrysa ventralis</i>	-0.59668	10.0	3.4	689	UK
<i>Dichochrysa ventralis</i>	-0.31357	10.1	4.1	661	UK
<i>Dichochrysa ventralis</i>	-0.35089	9.9	3.8	671	UK
<i>Dichochrysa ventralis</i>	-0.51849	9.8	3.5	699	UK
<i>Dichochrysa prasina</i>	-0.51849	9.8	3.5	699	UK
<i>Dichochrysa prasina</i>	-0.63493	9.8	3.2	707	UK
<i>Dichochrysa prasina</i>	-0.67596	9.7	3.3	772	UK
<i>Dichochrysa ventralis</i>	-0.48535	10.2	3.8	637	UK
<i>Dichochrysa ventralis</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa prasina</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa ventralis</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa prasina</i>	-0.54552	10.0	3.5	660	UK
<i>Dichochrysa prasina</i>	-0.68662	9.6	3.0	755	UK
<i>Dichochrysa ventralis</i>	-0.37205	10.4	4.4	630	UK
<i>Dichochrysa prasina</i>	-0.52980	10.2	3.7	662	UK
<i>Dichochrysa ventralis</i>	-0.47328	9.6	3.3	659	UK
<i>Dichochrysa prasina</i>	-0.72546	10.0	3.4	670	UK
<i>Dichochrysa ventralis</i>	-0.72546	10.0	3.4	670	UK
<i>Dichochrysa prasina</i>	-0.47769	10.2	3.8	637	UK
<i>Dichochrysa ventralis</i>	-0.65740	9.9	3.2	711	UK
<i>Dichochrysa ventralis</i>	-0.65740	9.9	3.2	711	UK
<i>Dichochrysa prasina</i>	-0.92854	9.4	3.2	846	UK
<i>Dichochrysa ventralis</i>	-0.84896	9.5	3.1	818	UK
<i>Dichochrysa prasina</i>	-0.84896	9.5	3.1	818	UK
<i>Dichochrysa ventralis</i>	-0.84896	9.5	3.1	818	UK
<i>Dichochrysa ventralis</i>	-0.67596	9.7	3.3	772	UK
<i>Dichochrysa ventralis</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa ventralis</i>	-0.34442	10.3	4.3	625	UK

<i>Dichochrysa ventralis</i>	-0.76891	9.2	2.7	701	UK
<i>Dichochrysa flavifrons</i>	-0.64025	9.7	3.4	760	UK
<i>Dichochrysa prasina</i>	-0.48535	10.2	3.8	637	UK
<i>Dichochrysa ventralis</i>	-0.48535	10.2	3.8	637	UK
<i>Dichochrysa prasina</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa prasina</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa ventralis</i>	-0.49424	10.0	3.7	674	UK
<i>Dichochrysa flavifrons</i>	-0.41807	9.9	3.8	663	UK
<i>Dichochrysa flavifrons</i>	-0.80297	9.4	3.0	680	UK
<i>Dichochrysa ventralis</i>	-0.80297	9.4	3.0	680	UK
<i>Dichochrysa prasina</i>	-0.80297	9.4	3.0	680	UK
<i>Dichochrysa prasina</i>	-0.38574	9.9	3.7	669	UK
<i>Dichochrysa prasina</i>	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa ventralis</i>	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa flavifrons</i>	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa prasina</i>	-0.16066	10.0	3.8	639	UK
<i>Dichochrysa prasina</i>	-0.29986	10.1	4.1	661	UK
<i>Dichochrysa ventralis</i>	-0.29986	10.1	4.1	661	UK
<i>Dichochrysa prasina</i>	-0.62955	9.9	3.3	671	UK
<i>Dichochrysa prasina</i>	-0.62955	9.9	3.3	671	UK
<i>Dichochrysa ventralis</i>	-0.70951	10.0	3.4	670	UK
<i>Dichochrysa flavifrons</i>	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa prasina</i>	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa ventralis</i>	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa flavifrons</i>	-0.38699	10.2	4.0	648	UK
<i>Dichochrysa ventralis</i>	-0.49129	10.3	3.9	648	UK
<i>Dichochrysa prasina</i>	-0.49129	10.3	3.9	648	UK
<i>Dichochrysa ventralis</i>	-0.27861	10.5	4.7	633	UK
<i>Dichochrysa ventralis</i>	-0.27861	10.5	4.7	633	UK
<i>Dichochrysa prasina</i>	-0.18126	10.0	4.0	695	UK
<i>Dichochrysa ventralis</i>	-0.71072	9.4	3.1	817	UK
<i>Dichochrysa flavifrons</i>	-0.57673	10.0	3.5	660	UK
<i>Dichochrysa prasina</i>	-0.34872	9.8	3.8	655	UK
<i>Dichochrysa prasina</i>	-0.78334	9.6	3.2	805	UK
<i>Dichochrysa ventralis</i>	-0.33127	9.7	3.5	663	UK
<i>Dichochrysa ventralis</i>	-0.82072	9.6	2.9	775	UK

<i>Dichochrysa prasina</i>	51.21207	-0.68774	9.6	3.1	778	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.54023	-0.32643	10.3	4.5	627	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.22466	-0.43172	9.5	3.3	702	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.08282	-0.59359	9.9	3.7	755	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.36750	-0.06046	10.3	4.4	678	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.26026	-0.30795	9.9	3.9	674	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.33822	-0.19811	10.4	4.5	666	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.16505	-0.70552	9.5	3.2	796	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.32861	-0.65427	9.9	3.3	723	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15

<i>Dichochrysa prasina</i>	51.37560	-0.63493	9.8	3.2	707	UK
<i>Dichochrysa flavifrons</i>	51.37560	-0.63493	9.8	3.2	707	UK
<i>Dichochrysa ventralis</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Dichochrysa flavifrons</i>	51.37719	-0.77858	9.6	2.8	741	UK
<i>Dichochrysa ventralis</i>	51.27176	-0.29462	9.9	3.9	674	UK
<i>Dichochrysa prasina</i>	51.27176	-0.29462	9.9	3.9	674	UK
<i>Dichochrysa ventralis</i>	51.29458	-0.38128	10.2	4.0	648	UK
<i>Dichochrysa ventralis</i>	51.41630	-0.27575	10.5	4.7	636	UK
<i>Dichochrysa prasina</i>	51.41630	-0.27575	10.5	4.7	636	UK
<i>Dichochrysa flavifrons</i>	51.42340	-0.85081	9.9	3.2	709	UK
<i>Dichochrysa prasina</i>	51.33200	-0.70955	9.5	2.9	769	UK
<i>Dichochrysa flavifrons</i>	51.33200	-0.70955	9.5	2.9	769	UK
<i>Dichochrysa prasina</i>	51.99875	-0.31812	10.0	3.8	601	UK
<i>Dichochrysa prasina</i>	51.95961	-0.41420	10.0	3.7	601	UK
<i>Dichochrysa ventralis</i>	51.95961	-0.41420	10.0	3.7	601	UK
<i>Dichochrysa flavifrons</i>	51.83363	-0.54637	9.6	3.2	665	UK
<i>Dichochrysa ventralis</i>	51.83363	-0.54637	9.6	3.2	665	UK
<i>Dichochrysa ventralis</i>	51.91319	-0.47328	9.6	3.3	659	UK
<i>Dichochrysa ventralis</i>	51.82330	-0.47632	9.5	3.2	678	UK
<i>Dichochrysa ventralis</i>	51.91319	-0.47328	9.6	3.3	659	UK
<i>Dichochrysa prasina</i>	51.82330	-0.47632	9.5	3.2	678	UK
<i>Dichochrysa ventralis</i>	51.32100	-0.47365	10.2	3.9	656	UK
<i>Dichochrysa ventralis</i>	51.32412	-0.47139	10.2	3.9	656	UK
<i>Dichochrysa prasina</i>	51.32100	-0.47365	10.2	3.9	656	UK
<i>Dichochrysa ventralis</i>	51.31017	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa ventralis</i>	51.31017	-0.47114	10.2	3.9	656	UK
<i>Dichochrysa prasina</i>	51.61589	0.78084	10.1	4.0	545	UK
<i>Dichochrysa prasina</i>	51.85304	0.27186	9.7	3.4	599	UK
<i>Dichochrysa flavifrons</i>	51.88895	0.83401	9.8	3.7	543	UK
<i>Dichochrysa prasina</i>	51.77170	0.82883	9.9	3.9	538	UK
<i>Dichochrysa ventralis</i>	51.82315	0.76456	9.8	3.7	547	UK
<i>Dichochrysa flavifrons</i>	51.88082	0.15773	9.7	3.4	612	UK
<i>Dichochrysa prasina</i>	51.43047	0.80482	10.1	4.1	591	UK
<i>Dichochrysa flavifrons</i>	51.43047	0.80482	10.1	4.1	591	UK
<i>Dichochrysa ventralis</i>	51.43047	0.80482	10.1	4.1	591	UK
<i>Dichochrysa flavifrons</i>	51.09280	0.21368	9.9	4.1	699	UK

<i>Dichochrysa prasina</i>	51.09280	0.21368	9.9	4.1	699	UK
<i>Dichochrysa ventralis</i>	51.07613	0.83901	10.3	4.4	676	UK
<i>Dichochrysa flavifrons</i>	51.07613	0.83901	10.3	4.4	676	UK
<i>Dichochrysa flavifrons</i>	51.83326	0.81237	9.9	3.8	537	UK
<i>Dichochrysa prasina</i>	51.54476	0.09131	10.6	4.6	601	UK
<i>Dichochrysa ventralis</i>	51.08060	0.78430	10.3	4.4	676	UK
<i>Dichochrysa flavifrons</i>	51.08060	0.78430	10.3	4.4	676	UK
<i>Dichochrysa ventralis</i>	51.45225	0.23103	10.4	4.4	618	UK
<i>Dichochrysa flavifrons</i>	51.81766	0.16922	9.9	3.6	605	UK
<i>Dichochrysa flavifrons</i>	51.07613	0.83901	10.3	4.4	676	UK
<i>Dichochrysa prasina</i>	51.43780	0.28069	10.3	4.3	621	UK
<i>Dichochrysa flavifrons</i>	51.54476	0.09131	10.6	4.6	601	UK
<i>Dichochrysa ventralis</i>	51.90421	0.10797	9.8	3.5	617	UK
<i>Dichochrysa flavifrons</i>	51.86285	0.15687	9.9	3.6	611	UK
<i>Dichochrysa prasina</i>	51.86285	0.15687	9.9	3.6	611	UK
<i>Dichochrysa flavifrons</i>	51.67545	0.07563	10.2	4.1	633	UK
<i>Dichochrysa ventralis</i>	51.45225	0.23103	10.4	4.4	618	UK
<i>Dichochrysa flavifrons</i>	51.45225	0.23103	10.4	4.4	618	UK
<i>Dichochrysa prasina</i>	51.52594	0.06233	10.7	4.8	602	UK
<i>Dichochrysa ventralis</i>	51.77109	0.25397	9.9	3.6	600	UK
<i>Dichochrysa prasina</i>	51.77109	0.25397	9.9	3.6	600	UK
<i>Dichochrysa ventralis</i>	51.46217	0.41150	10.3	4.3	599	UK
<i>Dichochrysa prasina</i>	51.34042	0.63487	10.1	4.1	621	UK
<i>Dichochrysa ventralis</i>	51.56562	0.43212	10.0	4.0	597	UK
<i>Dichochrysa flavifrons</i>	51.26809	0.93400	9.9	4.0	659	UK
<i>Dichochrysa prasina</i>	51.71896	0.38894	9.9	3.8	583	UK
<i>Dichochrysa ventralis</i>	51.71896	0.38894	9.9	3.8	583	UK
<i>Dichochrysa prasina</i>	51.71896	0.38894	9.9	3.8	583	UK
<i>Dichochrysa ventralis</i>	51.25809	0.27178	9.8	3.9	686	UK
<i>Dichochrysa prasina</i>	51.86329	0.15762	9.9	3.6	611	UK
<i>Dichochrysa prasina</i>	51.86285	0.15687	9.9	3.6	611	UK
<i>Dichochrysa flavifrons</i>	51.06480	0.86116	10.3	4.4	676	UK
<i>Dichochrysa ventralis</i>	51.07613	0.83901	10.3	4.4	676	UK
<i>Dichochrysa flavifrons</i>	51.07613	0.83901	10.3	4.4	676	UK
<i>Dichochrysa ventralis</i>	51.95079	0.86193	9.7	3.6	547	UK

<i>Dichochrysa flavifrons</i>	51.30738	0.89130	10.2	4.2	626	UK
<i>Dichochrysa flavifrons</i>	51.07711	0.92689	10.4	4.5	664	UK
<i>Dichochrysa prasina</i>	51.07711	0.92689	10.4	4.5	664	UK
<i>Dichochrysa flavifrons</i>	51.73746	0.42975	9.9	3.9	570	UK
<i>Dichochrysa flavifrons</i>	51.71224	0.88810	10.0	4.1	538	UK
<i>Dichochrysa flavifrons</i>	51.73746	0.42975	9.9	3.9	570	UK
<i>Dichochrysa ventralis</i>	51.73746	0.42975	9.9	3.9	570	UK
<i>Dichochrysa prasina</i>	51.73746	0.42975	9.9	3.9	570	UK
<i>Dichochrysa flavifrons</i>	51.45225	0.23103	10.4	4.4	618	UK
<i>Dichochrysa flavifrons</i>	51.84941	0.79522	9.8	3.7	541	UK
<i>Dichochrysa ventralis</i>	51.25674	0.93830	9.9	4.0	659	UK
<i>Dichochrysa ventralis</i>	51.06480	0.86116	10.3	4.4	676	UK
<i>Dichochrysa flavifrons</i>	51.42881	0.28024	10.3	4.3	621	UK
<i>Dichochrysa ventralis</i>	51.67442	0.05750	10.2	4.1	633	UK
<i>Dichochrysa prasina</i>	51.57926	0.40326	10.1	4.1	595	UK
<i>Dichochrysa ventralis</i>	51.77385	0.55857	9.8	3.8	553	UK
<i>Dichochrysa ventralis</i>	51.27039	0.93200	9.9	4.0	659	UK
<i>Dichochrysa prasina</i>	51.53927	0.37951	10.2	4.2	595	UK
<i>Dichochrysa ventralis</i>	51.53927	0.37951	10.2	4.2	595	UK
<i>Dichochrysa prasina</i>	51.89063	0.56520	9.6	3.6	542	UK
<i>Dichochrysa ventralis</i>	51.88537	0.97914	9.9	3.9	548	UK
<i>Dichochrysa ventralis</i>	51.45225	0.23103	10.4	4.4	618	UK
<i>Dichochrysa prasina</i>	51.49840	0.39900	10.3	4.3	599	UK
<i>Dichochrysa ventralis</i>	51.68795	0.36560	9.8	3.7	602	UK
<i>Dichochrysa flavifrons</i>	51.89077	0.94316	9.9	3.8	543	UK
<i>Dichochrysa ventralis</i>	51.55307	0.34200	10.3	4.2	590	UK
<i>Dichochrysa prasina</i>	51.78621	0.93416	10.0	4.0	540	UK
<i>Dichochrysa ventralis</i>	51.47894	0.47000	10.3	4.3	590	UK
<i>Dichochrysa ventralis</i>	51.91398	0.72651	9.6	3.6	546	UK
<i>Dichochrysa ventralis</i>	51.27516	0.07904	9.8	4.0	697	UK
<i>Dichochrysa ventralis</i>	51.28158	0.44505	10.0	4.1	652	UK
<i>Dichochrysa flavifrons</i>	51.28158	0.44505	10.0	4.1	652	UK
<i>Dichochrysa flavifrons</i>	51.44036	0.12035	10.5	4.5	628	UK
<i>Dichochrysa prasina</i>	51.52386	0.47243	10.2	4.2	584	UK
<i>Dichochrysa ventralis</i>	51.45490	0.08720	10.5	4.5	628	UK
<i>Dichochrysa ventralis</i>	51.32016	0.73420	9.9	4.0	645	UK

<i>Dichochrysa flavifrons</i>	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.52191	0.11189	10.6	4.7	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.67703	0.85693	10.0	4.0	543	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.40920	0.15536	10.3	4.4	641	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.33757	1.13375	10.1	4.3	597	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.87766	1.26930	10.3	4.5	551	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.28783	1.11028	10.1	4.3	625	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.81154	1.06932	10.1	4.2	543	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.81154	1.06932	10.1	4.2	543	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.07735	1.17113	10.3	4.5	643	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.92326	1.06239	10.0	4.0	548	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.33015	1.00545	10.0	4.1	635	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.28517	1.10866	10.1	4.3	625	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.84998	1.12931	10.1	4.2	549	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.88274	1.13231	10.0	4.2	553	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	51.07346	1.06946	10.2	4.3	663	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.36083	-6.36307	10.1	6.0	924	Ireland	W-GBIF-15
<i>Dichochrysa prasina</i>	52.85988	-6.07705	9.9	5.6	903	Ireland	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.36120	-6.36401	10.1	6.0	924	Ireland	W-GBIF-16
<i>Dichochrysa ventralis</i>	52.86020	-6.07803	9.9	5.6	903	Ireland	W-GBIF-16
<i>Dichochrysa ventralis</i>	52.31465	-4.06212	8.9	3.9	1256	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.76347	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.82688	-4.05587	8.9	3.8	1146	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.86177	-4.11695	9.5	4.5	1037	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.80983	-4.13001	9.9	5.0	972	UK	W-GBIF-15

<i>Dichochrysa ventralis</i>	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.89515	-4.00706	8.2	3.0	1245	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.94016	-4.25474	9.6	4.8	992	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.07621	-4.44519	9.6	4.9	999	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.09551	-4.63462	9.7	5.1	891	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.03602	-4.38758	9.7	4.9	1008	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.90589	-4.16372	9.9	5.0	964	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.88305	-4.41529	9.7	5.1	952	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.79862	-4.12872	9.9	5.0	972	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.92331	-4.19434	9.6	4.7	1009	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.76347	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.09823	-3.82579	8.5	3.1	1476	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.56808	-3.27637	8.4	2.7	1074	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.21693	-3.43537	8.7	3.0	1303	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15

W-GBIF-15	52.49583	-3.34573	8.2	2.6	1201
W-GBIF-15	52.49583	-3.34573	8.2	2.6	1201
W-GBIF-15	52.09823	-3.82579	8.5	3.1	1476
W-GBIF-15	52.28382	-3.86127	8.5	3.2	1474
W-GBIF-15	52.08188	-3.77696	8.9	3.5	1390
W-GBIF-15	52.08188	-3.77696	8.9	3.5	1390
W-GBIF-15	52.08099	-3.77692	8.9	3.5	1390
W-GBIF-15	52.08099	-3.77692	8.9	3.5	1390
W-GBIF-15	52.08099	-3.77692	8.9	3.5	1390
W-GBIF-15	52.08099	-3.77692	8.9	3.5	1390
W-GBIF-15	52.90371	-3.41261	6.3	0.7	1380
W-GBIF-15	52.90371	-3.41261	6.3	0.7	1380
W-GBIF-15	52.93854	-3.09378	8.1	2.5	950
W-GBIF-15	52.23877	-3.92237	8.9	3.8	1342
W-GBIF-15	52.23877	-3.92237	8.9	3.8	1342
W-GBIF-15	52.26617	-3.97852	8.7	3.6	1368
W-GBIF-15	52.37264	-2.07345	9.2	3.6	692
W-GBIF-15	52.36467	-2.71309	8.9	3.3	756
W-GBIF-15	52.91153	-2.37180	8.8	3.1	771
W-GBIF-15	52.91153	-2.37180	8.8	3.1	771
W-GBIF-15	52.01298	-2.07286	9.7	4.1	668
W-GBIF-15	52.86227	-2.30453	9.0	3.3	733
W-GBIF-15	52.58699	-2.16312	9.1	3.5	711
W-GBIF-15	52.38409	-2.40923	9.1	3.4	699
W-GBIF-15	52.73228	-2.07405	9.1	3.5	742
W-GBIF-15	52.90371	-2.77990	8.7	3.1	744
W-GBIF-15	52.72349	-2.83887	8.9	3.1	740
W-GBIF-15	52.72950	-2.81455	8.8	3.1	731
W-GBIF-15	52.72950	-2.81455	8.8	3.1	731
W-GBIF-15	52.72349	-2.83887	8.9	3.1	740
W-GBIF-15	52.72349	-2.83887	8.9	3.1	740
W-GBIF-15	52.78174	-2.03707	9.1	3.4	772
W-GBIF-15	52.37082	-2.66104	9.0	3.3	735
W-GBIF-15	52.37082	-2.66104	9.0	3.3	735

<i>Dichochrysa ventralis</i>	52.37082	-2.66104	9.0	3.3	735	UK
<i>Dichochrysa ventralis</i>	52.37706	-2.35921	9.3	3.6	680	UK
<i>Dichochrysa ventralis</i>	52.90929	-2.81792	8.8	3.1	750	UK
<i>Dichochrysa flavifrons</i>	52.12503	-2.63621	9.4	3.9	714	UK
<i>Dichochrysa ventralis</i>	52.90329	-2.84085	8.7	3.1	765	UK
<i>Dichochrysa ventralis</i>	52.37209	-2.36725	9.1	3.4	706	UK
<i>Dichochrysa prasina</i>	52.37209	-2.36725	9.1	3.4	706	UK
<i>Dichochrysa flavifrons</i>	52.10109	-2.65704	9.6	4.1	701	UK
<i>Dichochrysa ventralis</i>	52.19263	-2.21946	9.8	4.2	647	UK
<i>Dichochrysa flavifrons</i>	52.82163	-2.37103	9.1	3.4	708	UK
<i>Dichochrysa ventralis</i>	52.08872	-2.83567	9.2	3.6	830	UK
<i>Dichochrysa ventralis</i>	52.73209	-2.22216	9.2	3.5	711	UK
<i>Dichochrysa ventralis</i>	52.73209	-2.22216	9.2	3.5	711	UK
<i>Dichochrysa ventralis</i>	52.91153	-2.37180	8.8	3.1	771	UK
<i>Dichochrysa ventralis</i>	52.91153	-2.37180	8.8	3.1	771	UK
<i>Dichochrysa prasina</i>	52.91153	-2.37180	8.8	3.1	771	UK
<i>Dichochrysa ventralis</i>	52.01298	-1.92714	9.6	3.9	650	UK
<i>Dichochrysa ventralis</i>	52.37607	-1.49315	9.5	3.6	627	UK
<i>Dichochrysa ventralis</i>	52.64284	-1.07694	9.5	3.4	633	UK
<i>Dichochrysa ventralis</i>	52.66486	-1.94824	9.1	3.5	739	UK
<i>Dichochrysa ventralis</i>	52.82929	-1.25261	9.8	3.7	641	UK
<i>Dichochrysa ventralis</i>	52.82929	-1.25261	9.8	3.7	641	UK
<i>Dichochrysa ventralis</i>	52.82929	-1.25261	9.8	3.7	641	UK
<i>Dichochrysa ventralis</i>	52.91190	-1.77692	9.5	3.8	753	UK
<i>Dichochrysa ventralis</i>	52.91190	-1.77692	9.5	3.8	753	UK
<i>Dichochrysa ventralis</i>	52.64237	-1.92610	9.1	3.5	739	UK
<i>Dichochrysa ventralis</i>	52.82218	-1.92579	9.4	3.7	747	UK
<i>Dichochrysa ventralis</i>	52.18285	-0.72957	9.6	3.4	625	UK
<i>Dichochrysa prasina</i>	52.08645	-0.02944	9.9	3.7	566	UK
<i>Dichochrysa ventralis</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa ventralis</i>	52.16422	-0.75349	9.7	3.5	617	UK
<i>Dichochrysa ventralis</i>	52.16422	-0.75349	9.7	3.5	617	UK
<i>Dichochrysa prasina</i>	52.22154	-0.73139	9.8	3.6	611	UK
<i>Dichochrysa ventralis</i>	52.08880	-0.17532	9.9	3.7	576	UK
<i>Dichochrysa prasina</i>	52.08880	-0.17532	9.9	3.7	576	UK

<i>Dichochrysa flavifrons</i>	52.08880	-0.17532	9.9	3.7	576	UK
<i>Dichochrysa ventralis</i>	52.08880	-0.17532	9.9	3.7	576	UK
<i>Dichochrysa prasina</i>	52.16325	-0.83394	9.5	3.3	631	UK
<i>Dichochrysa prasina</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa flavifrons</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa prasina</i>	52.63408	-0.59609	9.5	3.2	606	UK
<i>Dichochrysa flavifrons</i>	52.09097	-0.32122	10.0	3.8	574	UK
<i>Dichochrysa ventralis</i>	52.08880	-0.17532	9.9	3.7	576	UK
<i>Dichochrysa prasina</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa flavifrons</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa ventralis</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa prasina</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa flavifrons</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa ventralis</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa prasina</i>	52.66772	-0.58983	9.5	3.2	607	UK
<i>Dichochrysa flavifrons</i>	52.66772	-0.58983	9.5	3.2	607	UK
<i>Dichochrysa ventralis</i>	52.21113	-0.68485	9.7	3.5	609	UK
<i>Dichochrysa flavifrons</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa prasina</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa ventralis</i>	52.12871	-0.16858	9.8	3.6	575	UK
<i>Dichochrysa prasina</i>	52.00307	-0.47022	9.9	3.6	605	UK
<i>Dichochrysa flavifrons</i>	52.00307	-0.47022	9.9	3.6	605	UK
<i>Dichochrysa ventralis</i>	52.40220	-0.23519	9.6	3.6	556	UK
<i>Dichochrysa flavifrons</i>	52.40220	-0.23519	9.6	3.6	556	UK
<i>Dichochrysa prasina</i>	52.21697	-0.06393	9.7	3.5	567	UK
<i>Dichochrysa ventralis</i>	52.35840	-0.16423	9.8	3.6	547	UK
<i>Dichochrysa flavifrons</i>	52.35840	-0.16423	9.8	3.6	547	UK
<i>Dichochrysa ventralis</i>	52.35840	-0.16423	9.8	3.6	547	UK
<i>Dichochrysa prasina</i>	52.21888	-0.07116	9.7	3.5	567	UK
<i>Dichochrysa ventralis</i>	52.00307	-0.47022	9.9	3.6	605	UK
<i>Dichochrysa flavifrons</i>	52.97853	-0.45833	9.7	3.6	577	UK
<i>Dichochrysa ventralis</i>	52.00307	-0.47022	9.9	3.6	605	UK
<i>Dichochrysa prasina</i>	52.09097	-0.32122	10.0	3.8	574	UK
<i>Dichochrysa ventralis</i>	52.00487	-0.61586	9.8	3.5	626	UK
<i>Dichochrysa ventralis</i>	52.00109	-0.32459	10.0	3.7	591	UK
<i>Dichochrysa ventralis</i>	52.40220	-0.23519	9.6	3.6	556	UK
<i>Dichochrysa flavifrons</i>	52.21775	-0.05657	9.7	3.5	567	UK
<i>Dichochrysa prasina</i>	52.06041	-0.71554	9.8	3.6	614	UK
<i>Dichochrysa flavifrons</i>	52.06041	-0.71554	9.8	3.6	614	UK

<i>Dichochrysa ventralis</i>	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.08447	0.64565	9.4	3.3	553	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.62366	0.66476	9.4	3.1	607	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.81856	0.88673	9.7	3.6	629	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.34144	0.71603	9.3	3.2	584	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.24182	0.08731	9.7	3.6	552	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.96401	0.82195	9.9	3.8	617	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.33077	0.59060	9.4	3.4	551	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.89790	0.56483	9.4	3.3	617	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15

<i>Dichochrysa prasina</i>	52.43125	0.72156	9.5	3.3	592	UK
<i>Dichochrysa flavifrons</i>	52.93065	0.91875	9.9	3.9	630	UK
<i>Dichochrysa prasina</i>	52.43454	0.57461	9.4	3.3	557	UK
<i>Dichochrysa flavifrons</i>	52.90710	0.49174	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.35074	0.27601	9.7	3.6	543	UK
<i>Dichochrysa prasina</i>	52.35074	0.27601	9.7	3.6	543	UK
<i>Dichochrysa flavifrons</i>	52.35074	0.27601	9.7	3.6	543	UK
<i>Dichochrysa flavifrons</i>	52.35074	0.27601	9.7	3.6	543	UK
<i>Dichochrysa prasina</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa ventralis</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa flavifrons</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa flavifrons</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa flavifrons</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa ventralis</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa flavifrons</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa ventralis</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa flavifrons</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa prasina</i>	52.90846	0.49108	9.6	3.4	599	UK
<i>Dichochrysa ventralis</i>	52.45617	0.67377	9.4	3.2	593	UK
<i>Dichochrysa prasina</i>	52.45617	0.67377	9.4	3.2	593	UK
<i>Dichochrysa flavifrons</i>	52.45617	0.67377	9.4	3.2	593	UK
<i>Dichochrysa ventralis</i>	52.86092	0.93784	9.7	3.7	640	UK
<i>Dichochrysa prasina</i>	52.65512	0.94990	9.6	3.5	627	UK
<i>Dichochrysa ventralis</i>	52.71360	0.93089	9.7	3.7	625	UK
<i>Dichochrysa flavifrons</i>	52.67240	0.59598	9.4	3.2	600	UK
<i>Dichochrysa ventralis</i>	52.46240	0.67710	9.4	3.2	603	UK
<i>Dichochrysa ventralis</i>	52.46240	0.67710	9.4	3.2	603	UK
<i>Dichochrysa prasina</i>	52.71446	0.93243	9.7	3.7	625	UK
<i>Dichochrysa flavifrons</i>	52.71446	0.93243	9.7	3.7	625	UK
<i>Dichochrysa prasina</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa flavifrons</i>	52.82763	0.48645	9.5	3.3	597	UK
<i>Dichochrysa prasina</i>	52.82763	0.48645	9.5	3.3	597	UK
<i>Dichochrysa prasina</i>	52.82642	0.91472	9.7	3.6	629	UK

<i>Dichochrysa flavifrons</i>	52.82642	0.91472	9.7	3.6	629	UK
<i>Dichochrysa ventralis</i>	52.82642	0.91472	9.7	3.6	629	UK
<i>Dichochrysa flavifrons</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa ventralis</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa prasina</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa prasina</i>	52.92674	0.47725	9.6	3.5	603	UK
<i>Dichochrysa ventralis</i>	52.43454	0.57461	9.4	3.3	557	UK
<i>Dichochrysa prasina</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa flavifrons</i>	52.69716	0.88611	9.6	3.5	625	UK
<i>Dichochrysa ventralis</i>	52.29705	0.42067	9.5	3.5	541	UK
<i>Dichochrysa ventralis</i>	52.29705	0.42067	9.5	3.5	541	UK
<i>Dichochrysa flavifrons</i>	52.29705	0.42067	9.5	3.5	541	UK
<i>Dichochrysa prasina</i>	52.44688	0.62685	9.3	3.2	584	UK
<i>Dichochrysa ventralis</i>	52.44688	0.62685	9.3	3.2	584	UK
<i>Dichochrysa prasina</i>	52.34472	0.56939	9.4	3.3	550	UK
<i>Dichochrysa ventralis</i>	52.43454	0.57461	9.4	3.3	557	UK
<i>Dichochrysa prasina</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa ventralis</i>	52.77311	0.51300	9.5	3.3	598	UK
<i>Dichochrysa ventralis</i>	52.77311	0.51300	9.5	3.3	598	UK
<i>Dichochrysa prasina</i>	52.77311	0.51300	9.5	3.3	598	UK
<i>Dichochrysa ventralis</i>	52.26066	0.56819	9.3	3.2	557	UK
<i>Dichochrysa prasina</i>	52.26066	0.56819	9.3	3.2	557	UK
<i>Dichochrysa ventralis</i>	52.17106	0.266682	9.6	3.6	548	UK
<i>Dichochrysa ventralis</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa prasina</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa ventralis</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa prasina</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa ventralis</i>	52.31017	0.28126	9.7	3.6	542	UK
<i>Dichochrysa ventralis</i>	52.21181	0.66200	9.2	3.1	568	UK
<i>Dichochrysa prasina</i>	52.83087	1.43702	10.5	4.5	632	UK
<i>Dichochrysa ventralis</i>	52.83087	1.43702	10.5	4.5	632	UK
<i>Dichochrysa ventralis</i>	52.66362	1.61620	10.1	4.4	607	UK
<i>Dichochrysa prasina</i>	52.76142	1.65396	10.2	4.5	615	UK
<i>Dichochrysa ventralis</i>	52.71879	1.18304	10.2	4.1	635	UK
<i>Dichochrysa prasina</i>	52.71839	1.69258	10.1	4.5	613	UK
<i>Dichochrysa ventralis</i>	52.81915	1.21338	10.4	4.3	638	UK
<i>Dichochrysa ventralis</i>	52.76104	1.04675	9.9	3.8	637	UK

<i>Dichochrysa prasina</i>	52.31793	1.59526	9.8	4.1	591	UK
<i>Dichochrysa ventralis</i>	52.76489	1.22421	10.3	4.2	638	UK
<i>Dichochrysa flavifrons</i>	52.73896	1.50387	10.3	4.5	619	UK
<i>Dichochrysa flavifrons</i>	52.56041	1.13539	9.9	3.8	624	UK
<i>Dichochrysa prasina</i>	52.61065	1.44706	10.2	4.3	614	UK
<i>Dichochrysa ventralis</i>	52.77936	1.18820	10.2	4.1	642	UK
<i>Dichochrysa ventralis</i>	52.72200	1.14698	10.1	4.0	631	UK
<i>Dichochrysa ventralis</i>	52.68129	1.47705	10.3	4.4	618	UK
<i>Dichochrysa flavifrons</i>	52.94482	1.22270	10.4	4.2	652	UK
<i>Dichochrysa prasina</i>	52.94482	1.22270	10.4	4.2	652	UK
<i>Dichochrysa prasina</i>	52.74151	1.08911	10.1	4.0	625	UK
<i>Dichochrysa ventralis</i>	52.74151	1.08911	10.1	4.0	625	UK
<i>Dichochrysa flavifrons</i>	52.62020	1.16996	10.0	3.9	630	UK
<i>Dichochrysa flavifrons</i>	52.40023	1.69755	9.9	4.3	592	UK
<i>Dichochrysa ventralis</i>	52.89276	1.10060	10.1	4.0	651	UK
<i>Dichochrysa flavifrons</i>	52.69582	1.45674	10.3	4.4	624	UK
<i>Dichochrysa ventralis</i>	52.69582	1.45674	10.3	4.4	624	UK
<i>Dichochrysa prasina</i>	52.69582	1.45674	10.3	4.4	624	UK
<i>Dichochrysa ventralis</i>	52.45544	1.65800	9.9	4.2	595	UK
<i>Dichochrysa flavifrons</i>	52.06117	1.13676	9.9	4.0	560	UK
<i>Dichochrysa flavifrons</i>	52.83143	1.17494	10.3	4.1	642	UK
<i>Dichochrysa ventralis</i>	52.76530	1.20941	10.3	4.2	638	UK
<i>Dichochrysa ventralis</i>	52.76530	1.20941	10.3	4.2	638	UK
<i>Dichochrysa flavifrons</i>	52.93940	1.08831	10.2	4.1	643	UK
<i>Dichochrysa prasina</i>	52.93940	1.08831	10.2	4.1	643	UK
<i>Dichochrysa ventralis</i>	52.92965	1.11738	10.2	4.1	643	UK
<i>Dichochrysa flavifrons</i>	52.23673	1.29565	9.7	3.8	595	UK
<i>Dichochrysa flavifrons</i>	52.77265	1.58074	10.3	4.5	618	UK
<i>Dichochrysa ventralis</i>	52.72415	1.69529	10.1	4.5	613	UK
<i>Dichochrysa flavifrons</i>	52.72415	1.69529	10.1	4.5	613	UK
<i>Dichochrysa prasina</i>	52.71518	1.69453	10.1	4.5	613	UK
<i>Dichochrysa prasina</i>	52.66453	1.54156	10.1	4.3	614	UK
<i>Dichochrysa ventralis</i>	52.10840	1.06524	9.7	3.6	567	UK
<i>Dichochrysa flavifrons</i>	53.80070	-9.51087	9.4	5.4	1203	Ireland
<i>Dichochrysa prasina</i>	53.38176	-6.11373	9.8	5.5	801	Ireland
<i>Dichochrysa flavifrons</i>	53.25190	-4.17365	9.3	4.4	1005	UK

<i>Dichochrysa flavifrons</i>	53.19436	-4.09812	9.0	4.0	1069	UK
<i>Dichochrysa flavifrons</i>	53.23220	-4.01530	8.9	3.8	1048	UK
<i>Dichochrysa prasina</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa prasina</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa ventralis</i>	53.24907	-4.32342	9.8	5.1	926	UK
<i>Dichochrysa ventralis</i>	53.17184	-4.10001	9.0	4.0	1069	UK
<i>Dichochrysa ventralis</i>	53.21977	-4.20947	9.5	4.7	985	UK
<i>Dichochrysa ventralis</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Dichochrysa ventralis</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Dichochrysa ventralis</i>	53.16241	-4.38607	9.9	5.3	919	UK
<i>Dichochrysa ventralis</i>	53.30951	-4.09475	9.3	4.4	980	UK
<i>Dichochrysa prasina</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa ventralis</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa ventralis</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa ventralis</i>	53.22617	-4.12964	9.5	4.6	994	UK
<i>Dichochrysa ventralis</i>	53.22617	-4.12964	9.5	4.6	994	UK
<i>Dichochrysa ventralis</i>	53.26727	-4.55464	9.9	5.5	870	UK
<i>Dichochrysa flavifrons</i>	53.29977	-4.25863	9.3	4.5	984	UK
<i>Dichochrysa flavifrons</i>	53.25190	-4.17365	9.3	4.4	1005	UK
<i>Dichochrysa flavifrons</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa flavifrons</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Dichochrysa ventralis</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Dichochrysa ventralis</i>	53.22269	-3.46578	8.9	3.5	874	UK
<i>Dichochrysa ventralis</i>	53.11806	-3.84556	8.4	3.1	1108	UK
<i>Dichochrysa flavifrons</i>	53.26132	-3.57432	9.0	3.6	871	UK
<i>Dichochrysa flavifrons</i>	53.26132	-3.57432	9.0	3.6	871	UK
<i>Dichochrysa prasina</i>	53.40144	-3.15300	9.4	4.0	756	UK
<i>Dichochrysa ventralis</i>	53.40144	-3.15300	9.4	4.0	756	UK
<i>Dichochrysa flavifrons</i>	53.05295	-3.33542	8.3	2.8	966	UK
<i>Dichochrysa flavifrons</i>	53.35886	-3.31491	9.3	4.0	771	UK
<i>Dichochrysa ventralis</i>	53.05295	-3.33542	8.3	2.8	966	UK
<i>Dichochrysa flavifrons</i>	53.25924	-3.72418	8.5	3.1	994	UK
<i>Dichochrysa flavifrons</i>	53.26274	-3.79180	9.4	4.2	871	UK
<i>Dichochrysa flavifrons</i>	53.25924	-3.72418	8.5	3.1	994	UK
<i>Dichochrysa prasina</i>	53.35172	-3.13438	9.2	3.9	766	UK
<i>Dichochrysa flavifrons</i>	53.12774	-3.80113	9.2	4.0	947	UK

<i>Dichochrysa flavifrons</i>	53.18690	-3.41442	9.2	3.8	823	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.32878	-3.82965	9.4	4.1	872	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.18451	-3.82221	9.2	3.9	939	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.29891	-3.77830	9.3	4.1	858	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.28308	-3.62762	9.0	3.7	879	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.34683	-3.87796	9.4	4.3	878	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.11021	-3.77051	8.7	3.4	1031	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.14502	-3.84671	8.1	2.8	1138	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.23336	-3.28109	8.4	3.0	900	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.28287	-3.64262	9.0	3.7	879	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.28287	-3.64262	9.0	3.7	879	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.111806	-3.84556	8.4	3.1	1108	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.26274	-3.79180	9.4	4.2	871	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.29891	-3.77830	9.3	4.1	858	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.111760	-3.87543	8.2	2.9	1163	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.34683	-3.87796	9.4	4.3	878	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.31867	-3.78058	9.3	4.1	858	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.15919	-2.18697	9.1	3.5	884	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.42574	-2.49893	9.8	4.3	922	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.23857	-2.54171	9.4	3.9	842	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.20694	-2.57575	9.3	3.8	818	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.34428	-2.77139	9.5	4.3	852	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.40365	-2.76644	9.4	4.0	889	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.21174	-2.60652	9.2	3.8	856	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.21174	-2.60652	9.2	3.8	856	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.35875	-2.82650	9.5	4.3	835	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.41833	-1.36045	9.7	4.1	684	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.45353	-1.30495	9.6	3.9	685	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.37330	-1.34609	9.6	4.0	700	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.79063	-1.16428	9.5	3.9	604	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15

<i>Dichochrysa ventralis</i>	53.41220	-1.48768	9.5	4.0	758	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.35875	-1.17350	9.4	3.7	675	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.89901	-1.31508	9.4	3.8	637	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.43970	-1.40756	9.5	4.0	719	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.52068	-1.12585	9.7	4.0	612	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.89901	-1.31508	9.4	3.8	637	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.41767	-1.17913	9.3	3.6	672	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.41767	-1.17913	9.3	3.6	672	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.39850	-1.43821	9.6	4.1	728	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.41781	-1.27017	9.3	3.6	702	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.33633	-1.18144	9.4	3.7	675	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.53937	-1.22960	9.4	3.8	662	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.80990	-1.46842	9.3	3.8	701	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.52044	-1.09418	9.7	4.0	608	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.40834	-1.19511	9.4	3.7	673	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.44958	-1.32233	9.6	3.9	685	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.61420	-1.12997	9.6	4.0	608	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.00180	-1.77646	9.2	3.5	850	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.50771	-0.96627	9.7	3.9	586	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.49585	-0.94545	9.7	3.9	587	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15
<i>Dichochrysa ventralis</i>	53.58519	-0.54890	9.5	3.8	625	UK	W-GBIF-15
<i>Dichochrysa flavifrons</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
<i>Dichochrysa prasina</i>	53.77666	-0.30780	9.6	3.9	668	UK	W-GBIF-15

<i>Dichochrysa flavifrons</i>	53.62678	-0.91043	9.6	4.0	596	UK
<i>Dichochrysa ventralis</i>	53.63156	-0.99425	9.6	4.0	595	UK
<i>Dichochrysa ventralis</i>	53.57890	-0.64215	9.4	3.7	619	UK
<i>Dichochrysa ventralis</i>	53.58190	-0.94416	9.6	3.9	591	UK
<i>Dichochrysa ventralis</i>	53.61250	0.14602	9.7	3.8	660	UK
<i>Dichochrysa prasina</i>	53.40735	0.20339	9.7	3.7	629	UK
<i>Dichochrysa ventralis</i>	53.25190	0.17365	9.7	3.6	616	UK
<i>Dichochrysa ventralis</i>	54.35900	-6.63866	8.9	4.2	894	Ireland
<i>Dichochrysa ventralis</i>	54.97389	-3.17183	8.7	3.3	931	UK
<i>Dichochrysa ventralis</i>	54.97389	-3.17183	8.7	3.3	931	UK
<i>Dichochrysa ventralis</i>	54.12355	-3.26248	8.8	3.0	951	UK
<i>Dichochrysa ventralis</i>	54.12355	-3.26248	8.8	3.0	951	UK
<i>Dichochrysa ventralis</i>	54.85585	-2.75556	8.2	2.5	884	UK
<i>Dichochrysa ventralis</i>	54.91732	-2.95955	8.6	2.9	827	UK
<i>Dichochrysa ventralis</i>	54.88291	-2.74048	8.0	2.3	901	UK
<i>Dichochrysa ventralis</i>	54.88763	-2.70159	7.5	1.8	991	UK
<i>Dichochrysa ventralis</i>	54.89190	-2.74064	8.0	2.3	901	UK
<i>Dichochrysa prasina</i>	54.63070	-1.62896	8.4	3.0	713	UK
<i>Dichochrysa ventralis</i>	54.07664	-1.00645	9.3	3.8	636	UK
<i>Dichochrysa ventralis</i>	54.70988	-1.92239	7.6	2.2	840	UK
<i>Dichochrysa ventralis</i>	54.67524	-1.87205	7.9	2.5	798	UK
<i>Dichochrysa ventralis</i>	54.67524	-1.87205	7.9	2.5	798	UK
<i>Dichochrysa ventralis</i>	54.67524	-1.87205	7.9	2.5	798	UK
<i>Dichochrysa ventralis</i>	54.70789	-1.30152	8.5	3.3	690	UK
<i>Dichochrysa ventralis</i>	54.91868	-1.78702	8.1	2.8	697	UK
<i>Dichochrysa ventralis</i>	54.91868	-1.78702	8.1	2.8	697	UK
<i>Dichochrysa ventralis</i>	54.61941	-1.61280	8.5	3.1	700	UK
<i>Dichochrysa ventralis</i>	54.88943	-1.76613	8.2	2.9	694	UK
<i>Dichochrysa ventralis</i>	54.88943	-1.76613	8.2	2.9	694	UK
<i>Dichochrysa ventralis</i>	54.30474	-0.65897	8.5	3.2	832	UK
<i>Dichochrysa ventralis</i>	54.41386	-0.53519	8.6	3.4	868	UK
<i>Dichochrysa ventralis</i>	54.27497	-0.61001	8.6	3.2	832	UK
<i>Dichochrysa ventralis</i>	54.40757	-0.53542	8.6	3.4	868	UK
<i>Dichochrysa prasina</i>	54.41386	-0.53519	8.6	3.4	868	UK
<i>Dichochrysa ventralis</i>	54.27050	-0.91963	9.0	3.6	700	UK
<i>Dichochrysa ventralis</i>	54.42151	-0.57346	8.8	3.6	837	UK

<i>Dichochrysa prasina</i>	54.42151	-0.57346	8.8	3.6	837	UK
<i>Dichochrysa ventralis</i>	54.03752	-0.90124	9.3	3.9	643	UK
<i>Dichochrysa prasina</i>	54.43139	-0.53534	9.1	3.9	828	UK
<i>Dichochrysa ventralis</i>	54.29507	-0.80911	8.5	3.2	780	UK
<i>Dichochrysa ventralis</i>	54.29507	-0.80911	8.5	3.2	780	UK
<i>Dichochrysa ventralis</i>	54.41386	-0.53519	8.6	3.4	868	UK
<i>Dichochrysa ventralis</i>	54.80397	18.21667	7.5	-1.2	595	Poland
<i>Dichochrysa ventralis</i>	55.05830	-3.64405	8.6	3.3	1047	UK
<i>Dichochrysa ventralis</i>	55.23564	-2.57795	7.2	1.6	940	UK
<i>Dichochrysa ventralis</i>	55.55400	13.85610	7.7	0.3	627	Sweden
<i>Dichochrysa prasina</i>	56.47077	-3.15828	7.7	2.2	749	UK
<i>Dichochrysa ventralis</i>	56.50502	-2.73117	8.0	2.6	688	UK
<i>Dichochrysa ventralis</i>	56.43719	-2.80285	8.3	2.8	663	UK
<i>Dichochrysa ventralis</i>	56.42777	-2.86752	8.3	2.8	665	UK
<i>Dichochrysa ventralis</i>	57.92102	-4.44826	7.8	2.8	894	UK
<i>Dichochrysa ventralis</i>	57.48321	-4.18779	7.9	2.2	741	UK
<i>Dichochrysa ventralis</i>	57.61676	-4.67311	7.4	2.0	1116	UK
<i>Dichochrysa ventralis</i>	57.48321	-4.18779	7.9	2.2	741	UK
<i>Dichochrysa ventralis</i>	57.57529	-3.58867	7.6	2.0	702	UK
<i>Dichochrysa ventralis</i>	59.38060	18.01350	7.0	-1.9	531	Sweden
<i>Dichochrysa ventralis</i>	63.87490	20.28380	2.5	-8.9	582	Sweden
<i>Dichochrysa ventralis</i>	-13.41349	48.30608	25.8	23.9	2068	Madagascar
<i>Dichochrysa ventralis</i>	-24.99581	31.59265	21.8	16.5	641	South Africa
<i>Dichochrysa ventralis</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Dichochrysa duplicata</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Dichochrysa gunvorae</i>	-25.76374	28.26682	17.2	11.7	714	South Africa
<i>Dichochrysa gunvorae</i>	-24.51470	30.80075	20.1	15.8	797	South Africa
<i>Dichochrysa gunvorae</i>	-22.45027	31.32063	24.7	19.7	405	South Africa
<i>Dichochrysa gunvorae</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Dichochrysa gunvorae</i>	-24.05357	31.73322	22.9	17.6	512	South Africa
<i>Dichochrysa handschini</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Dichochrysa handschini</i>	-25.13989	27.80803	19.9	13.8	585	South Africa
<i>Dichochrysa handschini</i>	-24.19782	29.47676	18.0	12.8	621	South Africa
<i>Dichochrysa handschini</i>	-28.99108	29.23542	14.1	9.9	1045	South Africa
<i>Dichochrysa handschini</i>	-25.65965	27.24307	18.7	12.4	663	South Africa
<i>Dichochrysa handschini</i>	-24.67015	30.32847	18.8	13.8	767	South Africa

<i>Dichochrysa handschini</i>	28.20970	17.6	11.9	708	South Africa
<i>Dichochrysa handschini</i>	27.36100	20.2	14.1	621	South Africa
<i>Dichochrysa handschini</i>	32.05639	20.6	17.2	879	South Africa
<i>Dichochrysa handschini</i>	28.09270	18.8	12.8	625	South Africa
<i>Dichochrysa handschini</i>	24.82602	17.0	14.6	683	South Africa
<i>Dichochrysa handschini</i>	29.25543	19.2	13.6	650	South Africa
<i>Dichochrysa handschini</i>	30.15467	19.6	15.0	1041	South Africa
<i>Dichochrysa handschini</i>	28.68400	19.1	13.7	588	South Africa
<i>Dichochrysa handschini</i>	28.20970	17.6	11.9	708	South Africa
<i>Dichochrysa handschini</i>	28.63841	16.8	11.6	657	South Africa
<i>Dichochrysa handschini</i>	30.88484	18.6	14.8	1105	South Africa
<i>Dichochrysa handschini</i>	29.93519	17.1	12.5	1194	South Africa
<i>Dichochrysa handschini</i>	30.98480	19.9	15.5	793	South Africa
<i>Dichochrysa handschini</i>	28.68400	19.1	13.7	588	South Africa
<i>Dichochrysa handschini</i>	31.59265	21.8	16.5	641	South Africa
<i>Dichochrysa handschini</i>	30.61234	18.6	14.2	885	South Africa
<i>Dichochrysa handschini</i>	30.98480	19.9	15.5	793	South Africa
<i>Dichochrysa handschini</i>	27.10083	19.0	12.9	646	South Africa
<i>Dichochrysa handschini</i>	29.44317	17.7	12.6	560	South Africa
<i>Dichochrysa handschini</i>	27.18333	17.0	11.2	713	South Africa
<i>Dichochrysa handschini</i>	28.21202	17.6	11.9	708	South Africa
<i>Dichochrysa handschini</i>	28.20970	17.6	11.9	708	South Africa
<i>Dichochrysa handschini</i>	31.59265	21.8	16.5	641	South Africa
<i>Dichochrysa handschini</i>	30.32847	18.8	13.8	767	South Africa
<i>Dichochrysa handschini</i>	29.25543	19.2	13.6	650	South Africa
<i>Dichochrysa handschini</i>	31.32063	24.7	19.7	405	South Africa
<i>Dichochrysa handschini</i>	31.45933	22.5	17.5	526	South Africa
<i>Dichochrysa handschini</i>	29.23123	20.5	15.3	400	South Africa
<i>Dichochrysa handschini</i>	31.73322	22.9	17.6	512	South Africa
<i>Dichochrysa handschini</i>	30.61234	18.6	14.2	885	South Africa
<i>Dichochrysa handschini</i>	27.80750	20.9	14.8	458	South Africa
<i>Dichochrysa handschini</i>	29.25543	19.2	13.6	650	South Africa
<i>Dichochrysa handschini</i>	30.73332	18.1	14.0	954	South Africa
<i>Dichochrysa handschini</i>	26.08367	18.2	11.8	597	South Africa
<i>Dichochrysa handschini</i>	27.36100	20.2	14.1	621	South Africa
<i>Dichochrysa handschini</i>	29.44317	17.7	12.6	560	South Africa

<i>Dichochrysa nicolaina</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Dichochrysa nicolaina</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Dichochrysa nicolaina</i>	-23.74436	27.80750	20.9	14.8	458	South Africa
<i>Dichochrysa nicolaina</i>	-25.13989	27.80803	19.9	13.8	585	South Africa
<i>Dichochrysa nicolaina</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Dichochrysa nicolaina</i>	-22.55951	17.08543	19.3	14.2	368	Namibia
<i>Dichochrysa nicolaina</i>	-28.28453	29.13266	13.5	7.6	729	South Africa
<i>Dichochrysa nicolaina</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Dichochrysa nyassalandica</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Dichochrysa perpallidus</i>	-28.56764	28.46767	13.3	7.6	829	South Africa
<i>Dichochrysa pulchrina</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Dichochrysa pulchrina</i>	-29.60740	30.38573	18.3	13.7	888	South Africa
<i>Dichochrysa pulchrina</i>	-28.89596	31.45276	19.1	16.1	1112	South Africa
<i>Dichochrysa rubicundus</i>	-26.01571	27.73408	16.6	10.6	694	South Africa
<i>Dichochrysa sjoestedti</i>	-28.56764	28.46767	13.3	7.6	829	South Africa
<i>Dichochrysa sjoestedti</i>	-25.71671	27.18333	17.0	11.2	713	South Africa
<i>Dichochrysa sjoestedti</i>	-24.67015	30.32847	18.8	13.8	767	South Africa
<i>Dichochrysa sjoestedti</i>	-25.44877	30.71209	19.1	14.6	851	South Africa
<i>Dichochrysa sjoestedti</i>	-25.09929	31.08369	20.4	16.4	828	South Africa
<i>Dichochrysa sjoestedti</i>	-24.61667	28.08333	18.1	12.2	658	South Africa
<i>Dichochrysa sjoestedti</i>	-25.65965	27.24307	18.7	12.4	663	South Africa
<i>Dichochrysa sjoestedti</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Dichochrysa sjoestedti</i>	-33.48387	26.83407	17.8	14.8	643	South Africa
<i>Dichochrysa sjoestedti</i>	-23.68456	30.67941	22.0	17.3	520	South Africa
<i>Dichochrysa sjoestedti</i>	-33.59934	26.89198	18.3	15.8	581	South Africa
<i>Dichochrysa sjoestedti</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Dichochrysa sjoestedti</i>	-24.19995	28.63841	16.8	11.6	657	South Africa
<i>Dichochrysa sjoestedti</i>	-31.62298	29.54000	19.7	17.3	1081	South Africa
<i>Dichochrysa sjoestedti</i>	-24.60428	27.36100	20.2	14.1	621	South Africa
<i>Dichochrysa sjoestedti</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Dichochrysa sjoestedti</i>	-32.83519	28.11469	18.4	15.6	862	South Africa
<i>Dichochrysa sjoestedti</i>	-28.89596	31.45276	19.1	16.1	1112	South Africa
<i>Dichochrysa sjoestedti</i>	-29.21142	31.41991	21.2	17.7	1027	South Africa
<i>Dichochrysa tacta</i>	-23.56679	15.04798	21.0	18.4	22	Namibia
<i>Dichochrysa tacta</i>	-32.35344	22.57987	17.9	12.2	224	South Africa
<i>Dichochrysa tacta</i>	-29.00169	17.09935	15.6	12.3	89	South Africa

<i>Dichochrysa tacta</i>	-22.555951	17.08543	19.3	14.2	368	Namibia
<i>Dichochrysa tacta</i>	-23.10469	15.52925	19.6	16.0	123	Namibia
<i>Dichochrysa tacta</i>	-22.67526	14.52535	15.3	13.3	10	Namibia
<i>Dichochrysa tacta</i>	-29.75000	22.71667	18.2	10.2	264	South Africa
<i>Dichochrysa tacta</i>	-26.01571	27.73408	16.6	10.6	694	South Africa
<i>Dichochrysa tacta</i>	-22.94851	17.65694	19.1	13.4	322	Namibia
<i>Dichochrysa tacta</i>	-27.95061	22.73553	17.4	10.0	346	South Africa
<i>Dichochrysa tacta</i>	-32.18330	18.88330	19.4	13.3	226	South Africa
<i>Dichochrysa tacta</i>	-29.26480	17.73740	16.7	11.4	140	South Africa
<i>Dichochrysa tacta</i>	-25.42136	20.59624	20.4	12.5	237	South Africa
<i>Dichochrysa tacta</i>	-25.88889	16.82237	16.4	10.7	172	Namibia
<i>Dichochrysa tacta</i>	-29.53914	17.94515	16.7	11.2	186	South Africa
<i>Dichochrysa tacta</i>	-33.90691	20.71900	16.4	11.3	434	South Africa
<i>Dichochrysa tacta</i>	-32.39185	20.65587	11.6	5.7	262	South Africa
<i>Dichochrysa tacta</i>	-28.89482	21.98355	20.0	12.7	219	South Africa
<i>Dichochrysa tacta</i>	-32.31670	22.43330	15.6	9.6	252	South Africa
<i>Dichochrysa tacta</i>	-31.47262	19.77129	16.4	10.5	216	South Africa
<i>Dichochrysa tacta</i>	-28.43817	20.01078	21.3	14.2	117	South Africa
<i>Dichochrysa venosella</i>	-23.58332	27.45001	20.8	14.4	431	South Africa
<i>Dichochrysa venosella</i>	-25.76401	28.26591	17.2	11.7	714	South Africa
<i>Dichochrysa venosella</i>	-23.89279	29.44317	17.7	12.6	560	South Africa
<i>Dichochrysa venosella</i>	-24.63719	26.40206	20.6	14.0	448	South Africa
<i>Dichochrysa venosella</i>	-24.54972	30.81331	19.0	14.9	912	South Africa
<i>Dichochrysa venosella</i>	-25.26111	27.10083	19.0	12.9	646	South Africa
<i>Dichochrysa venosella</i>	-25.44242	29.25543	19.2	13.6	650	South Africa
<i>Dichochrysa venosella</i>	-25.74047	28.21202	17.6	11.9	708	South Africa
<i>Dichochrysa venosella</i>	1.75592	30.60723	18.0	17.1	1454	DR Congo
<i>Dichochrysa venosella</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Dichochrysa venosella</i>	-24.19995	28.63841	16.8	11.6	657	South Africa
<i>Dichochrysa venosella</i>	-31.62298	29.54000	19.7	17.3	1081	South Africa
<i>Dichochrysa baronissa</i>	-24.19782	29.47676	18.0	12.8	621	South Africa
<i>Dichochrysa baronissa</i>	-23.04984	29.90003	19.0	14.5	720	South Africa
<i>Dichochrysa baronissa</i>	-33.98090	23.55536	16.5	13.3	928	South Africa
<i>Dichochrysa baronissa</i>	-34.16356	24.82602	17.0	14.6	683	Namibia
<i>Dichochrysa bibens</i>	-22.68694	16.95121	17.3	12.3	381	South Africa
<i>Dichochrysa chloris</i>	-24.19995	28.63841	16.8	11.6	657	South Africa

<i>Dichochrysa chloris</i>	30.10000	15.4	11.4	1100	South Africa	W-RMCA-1	
<i>Dichochrysa hamata</i>	30.77457	17.8	13.7	1043	South Africa	W-RMCA-2	
<i>Dichochrysa karoensis</i>	27.73408	16.6	10.6	694	South Africa	W-RMCA-2	
<i>Dichochrysa karoensis</i>	22.27702	15.8	10.9	363	South Africa	W-RMCA-2	
<i>Dichochrysa karoensis</i>	21.98355	20.0	12.7	219	South Africa	W-RMCA-2	
<i>Dichochrysa karoensis</i>	22.57987	17.9	12.2	224	South Africa	W-RMCA-2	
<i>Dichochrysa nambensis</i>	15.18165	20.6	17.8	33	Namibia	W-RMCA-2	
<i>Dichochrysa bibens</i>	16.95121	17.3	12.3	381	Namibia	W-RMCA-1	
<i>Dysochrysa furcata</i>	28.21829	17.6	11.9	708	South Africa	Tjeder 1966	
<i>Dysochrysa furcata</i>	30.65000	18.5	14.0	926	South Africa	Tjeder 1966	
<i>Dysochrysa reflexa</i>	31.02758	20.9	17.4	974	South Africa	Tjeder 1966	
<i>Dysochrysa alliolumolens</i>	16.95121	17.3	12.3	381	Namibia	W-RMCA-1	
<i>Dysochrysa furcata</i>	27.18333	17.0	11.2	713	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.24980	17.6	11.9	708	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.26682	17.2	11.7	714	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.23823	17.6	11.9	708	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	29.25543	19.2	13.6	650	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.31410	17.2	11.6	709	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.23823	17.6	11.9	708	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	28.40575	18.3	12.4	635	South Africa	W-RMCA-2	
<i>Dysochrysa furcata</i>	7.58425	-5.01989	26.7	25.2	Côte d'Ivoire	W-RMCA-1	
<i>Dysochrysa gunvrae</i>	28.21202	17.6	11.9	708	South Africa	W-RMCA-1	
<i>Dysochrysa karoensis</i>	22.43330	15.6	9.6	252	South Africa	W-RMCA-1	
<i>Dysochrysa reflexa</i>	27.46667	20.2	16.7	1243	DR Congo	W-RMCA-1	
<i>Dysochrysa alliolumolens</i>	16.95121	17.3	12.3	381	Namibia	W-RMCA-1	
<i>Dysochrysa furcata</i>	-5.01989	26.7	25.2	1106	Côte d'Ivoire	W-RMCA-1	
<i>Dysochrysa gunvrae</i>	28.21202	17.6	11.9	708	South Africa	W-RMCA-1	
<i>Dysochrysa karoensis</i>	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-1
<i>Dysochrysa reflexa</i>	-11.66667	27.46667	20.2	16.7	1243	DR Congo	W-RMCA-1
<i>Dysochrysa gunvrae</i>	-22.68694	16.95121	17.3	12.3	381	Namibia	W-RMCA-1
<i>Dysochrysa karoensis</i>	7.58425	-5.01989	26.7	25.2	Côte d'Ivoire	W-RMCA-1	
<i>Dysochrysa reflexa</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-1
<i>Dysochrysa alliolumolens</i>	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-1
<i>Dysochrysa gunvrae</i>	-11.66667	27.46667	20.2	16.7	1243	DR Congo	W-RMCA-1
<i>Dysochrysa karoensis</i>	3.75505	8.77020	25.4	24.5	2359	Equat. Guinea	Navás 1910
<i>Dysochrysa reflexa</i>	-25.97301	32.58257	22.9	19.2	760	Mozambique	Navás 1915
<i>Dysochrysa comadina</i>	4.35031	18.55039	26.0	25.2	1524	Cent. Afric. Rep.	Esben-Petersen 1920
<i>Glenochrysa comadina</i>	7.39611	3.91402	26.5	24.7	1307	Nigeria	Esben-Petersen 1920
<i>Glenochrysa ohmi</i>	-34.02045	23.90527	15.7	12.8	1090	South Africa	W-RMCA-5
<i>Glenochrysa ohmi</i>	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2

<i>Glenochrysa principissa</i>	31.75766	21.6	17.9	1083	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.85000	22.4	19.1	920	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	30.77457	17.8	13.7	1043	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.36667	21.5	17.6	894	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.43117	21.5	17.6	1003	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	31.32063	24.7	19.7	405	South Africa	W-RMCA-2
<i>Glenochrysa principissa</i>	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
<i>Glenochrysa franzeni</i>	146.84395	23.5	19.1	1213	Australia	New 1980
<i>Glenochrysa franzeni</i>	148.25338	24.2	20.0	991	Australia	New 1980
<i>Glenochrysa franzeni</i>	147.39417	23.9	19.5	1084	Australia	New 1980
<i>Glenochrysa franzeni</i>	145.75279	24.7	21.3	2421	Australia	New 1980
<i>Glenochrysa franzeni</i>	146.31722	24.2	20.0	1987	Australia	New 1980
<i>Glenochrysa franzeni</i>	150.64828	22.2	17.3	1148	Australia	New 1980
<i>Glenochrysa regularis</i>	153.01862	20.3	15.2	1163	Australia	New 1980
<i>Glenochrysa regularis</i>	126.91667	27.0	23.0	1141	Australia	New 1980
<i>Glenochrysa tillyardi</i>	145.78511	24.0	20.5	2963	Australia	New 1980
<i>Glenochrysa opposita</i>	153.10712	20.2	15.3	1211	Australia	New 1980
<i>Glenochrysa opposita</i>	145.15826	22.7	16.7	614	Australia	New 1980
<i>Glenochrysa opposita</i>	145.78511	24.0	20.5	2963	Australia	New 1980
<i>Glenochrysa opposita</i>	148.08619	20.9	14.1	730	Australia	New 1980
<i>Glenochrysa opposita</i>	148.14117	22.1	15.7	660	Australia	New 1980
<i>Glenochrysa opposita</i>	148.79870	19.8	12.3	626	Australia	New 1980
<i>Italochrysa gigantea</i>	28.31907	17.7	14.8	925	South Africa	Tjeder 1966
<i>Italochrysa gigantea</i>	31.28333	20.2	16.8	1000	South Africa	Tjeder 1966
<i>Italochrysa gigantea</i>	30.22912	16.5	11.7	864	South Africa	Tjeder 1966
<i>Italochrysa gigantea</i>	29.91926	17.5	13.1	753	South Africa	Tjeder 1966
<i>Italochrysa gigantea</i>	18.42992	16.5	12.8	962	South Africa	Tjeder 1966
<i>Italochrysa neurodes</i>	19.31667	15.6	10.2	927	South Africa	Tjeder 1966
<i>Italochrysa neurodes</i>	19.61008	16.0	10.6	440	South Africa	Tjeder 1966
<i>Italochrysa peringueyi</i>	25.54114	18.7	14.1	357	South Africa	Tjeder 1966
<i>Italochrysa peringueyi</i>	17.88333	17.5	12.1	176	South Africa	Tjeder 1966
<i>Italochrysa peringueyi</i>	19.77278	16.4	10.5	216	South Africa	Tjeder 1966

<i>Italochrysa peringueyi</i>	-33.16972	26.61902	18.2	14.1	554	South Africa
<i>Italochrysa peringueyi</i>	-33.30566	26.52453	16.6	12.7	706	South Africa
<i>Italochrysa peringueyi</i>	-33.33273	26.33325	16.7	12.7	638	South Africa
<i>Italochrysa peringueyi</i>	-18.37820	31.70723	17.0	12.9	833	Zimbabwe
<i>Italochrysa peringueyi</i>	-17.87012	31.10801	18.0	14.1	843	Zimbabwe
<i>Italochrysa zulu</i>	-27.29652	32.16814	22.4	18.0	599	South Africa
<i>Italochrysa vansonii</i>	-25.68724	28.19136	17.8	11.9	696	South Africa
<i>Italochrysa vansonii</i>	-29.66667	17.88333	17.5	12.1	176	South Africa
<i>Italochrysa vansonii</i>	-27.33333	31.86667	22.2	17.9	570	South Africa
<i>Italochrysa vansonii</i>	-25.70350	28.21350	17.7	11.9	704	South Africa
<i>Italochrysa vansonii</i>	-25.64500	28.35789	17.8	12.0	691	South Africa
<i>Italochrysa vansonii</i>	-25.78571	31.05142	19.5	15.6	970	South Africa
<i>Italochrysa fulvicornis</i>	-25.68724	28.19136	17.8	11.9	696	South Africa
<i>Italochrysa fulvicornis</i>	-24.99590	31.59687	21.8	16.5	641	South Africa
<i>Italochrysa fulvicornis</i>	-17.87012	31.10801	18.0	14.1	843	Zimbabwe
<i>Italochrysa fulvicornis</i>	-5.09935	38.63297	21.4	19.1	1619	Tanzania
<i>Italochrysa hyrata</i>	-17.87012	31.10801	18.0	14.1	843	Zimbabwe
<i>Italochrysa falcatia</i>	-29.61667	30.38333	18.3	13.7	888	South Africa
<i>Italochrysa falcatia</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Italochrysa serrata</i>	-19.56667	18.11667	20.7	15.8	547	Namibia
<i>Italochrysa variegata</i>	-12.25000	44.41667	20.8	19.1	1805	Comores
<i>Italochrysa variegata</i>	-27.98643	32.42398	21.7	17.7	943	South Africa
<i>Italochrysa variegata</i>	-27.90348	32.39592	21.7	17.8	883	South Africa
<i>Italochrysa variegata</i>	-27.98643	32.42398	21.7	17.7	943	South Africa
<i>Italochrysa variegata</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Italochrysa variegata</i>	-25.96667	32.58333	22.9	19.2	760	Mozambique
<i>Italochrysa variegata</i>	-26.01667	32.95000	23.0	19.8	881	Mozambique
<i>Italochrysa variegata</i>	-25.03166	33.48215	23.0	19.1	913	Mozambique
<i>Italochrysa variegata</i>	-18.40424	36.10394	25.3	22.1	1035	Mozambique
<i>Italochrysa variegata</i>	-18.97562	32.65572	19.5	15.2	781	Zimbabwe
<i>Italochrysa variegata</i>	-12.20370	44.51772	25.1	23.4	1744	Comores
<i>Italochrysa mozambica</i>	-27.29652	32.16814	22.4	18.0	599	South Africa
<i>Italochrysa exilis</i>	-25.03166	33.48215	23.0	19.1	913	Mozambique
<i>Italochrysa exilis</i>	-26.88846	32.27673	22.9	18.8	644	South Africa
<i>Italochrysa okavangoensis</i>	-18.01667	21.38335	21.7	16.9	592	South Africa

<i>Italochrysa rufostigma</i>	-29.57588	31.111760	20.9	17.5	949	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-26.96379	24.73097	18.0	10.6	477	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-29.12578	27.83347	15.4	9.4	793	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-25.70350	28.21350	17.7	11.9	704	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-25.68724	28.19136	17.8	11.9	696	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-25.77534	28.21847	17.1	11.6	717	South Africa	Tjeder 1966
<i>Italochrysa similis</i>	-25.77441	29.46736	15.5	9.4	680	South Africa	Tjeder 1966
<i>Italochrysa impar</i>	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
<i>Italochrysa impar</i>	-17.46537	30.91447	17.7	13.5	886	Zimbabwe	Tjeder 1966
<i>Italochrysa impar</i>	-17.82896	31.05244	18.2	14.2	842	Zimbabwe	Tjeder 1966
<i>Italochrysa impar</i>	-15.40819	28.28717	20.4	16.8	833	Zambia	Tjeder 1966
<i>Italochrysa impar</i>	-12.54323	27.85766	19.4	15.6	1291	Zambia	Tjeder 1966
<i>Italochrysa impar</i>	-26.66547	16.26051	13.7	8.6	132	Namibia	Tjeder 1966
<i>Italochrysa turneri</i>	-21.03031	14.48584	21.6	18.6	77	Namibia	Tjeder 1966
<i>Italochrysa impar</i>	-17.46537	30.91447	17.7	13.5	886	Zimbabwe	Navás 1912
<i>Italochrysa impar</i>	-9.70070	27.222318	23.1	20.3	820	DR Congo	Navás 1914
<i>Italochrysa variegata</i>	-12.20370	44.51772	25.1	23.4	1744	Comores	Burmeister 1839
<i>Italochrysa amplipennis</i>	-33.98090	23.55536	16.5	13.3	928	South Africa	W-RMCA-2
<i>Italochrysa amplipennis</i>	-33.97137	23.88016	15.5	12.5	1095	South Africa	W-RMCA-2
<i>Italochrysa amplipennis</i>	-33.94940	23.15684	15.8	12.7	963	South Africa	W-RMCA-2
<i>Italochrysa conspicua</i>	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
<i>Italochrysa exilis</i>	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-26.10897	31.11325	17.1	13.2	1323	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-24.64630	28.68400	19.1	13.7	588	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-20.64980	26.63986	20.8	15.4	385	Botswana	W-RMCA-2
<i>Italochrysa exilis</i>	-28.02903	32.33560	21.5	17.6	924	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
<i>Italochrysa exilis</i>	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2

<i>Italochrysa exilis</i>	-24.05357	31.73322	22.9	17.6	512	South Africa
<i>Italochrysa exilis</i>	-24.65411	25.90874	20.2	13.5	460	South Africa
<i>Italochrysa exilis</i>	-25.46661	28.63336	17.6	12.0	668	South Africa
<i>Italochrysa gigantea</i>	-28.56764	28.46767	13.3	7.6	829	South Africa
<i>Italochrysa gigantea</i>	-23.04984	29.90003	19.0	14.5	720	South Africa
<i>Italochrysa gigantea</i>	-31.58575	28.78983	17.2	12.6	701	South Africa
<i>Italochrysa illustris</i>	0.04166	18.33564	25.5	24.8	1703	DR Congo
<i>Italochrysa impar</i>	-23.97523	31.45933	22.5	17.5	526	South Africa
<i>Italochrysa impar</i>	-22.61078	30.16918	22.6	18.2	496	South Africa
<i>Italochrysa impar</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Italochrysa impar</i>	-12.45379	33.53336	19.2	15.9	937	Malawi
<i>Italochrysa lyrata</i>	-25.40827	28.09270	18.8	12.8	625	South Africa
<i>Italochrysa lyrata</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Italochrysa neurodes</i>	-29.56291	30.29448	16.5	12.2	885	South Africa
<i>Italochrysa neurodes</i>	-31.47421	25.02889	15.0	8.7	369	South Africa
<i>Italochrysa neurodes</i>	-33.92564	18.42763	16.5	12.8	962	South Africa
<i>Italochrysa neurodes</i>	-33.19787	24.99917	18.3	12.3	282	South Africa
<i>Italochrysa neurodes</i>	-34.54480	20.02925	16.5	12.9	500	South Africa
<i>Italochrysa neurodes</i>	-32.31670	22.43330	15.6	9.6	252	South Africa
<i>Italochrysa neurodes</i>	-34.38872	19.27092	15.5	12.1	661	South Africa
<i>Italochrysa neurodes</i>	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire
<i>Italochrysa nobilis</i>	-28.12014	32.05639	20.6	17.2	879	South Africa
<i>Italochrysa peringueyi</i>	-33.30260	26.52623	16.6	12.7	706	South Africa
<i>Italochrysa peringueyi</i>	-25.44683	30.74624	19.1	14.6	851	South Africa
<i>Italochrysa peringueyi</i>	-28.20611	32.41514	21.3	17.5	1033	South Africa
<i>Italochrysa peringueyi</i>	-32.50958	27.98040	18.5	15.2	714	South Africa
<i>Italochrysa peringueyi</i>	-27.53534	32.67100	22.3	18.7	932	South Africa
<i>Italochrysa peringueyi</i>	-26.10897	31.11325	17.1	13.2	1323	South Africa
<i>Italochrysa rufostigma</i>	-29.46371	29.53032	13.0	7.2	1049	South Africa
<i>Italochrysa rufostigma</i>	-29.79190	29.49399	14.2	8.7	984	South Africa
<i>Italochrysa serrata</i>	-22.61086	30.37837	22.5	18.3	586	South Africa
<i>Italochrysa similis</i>	-24.15645	29.13057	17.5	12.5	580	South Africa
<i>Italochrysa similis</i>	-24.63719	26.40206	20.6	14.0	448	South Africa
<i>Italochrysa similis</i>	-24.28821	28.79048	18.7	13.4	547	South Africa
<i>Italochrysa similis</i>	-22.84410	29.23123	20.5	15.3	400	South Africa
<i>Italochrysa similis</i>	-25.76170	29.31452	16.0	10.0	676	South Africa

<i>Italochrysa similis</i>	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
<i>Italochrysa similis</i>	-25.76007	28.31410	17.2	11.6	709	South Africa	W-RMCA-2
<i>Italochrysa similis</i>	-25.75053	28.95222	16.6	10.8	680	South Africa	W-RMCA-2
<i>Italochrysa similis</i>	-24.43290	30.62099	20.7	16.0	683	South Africa	W-RMCA-2
<i>Italochrysa similis</i>	-24.02880	29.15166	17.5	12.5	571	South Africa	W-RMCA-2
<i>Italochrysa similis</i>	-31.47421	25.02889	15.0	8.7	369	South Africa	W-RMCA-2
<i>Italochrysa turneri</i>	-25.88889	16.82237	16.4	10.7	172	Namibia	W-RMCA-2
<i>Italochrysa turneri</i>	-18.16009	12.56207	17.8	15.0	128	Namibia	W-RMCA-2
<i>Italochrysa turneri</i>	-18.26808	13.43768	21.2	17.7	210	Namibia	W-RMCA-2
<i>Italochrysa turneri</i>	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
<i>Italochrysa turneri</i>	-19.37956	17.74093	20.4	15.7	601	Namibia	W-RMCA-7
<i>Italochrysa turneri</i>	-18.24315	12.64464	18.2	15.4	122	Namibia	W-RMCA-2
<i>Italochrysa vansonii</i>	-19.37956	17.74093	20.4	15.7	601	Namibia	W-RMCA-7
<i>Italochrysa variegata</i>	-27.77629	32.35129	21.8	17.8	818	South Africa	W-RMCA-6
<i>Italochrysa variegata</i>	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-28.12578	32.55779	21.4	17.7	1080	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-27.63334	32.24998	21.9	17.7	696	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-8
<i>Italochrysa variegata</i>	-26.00832	32.93250	23.0	19.8	881	Mozambique	W-RMCA-9
<i>Italochrysa variegata</i>	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-23.85363	31.57590	23.0	17.6	494	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-26.92347	32.83084	22.4	19.1	898	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-27.04731	32.42007	22.6	18.8	737	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-23.97522	31.45934	22.5	17.5	526	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-25.78557	31.05128	19.5	15.6	970	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-24.54972	30.81331	19.0	14.9	912	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-3.63903	39.85035	26.0	24.4	1077	Kenya	W-RMCA-2
<i>Italochrysa variegata</i>	-27.97615	32.36287	21.5	17.6	910	South Africa	W-RMCA-8
<i>Italochrysa variegata</i>	-27.33537	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-25.44683	30.74624	19.1	14.6	851	South Africa	W-RMCA-2
<i>Italochrysa variegata</i>	-25.28630	33.25202	22.7	19.0	923	South Africa	W-RMCA-2
<i>Italochrysa zuhu</i>	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
<i>Italochrysa zuhu</i>	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
<i>Italochrysa zuhu</i>	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
<i>Italochrysa zuhu</i>	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2

<i>Italochrysa zulu</i>	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Italochrysa zulu</i>	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
<i>Italochrysa zulu</i>	28.35788	17.8	12.0	691	South Africa	W-RMCA-2
<i>Italochrysa zulu</i>	19.96042	19.9	13.7	374	Namibia	W-RMCA-7
<i>Italochrysa zulu</i>	15.18165	20.6	17.8	33	Namibia	W-RMCA-2
<i>Italochrysa zulu</i>	26.74769	19.2	13.3	447	Botswana	W-RMCA-2
<i>Italochrysa zulu</i>	30.37837	22.5	18.3	586	Botswana	W-RMCA-2
<i>Italochrysa zulu</i>	16.37157	14.8	10.0	156	Namibia	W-RMCA-2
<i>Italochrysa zulu</i>	30.41360	16.6	11.7	788	South Africa	W-RMCA-2
<i>Italochrysa sectoria</i>	12.40123	25.8	22.7	812	DR Congo	W-RMCA-1
<i>Italochrysa falcata</i>	32.27673	22.9	18.8	644	South Africa	W-RMCA-8
<i>Italochrysa falcata</i>	30.38573	18.3	13.7	888	South Africa	W-RMCA-10
<i>Italochrysa fulvicornis</i>	31.05128	19.5	15.6	970	South Africa	W-RMCA-3
<i>Italochrysa fulvicornis</i>	38.63297	21.4	19.1	1619	Tanzania	W-RMCA-3
<i>Italochrysa fulvicornis</i>	28.23823	17.6	11.9	708	South Africa	W-RMCA-11
<i>Italochrysa fulvicornis</i>	28.19136	17.8	11.9	696	South Africa	W-RMCA-9
<i>Italochrysa fulvicornis</i>	31.59265	21.8	16.5	641	South Africa	W-RMCA-9
<i>Italochrysa temerata</i>	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
<i>Italochrysa conspicua</i>	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
<i>Italochrysa illustris</i>	18.33564	25.5	24.8	1703	DR Congo	W-RMCA-1
<i>Italochrysa nobilis</i>	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
<i>Italochrysa nobilis</i>	-3.88626	26.7	25.2	1319	Côte d'Ivoire	W-RMCA-1
<i>Italochrysa temerata</i>	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
<i>Italochrysa sectoria</i>	12.40123	25.8	22.7	812	DR Congo	W-RMCA-1
<i>Italochrysa japonica</i>	136.76513	15.3	5.0	2008	Japan	Kuwayama 1962
<i>Italochrysa japonica</i>	133.53015	16.8	7.4	2459	Japan	Kuwayama 1962
<i>Italochrysa japonica</i>	129.28691	14.1	4.8	2153	Japan	Kuwayama 1962
<i>Italochrysa japonica</i>	130.69986	16.4	6.3	1959	Japan	Kuwayama 1962
<i>Italochrysa insignis</i>	142.35539	26.5	24.9	1730	Australia	New 1980
<i>Italochrysa insignis</i>	145.97784	20.5	12.5	377	Australia	New 1980
<i>Italochrysa insignis</i>	151.45695	18.1	11.5	665	Australia	New 1980
<i>Italochrysa insignis</i>	147.30939	19.1	11.2	566	Australia	New 1980
<i>Italochrysa insignis</i>	146.81180	24.1	19.6	1099	Australia	New 1980
<i>Italochrysa insignis</i>	138.11496	25.3	18.2	400	Australia	New 1980
<i>Italochrysa insignis</i>	145.69050	23.7	20.3	2222	Australia	New 1980
<i>Italochrysa insignis</i>	153.51293	20.1	15.7	1504	Australia	New 1980

<i>Italochrysa insignis</i>	153.44675	19.8	15.1	1639	Australia
<i>Italochrysa insignis</i>	153.44675	19.8	15.1	1639	Australia
<i>Italochrysa insignis</i>	153.44675	19.8	15.1	1639	Australia
<i>Italochrysa insignis</i>	147.63268	22.0	15.5	656	Australia
<i>Italochrysa insignis</i>	145.67856	20.5	12.5	384	Australia
<i>Italochrysa insignis</i>	144.77580	24.0	20.7	1348	Australia
<i>Italochrysa insignis</i>	138.57443	24.8	17.8	401	Australia
<i>Italochrysa insignis</i>	137.55792	25.2	18.1	369	Australia
<i>Italochrysa insignis</i>	139.49493	24.3	17.3	424	Australia
<i>Italochrysa insignis</i>	132.76847	21.2	13.0	272	Australia
<i>Italochrysa insignis</i>	130.23814	25.3	18.4	458	Australia
<i>Italochrysa insignis</i>	130.90000	27.8	22.9	841	Australia
<i>Italochrysa insignis</i>	130.41667	26.5	20.6	636	Australia
<i>Italochrysa insignis</i>	134.31619	21.4	13.2	263	Australia
<i>Italochrysa insignis</i>	133.88359	20.8	12.6	290	Australia
<i>Italochrysa insignis</i>	123.71667	26.6	20.8	470	Australia
<i>Italochrysa insignis</i>	128.15773	26.8	20.5	488	Australia
<i>Italochrysa insignis</i>	140.74835	22.0	13.7	176	Australia
<i>Italochrysa insignis</i>	147.35795	12.3	8.3	596	Australia
<i>Italochrysa insignis</i>	148.30982	12.3	8.7	760	Australia
<i>Italochrysa insignis</i>	147.31846	11.6	7.6	759	Australia
<i>Italochrysa insignis</i>	149.12023	12.9	6.2	647	Australia
<i>Italochrysa insignis</i>	149.09620	12.8	6.1	667	Australia
<i>Italochrysa insignis</i>	152.90652	17.9	13.2	1548	Australia
<i>Italochrysa insignis</i>	151.28276	17.5	12.5	1301	Australia
<i>Italochrysa insignis</i>	151.07096	17.3	12.1	1194	Australia
<i>Italochrysa insignis</i>	151.22210	17.6	12.6	1320	Australia
<i>Italochrysa insignis</i>	151.09366	16.7	11.4	1218	Australia
<i>Italochrysa insignis</i>	152.70373	17.8	12.8	1476	Australia
<i>Italochrysa insignis</i>	150.60356	16.9	12.2	1255	Australia
<i>Italochrysa insignis</i>	150.94072	17.5	11.9	901	Australia
<i>Italochrysa insignis</i>	148.58953	17.2	9.9	641	Australia
<i>Italochrysa insignis</i>	149.15813	15.3	7.9	813	Australia
<i>Italochrysa insignis</i>	151.01686	16.8	11.6	1274	Australia
<i>Italochrysa insignis</i>	151.18300	17.3	12.2	1298	Australia
<i>Italochrysa insignis</i>	151.13072	17.7	12.6	1191	Australia

<i>Italochrysa insignis</i>	-33.80601	151.25353	17.6	12.6	1297	Australia
<i>Italochrysa insignis</i>	-37.71745	145.04764	14.6	9.7	723	Australia
<i>Italochrysa insignis</i>	-37.81481	144.98098	14.8	10.1	675	Australia
<i>Italochrysa insignis</i>	-37.83775	145.10356	14.6	9.8	799	Australia
<i>Italochrysa insignis</i>	-38.39173	145.08471	14.4	10.2	840	Australia
<i>Italochrysa insignis</i>	-37.64471	145.50476	14.1	8.9	1026	Australia
<i>Italochrysa insignis</i>	-38.63554	145.72875	13.9	9.9	950	Australia
<i>Italochrysa insignis</i>	-38.14752	146.48056	13.2	8.5	819	Australia
<i>Italochrysa insignis</i>	-26.85863	146.07185	20.6	12.6	430	Australia
<i>Italochrysa insignis</i>	-16.41590	136.08349	27.0	21.7	731	Australia
<i>Italochrysa insignis</i>	-16.41590	136.08349	27.0	21.7	731	Australia
<i>Italochrysa insignis</i>	-11.12631	132.13847	27.4	25.3	1344	Australia
<i>Italochrysa insignis</i>	-16.46397	136.07081	27.0	21.6	710	Australia
<i>Italochrysa insignis</i>	-16.80549	135.66650	26.7	21.1	652	Australia
<i>Italochrysa insignis</i>	-16.50970	136.04128	27.0	21.6	702	Australia
<i>Italochrysa insignis</i>	-16.27161	136.08095	26.9	21.6	762	Australia
<i>Italochrysa insignis</i>	-21.66672	133.74901	23.6	16.0	324	Australia
<i>Italochrysa insignis</i>	-14.81666	126.81667	27.4	23.5	1151	Australia
<i>Italochrysa insignis</i>	-15.03333	126.91667	27.0	23.0	1141	Australia
<i>Italochrysa insignis</i>	-17.91667	122.21667	26.9	22.3	596	Australia
<i>Italochrysa insignis</i>	-21.59052	117.07025	26.4	19.5	352	Australia
<i>Italochrysa insignis</i>	-12.40830	130.82179	27.5	25.2	1666	Australia
<i>Italochrysa insignis</i>	-27.46193	153.01862	20.3	15.2	1163	Australia
<i>Italochrysa insignis</i>	-26.43184	147.30939	19.1	11.2	566	Australia
<i>Italochrysa facialis</i>	-25.50480	151.93204	20.1	14.6	906	Australia
<i>Italochrysa facialis</i>	-24.85388	152.33812	21.6	16.8	1100	Australia
<i>Italochrysa facialis</i>	-15.08581	133.12295	27.1	22.3	805	Australia
<i>Italochrysa facialis</i>	-12.28087	133.21656	27.4	24.8	1404	Australia
<i>Italochrysa facialis</i>	-17.96583	122.28331	26.9	22.2	591	Australia
<i>Italochrysa facialis</i>	-29.95930	146.86885	20.1	12.3	441	Australia
<i>Italochrysa facialis</i>	-21.58002	117.09211	26.4	19.6	352	Australia
<i>Italochrysa punctistigma</i>	-21.58259	117.07068	26.4	19.6	351	Australia
<i>Italochrysa punctistigma</i>	-21.59226	117.06800	26.4	19.5	352	Australia
<i>Italochrysa punctistigma</i>	-17.96583	122.28331	26.9	22.2	591	Australia
<i>Italochrysa chloromelas</i>	-9.59665	143.77452	26.4	25.1	1235	Australia
<i>Italochrysa lata</i>	-12.40830	130.82179	27.5	25.2	1666	Australia

<i>Italochrysa lata</i>	-13.98340	143.54998	26.3	23.5	1417	Australia
<i>Italochrysa luddemannii</i>	-33.86103	151.22210	17.6	12.6	1320	Australia
<i>Italochrysa banksii</i>	-12.41672	132.96684	27.9	25.3	1460	Australia
<i>Italochrysa banksii</i>	-12.38333	132.93333	27.9	25.4	1463	Australia
<i>Italochrysa banksii</i>	-16.46397	136.07081	27.0	21.6	710	Australia
<i>Italochrysa banksii</i>	-12.28332	133.33332	27.3	24.7	1381	Australia
<i>Italochrysa banksii</i>	-12.58335	132.86666	28.0	25.2	1468	Australia
<i>Italochrysa froggatti</i>	-16.91771	145.75279	24.7	21.3	2421	Australia
<i>Italochrysa froggatti</i>	-12.71390	143.13164	25.5	23.2	1866	Australia
<i>Italochrysa froggatti</i>	-19.25946	146.81180	24.1	19.6	1099	Australia
<i>Italochrysa froggatti</i>	-13.93690	143.211963	24.8	22.0	1225	Australia
<i>Italochrysa froggatti</i>	-19.15738	146.84395	23.5	19.1	1213	Australia
<i>Italochrysa froggatti</i>	-14.46805	142.84067	25.9	22.8	1202	Australia
<i>Italochrysa froggatti</i>	-15.49911	145.24195	25.6	22.8	1900	Australia
<i>Kimochrysa africana</i>	-31.69939	19.30682	16.6	10.9	269	South Africa
<i>Kimochrysa impar</i>	-33.98090	23.55536	16.5	13.3	928	South Africa
<i>Kimochrysa impar</i>	-33.96331	19.00967	11.9	8.3	968	South Africa
<i>Leucochrysa sp.</i>	-27.05000	-52.40000	18.2	14.4	2110	Brazil
<i>Leucochrysa sp.</i>	-27.05000	-52.40000	18.2	14.4	2110	Brazil
<i>Leucochrysa sp.</i>	-26.85000	-65.38333	17.0	11.8	1089	Argentina
<i>Leucochrysa magnifica</i>	-26.81666	-52.38333	17.5	13.7	2323	Brazil
<i>Leucochrysa sp.</i>	-9.30000	-75.98334	23.7	23.3	2549	Peru
<i>Leucochrysa sp.</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Leucochrysa sp.</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Leucochrysa sp.</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Leucochrysa sp.</i>	6.16055	-75.64695	19.2	18.7	2073	Colombia
<i>Leucochrysa (N.) lenora</i>	8.48017	-83.59130	26.2	25.4	4452	Costa Rica
<i>Leucochrysa caucella</i>	8.85000	-82.58333	14.9	14.0	2371	Panama
<i>Leucochrysa sp.</i>	8.85000	-82.58333	14.9	14.0	2371	Panama
<i>Leucochrysa sp.</i>	8.85000	-82.56667	14.9	14.0	2371	Panama
<i>Leucochrysa sp.</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica
<i>Leucochrysa adamsi</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica
<i>Leucochrysa caucella</i>	8.85544	-82.74417	18.5	17.8	2721	Panama
<i>Leucochrysa sp.</i>	8.64095	-82.18333	18.2	17.6	2538	Panama
<i>Leucochrysa magnifica</i>	8.93754	-79.61667	26.7	26.2	1941	Panama
<i>Leucochrysa (N.) virginiae</i>	9.67104	-83.02610	25.6	24.7	2843	Costa Rica
<i>Leucochrysa laertes</i>	9.90000	-83.68333	22.1	21.2	2808	Costa Rica

<i>Leucochrysa</i> sp.	-79.80000	26.4	25.7	3189	Panama	W-GBIF-2
<i>Leucochrysa</i> sp.	9.65514	-69.65166	20.6	19.9	1115	Venezuela
<i>Leucochrysa</i> (<i>N.</i>) sp. G	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) sp.	10.88970	-85.39890	23.0	22.2	2664	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) sp.	10.85630	-85.61190	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) oenops	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) rafleur	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) mexicana	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) oenops	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Leucochrysa</i> (<i>L.</i>) clara	10.26930	-84.08590	20.7	20.0	3455	Costa Rica
<i>Leucochrysa</i> (<i>L.</i>) clara	10.26930	-84.08590	20.7	20.0	3455	Costa Rica
<i>Leucochrysa</i> (<i>N.</i>) sp.	10.43200	-84.00820	26.0	25.2	3980	Costa Rica
<i>Leucochrysa</i> sp.	10.35818	-84.01667	25.3	24.5	4239	Costa Rica
<i>Leucochrysa</i> sp.	14.83330	-89.15000	22.5	20.6	1416	Honduras
<i>Leucochrysa</i> sp.	15.03333	-86.71667	22.6	20.5	1410	Honduras
<i>Leucochrysa</i> sp.	15.71035	-86.93990	26.4	24.4	2519	Honduras
<i>Leucochrysa</i> sp.	15.71702	-86.92093	26.4	24.4	2519	Honduras
<i>Leucochrysa</i> sp.	16.86454	-92.58333	14.5	12.7	1322	Mexico
<i>Leucochrysa</i> sp.	17.75292	-99.68322	22.3	20.5	859	Mexico
<i>Leucochrysa</i> arizonica	17.03333	-96.73334	20.5	18.0	670	Mexico
<i>Leucochrysa</i> arizonica	17.01916	-93.78611	24.2	21.8	1646	Mexico
<i>Leucochrysa</i> arizonica	18.91861	-99.16772	21.1	19.4	1038	Mexico
<i>Leucochrysa</i> sp.	18.96518	-99.28471	17.7	15.5	976	Mexico
<i>Leucochrysa</i> arizonica	19.40919	-103.65460	20.5	18.2	823	Mexico
<i>Leucochrysa</i> arizonica	20.54592	-103.34620	19.9	16.5	903	Mexico
<i>Leucochrysa</i> sp.	22.30000	-97.85447	23.9	19.3	1098	Mexico
<i>Leucochrysa</i> adamsii	22.97000	-82.38695	24.4	21.5	1560	Cuba
<i>Leucochrysa</i> compar	22.97000	-82.38695	24.4	21.5	1560	Cuba
<i>Leucochrysa</i> dimidia	22.97000	-82.38695	24.4	21.5	1560	Cuba
<i>Leucochrysa</i> vinesi	22.97000	-82.38695	24.4	21.5	1560	Cuba
<i>Leucochrysa</i> insularis	23.31667	-99.01667	25.4	19.8	791	Mexico
<i>Leucochrysa</i> sp.	23.31667	-99.01667	25.4	19.8	791	Mexico
<i>Leucochrysa</i> sp.	23.31667	-99.01667	25.4	19.8	791	Mexico
<i>Leucochrysa</i> insularis	23.67483	-99.21329	20.8	15.7	632	Mexico

<i>Leucochrysa insularis</i>	23.79813	-99.21329	21.2	15.8	706	Mexico
<i>Leucochrysa americana</i>	23.79813	-99.21329	21.2	15.8	706	Mexico
<i>Leucochrysa americana</i>	24.51667	-98.95000	21.1	15.2	815	Mexico
<i>Leucochrysa sp.</i>	25.66667	-100.31670	22.0	15.2	589	Mexico
<i>Leucochrysa sp.</i>	25.66667	-100.31670	22.0	15.2	589	Mexico
<i>Leucochrysa arizonica</i>	25.66667	-100.31670	22.0	15.2	589	Mexico
<i>Leucochrysa pavida</i>	25.62639	-80.30556	24.0	19.9	1364	USA
<i>Leucochrysa pavida</i>	27.33611	-82.53083	22.4	16.6	1331	USA
<i>Leucochrysa floridana</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa floridana</i>	27.47143	-81.54146	22.3	16.6	1226	USA
<i>Leucochrysa floridana</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa callota</i>	27.29310	-81.36285	22.3	16.7	1216	USA
<i>Leucochrysa pavida</i>	27.21556	-81.85861	22.3	16.7	1309	USA
<i>Leucochrysa floridana</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa floridana</i>	27.29310	-81.36285	22.3	16.7	1216	USA
<i>Leucochrysa pavida</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa floridana</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa callota</i>	27.18866	-81.33757	22.3	16.6	1249	USA
<i>Leucochrysa explorata</i>	28.11666	-97.40833	21.7	13.8	884	USA
<i>Leucochrysa explorata</i>	28.11666	-97.40833	21.7	13.8	884	USA
<i>Leucochrysa americana</i>	28.11666	-97.40833	21.7	13.8	884	USA
<i>Leucochrysa americana</i>	29.88438	-100.99340	20.0	10.4	466	USA
<i>Leucochrysa americana</i>	29.31210	-100.41780	20.3	11.0	551	USA
<i>Leucochrysa americana</i>	29.48708	-98.69572	20.3	11.6	722	USA
<i>Leucochrysa pavida</i>	29.73550	-94.97742	20.4	12.0	1266	USA
<i>Leucochrysa pavida</i>	29.18720	-82.14009	20.9	14.1	1332	USA
<i>Leucochrysa callota</i>	29.83219	-81.95287	20.3	13.2	1312	USA
<i>Leucochrysa callota</i>	29.83219	-81.95287	20.3	13.2	1312	USA
<i>Leucochrysa nigripennis</i>	30.62196	-104.09370	14.3	6.3	394	USA
<i>Leucochrysa texana</i>	30.62196	-104.09370	14.3	6.3	394	USA
<i>Leucochrysa nigripennis</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Leucochrysa americana</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Leucochrysa americana</i>	30.04743	-99.14031	18.6	9.6	732	USA
<i>Leucochrysa insularis</i>	30.88611	-98.96388	18.3	8.5	685	USA
<i>Leucochrysa pavida</i>	30.46194	-97.87194	19.2	9.9	831	USA
<i>Leucochrysa americana</i>	30.18808	-97.31528	19.8	10.6	886	USA

<i>Leucochrysa americana</i>	-96.21826	19.9	10.8	1024	USA
<i>Leucochrysa americana</i>	-96.21826	19.9	10.8	1024	USA
<i>Leucochrysa americana</i>	-96.21826	19.9	10.8	1024	USA
<i>Leucochrysa insulans</i>	-88.11000	19.6	11.4	1561	USA
<i>Leucochrysa floridana</i>	-87.80000	19.2	11.0	1639	USA
<i>Leucochrysa callota</i>	-85.69944	19.7	11.8	1560	USA
<i>Leucochrysa insulans</i>	-85.23326	19.2	11.0	1433	USA
<i>Leucochrysa insulans</i>	-85.23326	19.2	11.0	1433	USA
<i>Leucochrysa callota</i>	-84.60268	19.3	11.3	1467	USA
<i>Leucochrysa callota</i>	-110.87980	15.2	7.5	548	USA
<i>Leucochrysa sp.</i>	-99.02338	18.0	7.8	706	USA
<i>Leucochrysa texana</i>	-96.20774	19.4	10.1	1009	USA
<i>Leucochrysa texana</i>	-96.20774	19.4	10.1	1009	USA
<i>Leucochrysa pavida</i>	-96.20774	19.4	10.1	1009	USA
<i>Leucochrysa americana</i>	-96.20774	19.4	10.1	1009	USA
<i>Leucochrysa insulans</i>	-96.20774	19.4	10.1	1009	USA
<i>Leucochrysa pavida</i>	-92.44514	18.5	9.1	1457	USA
<i>Leucochrysa insulans</i>	-92.44514	18.5	9.1	1457	USA
<i>Leucochrysa insulans</i>	-92.44514	18.5	9.1	1457	USA
<i>Leucochrysa insulans</i>	-92.44514	18.5	9.1	1457	USA
<i>Leucochrysa insulans</i>	-88.58333	18.2	9.5	1573	USA
<i>Leucochrysa insulans</i>	-88.58333	18.2	9.5	1573	USA
<i>Leucochrysa insulans</i>	-88.51666	18.3	9.5	1567	USA
<i>Leucochrysa insulans</i>	-88.58333	18.2	9.5	1573	USA
<i>Leucochrysa insulans</i>	-88.58333	18.2	9.5	1573	USA
<i>Leucochrysa insulans</i>	-88.58333	18.2	9.5	1573	USA
<i>Leucochrysa insulans</i>	-110.03870	15.6	7.4	373	USA
<i>Leucochrysa insulans</i>	-90.90222	17.2	6.7	1338	USA
<i>Leucochrysa insulans</i>	-90.92777	17.0	6.4	1338	USA
<i>Leucochrysa insulans</i>	-90.92777	17.0	6.4	1338	USA
<i>Leucochrysa insulans</i>	-90.92777	17.0	6.4	1338	USA
<i>Leucochrysa insulans</i>	-90.90194	17.2	6.7	1338	USA
<i>Leucochrysa callota</i>	-90.92777	17.0	6.4	1338	USA
<i>Leucochrysa insulans</i>	-90.90222	17.2	6.7	1338	USA
<i>Leucochrysa insulans</i>	-90.93666	17.5	7.2	1356	USA
<i>Leucochrysa callota</i>	-90.92444	17.3	6.8	1335	USA
<i>Leucochrysa callota</i>	-90.92444	17.3	6.8	1335	USA

<i>Leucochrysa pavida</i>	38.99091	-77.19237	12.7	1.5	1021	USA
<i>Leucochrysa insularis</i>	38.97205	-77.04636	12.7	1.5	1050	USA
<i>Leucochrysa pavida</i>	38.98066	-76.93692	12.9	1.8	1057	USA
<i>Leucochrysa americana</i>	39.18361	-96.57166	12.2	-1.2	857	USA
<i>Leucochrysa americana</i>	39.18361	-96.57166	12.2	-1.2	857	USA
<i>Leucochrysa americana</i>	39.23927	-76.98664	12.0	0.7	1092	USA
<i>Leucochrysa insulanus</i>	39.23927	-76.98664	12.0	0.7	1092	USA
<i>Leucochrysa americana</i>	39.23927	-76.98664	12.0	0.7	1092	USA
<i>Leucochrysa ampla</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa boxi</i>	-28.28802	-49.93595	14.0	10.7	1679	Brazil
<i>Leucochrysa pretiosa</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa varia</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa varia</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa walkerina</i>	-22.90412	-47.06331	19.3	16.1	1315	Brazil
<i>Leucochrysa bruneola</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa catarinae</i>	-23.58195	-46.51518	18.2	15.3	1348	Brazil
<i>Leucochrysa camposi</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa camposi</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Leucochrysa camposi</i>	-21.13383	-48.96732	22.6	19.8	1304	Brazil
<i>Leucochrysa camposi</i>	-21.07218	-48.41145	21.9	19.1	1342	Brazil
<i>Leucochrysa camposi</i>	-22.70835	-46.98715	19.5	16.3	1323	Brazil
<i>Leucochrysa camposi</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa camposi</i>	5.20340	-75.13464	17.3	17.0	2782	Colombia
<i>Leucochrysa clepsydra</i>	-21.40464	-48.50367	21.9	19.0	1329	Brazil
<i>Leucochrysa clepsydra</i>	-22.70835	-46.98715	19.5	16.3	1323	Brazil
<i>Leucochrysa cruentata</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa gossei</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil
<i>Leucochrysa gossei</i>	5.84549	-55.16981	26.8	26.1	2069	Surinam
<i>Leucochrysa heriocles</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa heriocles</i>	-28.28802	-49.93595	14.0	10.7	1679	Brazil
<i>Leucochrysa intermedia</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa lancala</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa lancala</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa lateralis</i>	-20.29458	-47.32764	21.2	18.7	1489	Brazil
<i>Leucochrysa marginalis</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa marquezii</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil

<i>Leucochrysa melanocera</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa rodriguezi</i>	-46.98715	19.5	16.3	1323	Brazil
<i>Leucochrysa rodriguezi</i>	-48.50367	21.9	19.0	1329	Brazil
<i>Leucochrysa rodriguezi</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa rodriguezi</i>	-40.50544	24.9	22.6	419	Brazil
<i>Leucochrysa affinis</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa affinis</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa barrei</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa confusa</i>	-50.92312	15.2	11.3	1754	Brazil
<i>Leucochrysa cornuta</i>	-48.31474	23.3	20.5	1374	Brazil
<i>Leucochrysa forciformis</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa forciformis</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa furcata</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa guataparensis</i>	-47.70670	20.9	17.9	1438	Brazil
<i>Leucochrysa guataparensis</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa guataparensis</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa ictericus</i>	-50.35180	21.9	18.4	1209	Brazil
<i>Leucochrysa ictericus</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa ictericus</i>	-48.50367	21.9	19.0	1329	Brazil
<i>Leucochrysa ictericus</i>	-48.56055	21.5	18.5	1310	Brazil
<i>Leucochrysa incognita</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa interata</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa lineata</i>	-47.70670	20.9	17.9	1438	Brazil
<i>Leucochrysa maculosa</i>	-48.50367	21.9	19.0	1329	Brazil
<i>Leucochrysa michelini</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa parallela</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa renusa</i>	-47.32764	21.2	18.7	1489	Brazil
<i>Leucochrysa robusta</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa robusta</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa robusta</i>	-47.70670	20.9	17.9	1438	Brazil
<i>Leucochrysa robusta</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa santini</i>	-48.32240	21.7	18.9	1340	Brazil
<i>Leucochrysa santini</i>	-47.70670	20.9	17.9	1438	Brazil
<i>Leucochrysa santini</i>	-43.94727	21.4	18.9	1375	Brazil
<i>Leucochrysa scomparini</i>	-54.15202	23.5	21.0	1566	Brazil
<i>Leucochrysa squamisetosa</i>	-50.35180	21.9	18.4	1209	Brazil

<i>Leucochrysa tabacinus</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
<i>Leucochrysa tenuis</i>	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
<i>Leucochrysa vignisi</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
<i>Leucochrysa forcipata</i>	9.84750	-84.16208	15.5	14.8	2087	Costa Rica	Penny 1998
<i>Leucochrysa virginiae</i>	9.66528	-83.03536	24.2	23.4	2730	Costa Rica	Penny 1998
<i>Leucochrysa (L.) arizonica</i>	18.93469	-99.16106	21.3	19.6	1003	Mexico	Tauber 2004
<i>Leucochrysa (L.) arizonica</i>	17.43151	-99.56119	18.8	17.6	1486	Mexico	Tauber 2004
<i>Leucochrysa (L.) arizonica</i>	17.06769	-96.71950	20.1	17.7	674	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	20.96466	-97.40412	24.3	19.7	1218	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	35.60126	-108.13681	7.9	-1.9	347	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	30.26021	-97.74099	20.1	10.9	813	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	31.72303	-110.65667	15.7	7.7	473	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	31.38977	-111.07435	16.3	8.4	467	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	38.38604	-122.06210	15.0	8.2	725	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	30.53139	-96.28111	19.9	10.8	1022	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	32.22466	-98.19794	17.6	7.5	802	USA	Tauber 2004
<i>Leucochrysa (N.) americana</i>	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	24.61548	-98.91631	21.4	15.3	819	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	25.25382	-99.67808	22.7	15.2	750	Mexico	Tauber 2004
<i>Leucochrysa (N.) americana</i>	12.50920	-86.66111	25.7	24.7	1394	Nicaragua	Tauber 2004
<i>Leucochrysa (N.) explorata</i>	12.50920	-86.66111	25.7	24.7	1394	Nicaragua	Tauber 2004
<i>Leucochrysa (N.) americana</i>	18.54495	-72.34910	26.7	25.1	1209	Haiti	Tauber 2004
<i>Leucochrysa (N.) americana</i>	18.07072	-93.17373	26.6	23.6	1937	Mexico	Tauber 2004
<i>Leucochrysa (N.) floridana</i>	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
<i>Leucochrysa (N.) floridana</i>	30.54613	-83.87546	19.3	11.4	1416	USA	Tauber 2004
<i>Leucochrysa (N.) floridana</i>	29.94317	-89.99447	20.3	12.3	1541	USA	Tauber 2004
<i>Leucochrysa (N.) floridana</i>	38.98181	-77.23972	12.7	1.4	1019	USA	Tauber 2004
<i>Leucochrysa (N.) floridana</i>	35.22961	-80.84307	15.5	5.5	1144	USA	Tauber 2004
<i>Leucochrysa (N.) pavida</i>	36.60813	-76.49648	15.2	5.3	1211	USA	Tauber 2004
<i>Leucochrysa (N.) pavida</i>	36.73617	-76.11149	15.4	5.7	1157	USA	Tauber 2004
<i>Leucochrysa (N.) pavida</i>	36.91332	-76.01755	15.3	5.5	1124	USA	Tauber 2004
<i>Mallada desjardinsi</i>	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
<i>Mallada desjardinsi</i>	-22.42292	31.03596	23.9	19.2	457	Mozambique	W-RMCA-2
<i>Mallada desjardinsi</i>	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
<i>Mallada desjardinsi</i>	-28.01657	18.75087	18.6	11.8	125	Namibia	W-RMCA-2

<i>Mallada desjardinsi</i>	30.71209	19.1	14.6	851	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	55.48040	24.9	24.2	2281	Seyshelles	W-RMCA-2	
<i>Mallada desjardinsi</i>	30.67941	22.0	17.3	520	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	22.05211	19.7	12.2	205	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	17.08543	19.3	14.2	368	Namibia	W-RMCA-2	
<i>Mallada desjardinsi</i>	31.08333	23.3	18.9	502	Mozambique	W-RMCA-2	
<i>Mallada desjardinsi</i>	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2	
<i>Mallada desjardinsi</i>	30.73332	18.1	14.0	954	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	29.22563	17.0	12.1	623	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	30.98480	19.9	15.5	793	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	28.46767	13.3	7.6	829	South Africa	W-RMCA-2	
<i>Mallada desjardinsi</i>	29.25000	24.6	23.5	1559	DR Congo	W-RMCA-1	
<i>Mallada sjoestedti</i>	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
<i>Mallada collartimus</i>	0.51924	25.19607	25.4	24.7	1799	DR Congo	W-RMCA-1
<i>Mallada huaboensis</i>	4.00000	29.25000	24.6	23.5	1559	DR Congo	W-RMCA-1
<i>Mallada titschaki</i>	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
<i>Meleoma sp.</i>	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
<i>Meleoma dolicharthra</i>	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
<i>Meleoma hageni</i>	19.83759	-102.05000	16.9	13.6	1056	Mexico	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma sp.</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma sp.</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
<i>Meleoma furcata</i>	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2

<i>Meleoma furcata</i>	-104.09370	14.3	6.3	394	USA
<i>Meleoma furcata</i>	-104.08361	13.7	5.9	435	USA
<i>Meleoma hageni</i>	-104.09370	14.3	6.3	394	USA
<i>Meleoma furcata</i>	-104.08361	13.7	5.9	435	USA
<i>Meleoma hageni</i>	-104.08361	13.7	5.9	435	USA
<i>Meleoma furcata</i>	-104.08361	13.7	5.9	435	USA
<i>Meleoma hageni</i>	-104.09370	14.3	6.3	394	USA
<i>Meleoma sp.</i>	-104.08361	13.7	5.9	435	USA
<i>Meleoma furcata</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma furcata</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma hageni</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma sp.</i>	-109.22650	12.3	4.3	525	USA
<i>Meleoma furcata</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma sp.</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma tecucana</i>	-109.22750	12.3	4.3	525	USA
<i>Meleoma hageni</i>	-109.26340	10.4	2.9	601	USA
<i>Meleoma hageni</i>	-109.26340	10.4	2.9	601	USA
<i>Meleoma emuncta</i>	-109.27500	9.1	1.9	660	USA
<i>Meleoma schwartzi</i>	-109.86361	8.0	0.7	728	USA
<i>Meleoma emuncta</i>	-105.74944	8.3	0.3	544	USA
<i>Meleoma dolicharthra</i>	-119.72560	14.4	11.6	474	USA
<i>Meleoma pinalena</i>	-119.72560	14.4	11.6	474	USA
<i>Meleoma pinalena</i>	-112.49710	11.3	2.9	563	USA
<i>Meleoma schwartzi</i>	-112.49710	11.3	2.9	563	USA
<i>Meleoma signoreti</i>	-107.84370	7.9	-1.1	347	USA
<i>Meleoma schwartzi</i>	-82.21207	10.7	1.3	1372	USA
<i>Meleoma emuncta</i>	-117.72250	7.9	0.3	382	USA
<i>Meleoma schwartzi</i>	-117.69230	9.2	1.2	330	USA
<i>Meleoma dolicharthra</i>	-122.23860	14.1	9.5	715	USA
<i>Meleoma emuncta</i>	-122.23860	14.1	9.5	715	USA
<i>Meleoma dolicharthra</i>	-122.23860	14.1	9.5	715	USA
<i>Meleoma emuncta</i>	-122.23860	14.1	9.5	715	USA
<i>Meleoma kennethi</i>	-118.69410	6.5	-0.9	347	USA
<i>Meleoma schwartzi</i>	-118.69410	6.5	-0.9	347	USA

<i>Meleoma kennethi</i>	37.55107	-118.69410	6.5	-0.9	347	USA
<i>Meleoma emuncta</i>	37.90886	-111.42340	9.0	-1.6	254	USA
<i>Meleoma furcata</i>	37.61688	-111.89360	7.1	-2.8	297	USA
<i>Meleoma furcata</i>	37.29277	-111.16694	9.1	-1.3	260	USA
<i>Meleoma emuncta</i>	37.60277	-105.57083	3.7	-7.0	371	USA
<i>Meleoma sp.</i>	37.60277	-105.57083	3.7	-7.0	371	USA
<i>Meleoma hageni Banks</i>	38.91666	-78.81666	9.5	-1.3	1000	USA
<i>Meleoma sp.</i>	38.50068	-78.44972	8.6	-2.1	1218	USA
<i>Meleoma dolicharthra</i>	41.73549	-111.83440	8.9	-3.0	465	USA
<i>Meleoma sp.</i>	41.73549	-111.83440	8.9	-3.0	465	USA
<i>Meleoma emuncta</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Meleoma signoreti</i>	42.51619	-74.13792	6.4	-6.0	1062	USA
<i>Meleoma emuncta</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma emuncta</i>	42.48090	-71.25380	9.2	-2.6	1120	USA
<i>Meleoma signoreti</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma signoreti</i>	42.37510	-71.10561	9.7	-1.8	1115	USA
<i>Meleoma signoreti</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma signoreti</i>	42.27926	-71.41617	9.3	-2.5	1151	USA
<i>Meleoma signoreti</i>	42.48090	-71.25380	9.2	-2.6	1120	USA
<i>Meleoma signoreti</i>	42.37510	-71.10561	9.7	-1.8	1115	USA
<i>Meleoma signoreti</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma signoreti</i>	42.37510	-71.10561	9.7	-1.8	1115	USA
<i>Meleoma signoreti</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma signoreti</i>	42.44732	-71.22449	9.2	-2.5	1140	USA
<i>Meleoma emuncta</i>	43.41313	-74.54765	5.2	-7.6	1292	USA
<i>Meleoma signoreti</i>	45.46885	-92.51975	5.6	-10.6	798	USA
<i>Meleoma emuncta</i>	45.60000	-76.48334	5.2	-9.8	841	Canada
<i>Meleoma emuncta</i>	45.60000	-76.48334	5.2	-9.8	841	Canada
<i>Meleoma emuncta</i>	46.73238	-116.98680	8.1	-0.7	615	USA
<i>Meleoma emuncta</i>	46.73238	-116.98680	8.1	-0.7	615	USA
<i>Meleoma emuncta</i>	47.68148	-122.20870	11.1	5.4	971	USA
<i>Meleoma emuncta</i>	47.68148	-122.20870	11.1	5.4	971	USA
<i>Nacarina sp.</i>	4.29694	-52.38027	25.4	24.9	3682	Fr. Guyana
<i>Nacarina megaptera</i>	8.75939	-83.28310	26.2	25.4	4840	Costa Rica
<i>Nacarina cordillera</i>	8.48017	-83.59130	26.2	25.4	4452	Costa Rica

<i>Nacarina megaptera</i>	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.76745	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
<i>Nacarina titan</i>	9.67177	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	9.02566	-82.96270	18.7	18.0	3004	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
<i>Nacarina titan</i>	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.17010	-85.35080	25.6	24.8	2020	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.85810	-85.62840	24.8	24.0	1702	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6

<i>Nacarina cordillera</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.34910	-85.35230	26.5	25.6	1832	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.40130	-84.05020	25.5	24.7	4132	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	10.40130	-84.04930	25.5	24.7	4132	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.59430	-83.71650	25.7	24.9	4986	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
<i>Nacarina cordillera</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Nacarina megaptera</i>	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
<i>Nacarina sp.</i>	19.53333	-105.06670	26.4	24.1	747	Mexico	W-GBIF-2
<i>Nacarina panchlora</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina panchlora</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Nacarina aculeata</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina gladius</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
<i>Nacarina cordillera</i>	-21.97113	-46.80363	20.1	16.9	1478	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.24801	-44.99763	20.1	17.4	1492	Brazil	de Freitas & Penny 2001
<i>Nacarina lavrasana</i>	-21.75353	-48.82249	21.8	18.6	1236	Brazil	de Freitas & Penny 2001
<i>Nacarina sagitta</i>	-27.33537	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
<i>Nesochrysa virgata</i>	-27.28147	32.74073	22.2	18.8	913	South Africa	W-RMCA-2
<i>Nesochrysa macrostigma</i>	-5.26413	12.94843	25.2	22.3	1188	DR Congo	W-RMCA-1
<i>Nesochrysa macrostigma</i>	-9.69778	22.94111	23.2	21.8	1307	DR Congo	W-RMCA-1
<i>Nesochrysa ruficeps</i>	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	W-RMCA-13
<i>Nineta vittata</i>	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
<i>Nineta vittata</i>	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
<i>Nineta vittata</i>	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
<i>Nineta nanina</i>	33.39777	-105.74944	8.3	0.3	544	USA	W-GBIF-2
<i>Nineta vittata</i>	46.88000	13.28000	6.3	-2.8	1226	Austria	W-GBIF-3
<i>Nineta vittata</i>	46.86180	13.32590	5.1	-3.7	1250	Austria	W-GBIF-14
<i>Nineta flava</i>	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
<i>Nineta sp.</i>	46.93833	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2

<i>Nineta flava</i>	47.90780	9.77990	7.7	-0.9	1013	Germany	W-GBIF-14
<i>Nineta sp.</i>	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
<i>Nineta sp.</i>	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
<i>Nineta flava</i>	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
<i>Nineta vittata</i>	48.67580	10.80920	8.6	-0.3	754	Germany	W-GBIF-14
<i>Nineta flava</i>	50.00491	-5.16135	9.8	5.0	1089	UK	W-GBIF-15
<i>Nineta flava</i>	50.433287	-4.69047	10.2	5.2	1031	UK	W-GBIF-15
<i>Nineta flava</i>	50.24246	-4.97293	10.3	5.3	1047	UK	W-GBIF-15
<i>Nineta flava</i>	50.26152	-4.78465	10.3	5.4	1032	UK	W-GBIF-15
<i>Nineta flava</i>	50.433369	-4.10532	10.0	5.2	1042	UK	W-GBIF-15
<i>Nineta flava</i>	50.433369	-4.10532	10.0	5.2	1042	UK	W-GBIF-15
<i>Nineta vittata</i>	50.91205	-4.01302	10.1	4.9	1091	UK	W-GBIF-15
<i>Nineta vittata</i>	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
<i>Nineta flava</i>	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
<i>Nineta flava</i>	50.69331	-2.04177	10.1	4.8	795	UK	W-GBIF-15
<i>Nineta vittata</i>	50.69331	-2.04177	10.1	4.8	795	UK	W-GBIF-15
<i>Nineta vittata</i>	50.68639	-2.20528	10.0	4.7	796	UK	W-GBIF-15
<i>Nineta flava</i>	50.933388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
<i>Nineta flava</i>	50.933388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
<i>Nineta vittata</i>	50.84813	-2.27702	9.0	3.6	861	UK	W-GBIF-15
<i>Nineta vittata</i>	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
<i>Nineta flava</i>	50.66356	-2.35376	9.7	4.5	829	UK	W-GBIF-15
<i>Nineta vittata</i>	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
<i>Nineta vittata</i>	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
<i>Nineta flava</i>	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
<i>Nineta flava</i>	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
<i>Nineta vittata</i>	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
<i>Nineta flava</i>	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
<i>Nineta vittata</i>	50.78672	-1.82195	10.0	4.7	801	UK	W-GBIF-15
<i>Nineta vittata</i>	50.84343	-1.644488	10.1	4.6	790	UK	W-GBIF-15
<i>Nineta flava</i>	50.84343	-1.644488	10.1	4.6	790	UK	W-GBIF-15
<i>Nineta flava</i>	50.84343	-1.644488	10.1	4.6	790	UK	W-GBIF-15
<i>Nineta flava</i>	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
<i>Nineta vittata</i>	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
<i>Nineta flava</i>	50.77651	-1.97872	9.8	4.5	805	UK	W-GBIF-15
<i>Nineta flava</i>	50.95745	0.85527	10.4	4.5	678	UK	W-GBIF-15

<i>Nineta flava</i>	50.99269	0.03076	10.1	4.3	687	UK
<i>Nineta flava</i>	50.35000	18.96667	8.5	-2.0	673	Poland
<i>Nineta flava</i>	50.53333	20.53333	7.9	-3.3	640	Poland
<i>Nineta flava</i>	51.89539	-8.31236	10.4	6.4	1037	Ireland
<i>Nineta flava</i>	51.89539	-8.31236	10.4	6.4	1037	Ireland
<i>Nineta flava</i>	51.89580	-8.31304	10.4	6.4	1037	Ireland
<i>Nineta flava</i>	51.70325	-5.15029	9.9	4.8	876	UK
<i>Nineta flava</i>	51.74077	-4.48643	10.5	5.4	949	UK
<i>Nineta vittata</i>	51.88430	-4.85916	9.3	4.3	938	UK
<i>Nineta vittata</i>	51.88430	-4.85916	9.3	4.3	938	UK
<i>Nineta vittata</i>	51.57003	-4.16102	10.5	4.9	1132	UK
<i>Nineta vittata</i>	51.57609	-4.09996	10.6	5.0	1133	UK
<i>Nineta vittata</i>	51.57183	-4.16111	10.5	4.9	1132	UK
<i>Nineta vittata</i>	51.73916	-4.49866	10.5	5.4	949	UK
<i>Nineta vittata</i>	51.69369	-4.18572	10.3	4.9	1111	UK
<i>Nineta vittata</i>	51.69369	-4.18572	10.3	4.9	1111	UK
<i>Nineta vittata</i>	51.88466	-4.01767	9.9	4.6	1184	UK
<i>Nineta vittata</i>	51.57183	-4.16111	10.5	4.9	1132	UK
<i>Nineta vittata</i>	51.57003	-4.16102	10.5	4.9	1132	UK
<i>Nineta vittata</i>	51.90672	-3.96268	10.0	4.7	1176	UK
<i>Nineta vittata</i>	51.50849	-3.13125	10.1	4.4	996	UK
<i>Nineta vittata</i>	51.50849	-3.13125	10.1	4.4	996	UK
<i>Nineta vittata</i>	51.19002	-3.78895	8.5	3.0	1372	UK
<i>Nineta vittata</i>	51.40003	-3.18608	10.1	4.7	972	UK
<i>Nineta vittata</i>	51.40003	-3.18608	10.1	4.7	972	UK
<i>Nineta vittata</i>	51.37719	-3.22142	10.2	4.9	968	UK
<i>Nineta vittata</i>	51.45353	-3.23065	10.1	4.6	997	UK
<i>Nineta vittata</i>	51.50821	-3.16007	10.1	4.4	996	UK
<i>Nineta vittata</i>	51.46709	-3.22382	10.2	4.6	1008	UK
<i>Nineta vittata</i>	51.55841	-3.08200	9.9	4.2	977	UK
<i>Nineta vittata</i>	51.52590	-3.18935	10.1	4.4	1016	UK
<i>Nineta vittata</i>	51.55358	-3.11794	10.0	4.2	992	UK
<i>Nineta vittata</i>	51.55167	-3.65884	9.6	4.0	1219	UK
<i>Nineta vittata</i>	51.90124	-3.40275	7.9	2.1	1403	UK
<i>Nineta vittata</i>	51.53436	-3.28258	9.9	4.2	1054	UK
<i>Nineta vittata</i>	51.53429	-3.24725	10.1	4.4	1035	UK

51.53429	-3.24725	10.1	4.4	1035	UK
51.98197	-3.41984	8.6	2.8	1328	UK
<i>Nineta vittata</i>					
51.42686	-3.20116	10.2	4.7	980	UK
51.97982	-3.41176	8.8	3.0	1267	UK
<i>Nineta flava</i>					
51.40003	-3.18608	10.1	4.7	972	UK
51.42686	-3.20116	10.2	4.7	980	UK
<i>Nineta vittata</i>					
51.45353	-3.23065	10.1	4.6	997	UK
51.45353	-3.23065	10.1	4.6	997	UK
<i>Nineta flava</i>					
51.45353	-3.23065	10.1	4.6	997	UK
51.55167	-3.65884	9.6	4.0	1219	UK
<i>Nineta vittata</i>					
51.55358	-3.11794	10.0	4.2	992	UK
51.53429	-3.24725	10.1	4.4	1035	UK
<i>Nineta vittata</i>					
51.40003	-3.18608	10.1	4.7	972	UK
51.53429	-3.24725	10.1	4.4	1035	UK
<i>Nineta flava</i>					
51.74305	-2.21728	9.5	3.9	741	UK
51.60681	-2.22024	9.2	3.7	767	UK
<i>Nineta vittata</i>					
51.60681	-2.22024	9.2	3.7	767	UK
<i>Nineta flava</i>					
51.60681	-2.22024	9.2	3.7	767	UK
<i>Nineta vittata</i>					
51.60681	-2.22024	9.2	3.7	767	UK
<i>Nineta flava</i>					
51.60681	-2.22024	9.2	3.7	767	UK
<i>Nineta vittata</i>					
51.15463	-2.80153	9.6	4.1	838	UK
51.66497	-2.65794	9.9	4.4	822	UK
<i>Nineta flava</i>					
51.56320	-2.21642	9.4	3.8	757	UK
<i>Nineta vittata</i>					
51.70102	-2.64399	9.3	3.8	882	UK
51.82867	-2.03628	8.8	3.1	756	UK
<i>Nineta flava</i>					
51.60093	-2.83030	9.9	4.3	881	UK
<i>Nineta vittata</i>					
51.68261	-2.71606	9.1	3.5	935	UK
<i>Nineta flava</i>					
51.60093	-2.83030	9.9	4.3	881	UK
<i>Nineta vittata</i>					
51.79217	-1.64473	9.3	3.4	639	UK
<i>Nineta flava</i>					
51.79217	-1.64473	9.3	3.4	639	UK
<i>Nineta vittata</i>					
51.74323	-1.92757	9.3	3.5	690	UK
<i>Nineta flava</i>					
51.91776	-1.55649	9.1	3.2	653	UK
<i>Nineta vittata</i>					
51.37983	-1.06593	9.7	3.5	733	UK
<i>Nineta flava</i>					
51.07096	-1.33553	9.9	4.1	791	UK
<i>Nineta vittata</i>					
51.97200	-1.64331	9.2	3.4	640	UK
<i>Nineta flava</i>					

<i>Nineta vittata</i>	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
<i>Nineta flava</i>	51.99832	-1.46829	9.0	3.2	650	UK	W-GBIF-15
<i>Nineta vittata</i>	51.96339	-1.80349	8.7	2.9	720	UK	W-GBIF-15
<i>Nineta vittata</i>	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
<i>Nineta vittata</i>	51.84972	-1.52013	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
<i>Nineta flava</i>	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.99927	-1.75963	8.7	2.9	709	UK	W-GBIF-15
<i>Nineta vittata</i>	51.35908	-1.31772	9.6	3.7	727	UK	W-GBIF-15
<i>Nineta flava</i>	51.93410	-1.23630	9.5	3.5	617	UK	W-GBIF-15
<i>Nineta flava</i>	51.77287	-1.34049	9.8	4.0	620	UK	W-GBIF-15
<i>Nineta flava</i>	51.04427	-1.30809	10.2	4.3	771	UK	W-GBIF-15
<i>Nineta flava</i>	51.99838	-1.48286	9.0	3.2	650	UK	W-GBIF-15
<i>Nineta flava</i>	51.84571	-1.52816	9.2	3.3	645	UK	W-GBIF-15
<i>Nineta vittata</i>	51.91786	-1.58557	9.1	3.3	647	UK	W-GBIF-15
<i>Nineta flava</i>	51.02207	-1.35833	10.2	4.4	780	UK	W-GBIF-15
<i>Nineta vittata</i>	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
<i>Nineta flava</i>	51.19933	-0.38749	9.4	3.3	702	UK	W-GBIF-15
<i>Nineta flava</i>	51.18495	-0.84449	9.5	3.1	818	UK	W-GBIF-15
<i>Nineta flava</i>	51.40046	-0.15253	10.8	5.0	639	UK	W-GBIF-15
<i>Nineta flava</i>	51.35262	-0.22842	10.4	4.5	659	UK	W-GBIF-15
<i>Nineta flava</i>	51.68397	-0.74792	9.3	2.8	695	UK	W-GBIF-15
<i>Nineta flava</i>	51.33686	-0.11201	10.5	4.6	664	UK	W-GBIF-15
<i>Nineta vittata</i>	51.31197	-0.47108	10.2	3.9	656	UK	W-GBIF-15
<i>Nineta flava</i>	51.00602	-0.84894	9.7	3.5	857	UK	W-GBIF-15
<i>Nineta vittata</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Nineta flava</i>	51.28873	-0.62818	9.8	3.4	732	UK	W-GBIF-15
<i>Nineta flava</i>	51.33940	-0.18729	10.4	4.5	666	UK	W-GBIF-15
<i>Nineta vittata</i>	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
<i>Nineta flava</i>	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
<i>Nineta flava</i>	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
<i>Nineta vittata</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Nineta vittata</i>	51.17452	-0.74818	9.6	3.2	796	UK	W-GBIF-15
<i>Nineta flava</i>	51.75509	-0.75465	9.6	3.2	656	UK	W-GBIF-15

<i>Nineta flava</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Nineta vittata</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Nineta flava</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Nineta vittata</i>	51.27382	-0.92112	9.7	3.3	776	UK	W-GBIF-15
<i>Nineta flava</i>	51.31176	-0.20273	10.0	4.0	695	UK	W-GBIF-15
<i>Nineta flava</i>	51.38099	-0.59668	10.0	3.4	689	UK	W-GBIF-15
<i>Nineta flava</i>	51.63943	-0.19342	10.2	4.2	655	UK	W-GBIF-15
<i>Nineta vittata</i>	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
<i>Nineta flava</i>	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
<i>Nineta vittata</i>	51.36216	-0.01041	10.3	4.4	672	UK	W-GBIF-15
<i>Nineta vittata</i>	51.50477	-0.72546	10.0	3.4	670	UK	W-GBIF-15
<i>Nineta flava</i>	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
<i>Nineta vittata</i>	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
<i>Nineta vittata</i>	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
<i>Nineta vittata</i>	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
<i>Nineta flava</i>	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
<i>Nineta vittata</i>	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
<i>Nineta vittata</i>	51.11127	-0.72131	9.1	2.8	850	UK	W-GBIF-15
<i>Nineta vittata</i>	51.01755	-0.78806	9.6	3.5	852	UK	W-GBIF-15
<i>Nineta vittata</i>	51.65585	-0.56941	9.7	3.3	670	UK	W-GBIF-15
<i>Nineta flava</i>	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
<i>Nineta vittata</i>	51.96444	-0.65714	9.5	3.2	651	UK	W-GBIF-15
<i>Nineta vittata</i>	51.33130	-0.82072	9.6	2.9	775	UK	W-GBIF-15
<i>Nineta flava</i>	51.33130	-0.82072	9.6	2.9	775	UK	W-GBIF-15
<i>Nineta flava</i>	51.88920	-0.32948	9.7	3.4	652	UK	W-GBIF-15
<i>Nineta vittata</i>	51.28570	-0.63760	9.8	3.4	732	UK	W-GBIF-15
<i>Nineta flava</i>	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
<i>Nineta flava</i>	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
<i>Nineta vittata</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Nineta vittata</i>	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
<i>Nineta vittata</i>	51.33144	-0.19622	10.0	4.0	695	UK	W-GBIF-15
<i>Nineta vittata</i>	51.42918	-0.26647	10.5	4.7	633	UK	W-GBIF-15
<i>Nineta flava</i>	51.83343	-0.60444	9.7	3.3	652	UK	W-GBIF-15
<i>Nineta flava</i>	51.42041	-0.28118	10.5	4.7	633	UK	W-GBIF-15
<i>Nineta flava</i>	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
<i>Nineta vittata</i>	51.75036	-0.77579	9.6	3.2	656	UK	W-GBIF-15

<i>Nineta flava</i>	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
<i>Nineta vittata</i>	51.96442	-0.65569	9.5	3.2	651	UK	W-GBIF-15
<i>Nineta flava</i>	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
<i>Nineta flava</i>	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
<i>Nineta flava</i>	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
<i>Nineta vittata</i>	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
<i>Nineta flava</i>	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
<i>Nineta flava</i>	51.26469	-0.07125	9.8	3.9	704	UK	W-GBIF-15
<i>Nineta vittata</i>	51.26469	-0.07125	9.8	3.9	704	UK	W-GBIF-15
<i>Nineta flava</i>	51.26977	-0.78358	9.5	3.0	792	UK	W-GBIF-15
<i>Nineta flava</i>	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
<i>Nineta vittata</i>	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
<i>Nineta flava</i>	51.45967	-0.20053	11.0	5.1	621	UK	W-GBIF-15
<i>Nineta flava</i>	51.50620	-0.27236	10.5	4.7	628	UK	W-GBIF-15
<i>Nineta flava</i>	51.50620	-0.27236	10.5	4.7	628	UK	W-GBIF-15
<i>Nineta vittata</i>	51.94511	-0.50857	9.7	3.4	640	UK	W-GBIF-15
<i>Nineta flava</i>	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
<i>Nineta vittata</i>	51.83706	-0.49763	9.5	3.1	676	UK	W-GBIF-15
<i>Nineta flava</i>	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
<i>Nineta vittata</i>	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
<i>Nineta flava</i>	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
<i>Nineta vittata</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Nineta vittata</i>	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
<i>Nineta vittata</i>	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
<i>Nineta flava</i>	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
<i>Nineta flava</i>	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
<i>Nineta flava</i>	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
<i>Nineta flava</i>	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
<i>Nineta vittata</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Nineta flava</i>	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
<i>Nineta flava</i>	51.85304	0.27186	9.7	3.4	599	UK	W-GBIF-15
<i>Nineta flava</i>	51.81435	0.10377	10.0	3.8	615	UK	W-GBIF-15
<i>Nineta flava</i>	51.53927	0.37951	10.2	4.2	595	UK	W-GBIF-15
<i>Nineta flava</i>	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
<i>Nineta vittata</i>	51.39661	0.07735	10.4	4.4	649	UK	W-GBIF-15

<i>Nineta vittata</i>	51.27253	0.222231	9.7	3.8	693	UK	W-GBIF-15
<i>Nineta flava</i>	51.67262	0.05742	10.2	4.1	633	UK	W-GBIF-15
<i>Nineta vittata</i>	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
<i>Nineta flava</i>	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
<i>Nineta vittata</i>	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
<i>Nineta flava</i>	51.65492	0.46293	9.9	3.8	585	UK	W-GBIF-15
<i>Nineta vittata</i>	51.39898	0.422255	9.9	4.0	639	UK	W-GBIF-15
<i>Nineta flava</i>	51.60130	0.07296	10.5	4.5	611	UK	W-GBIF-15
<i>Nineta vittata</i>	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
<i>Nineta flava</i>	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
<i>Nineta vittata</i>	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
<i>Nineta flava</i>	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
<i>Nineta vittata</i>	51.32560	0.49046	10.2	4.3	629	UK	W-GBIF-15
<i>Nineta flava</i>	51.00555	0.06696	9.9	4.1	704	UK	W-GBIF-15
<i>Nineta vittata</i>	51.48633	0.25934	10.4	4.5	603	UK	W-GBIF-15
<i>Nineta flava</i>	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
<i>Nineta vittata</i>	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
<i>Nineta flava</i>	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
<i>Nineta vittata</i>	51.71284	0.02015	10.3	4.2	622	UK	W-GBIF-15
<i>Nineta flava</i>	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
<i>Nineta vittata</i>	51.63462	0.09544	10.4	4.3	612	UK	W-GBIF-15
<i>Nineta flava</i>	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
<i>Nineta vittata</i>	51.55934	0.05518	10.6	4.6	604	UK	W-GBIF-15
<i>Nineta flava</i>	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
<i>Nineta vittata</i>	51.90421	0.10797	9.8	3.5	617	UK	W-GBIF-15
<i>Nineta flava</i>	51.77069	0.25178	9.9	3.6	600	UK	W-GBIF-15
<i>Nineta vittata</i>	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
<i>Nineta flava</i>	51.30763	0.48949	10.2	4.3	629	UK	W-GBIF-15
<i>Nineta vittata</i>	51.89237	0.68886	9.6	3.5	547	UK	W-GBIF-15
<i>Nineta flava</i>	51.59374	0.28633	10.1	4.0	610	UK	W-GBIF-15
<i>Nineta vittata</i>	51.55071	0.18463	10.4	4.4	600	UK	W-GBIF-15
<i>Nineta flava</i>	51.71240	0.01941	10.3	4.2	622	UK	W-GBIF-15
<i>Nineta vittata</i>	51.67442	0.05750	10.2	4.1	633	UK	W-GBIF-15
<i>Nineta flava</i>	51.91457	0.27569	9.6	3.2	598	UK	W-GBIF-15
<i>Nineta vittata</i>	51.56853	0.04405	10.6	4.6	604	UK	W-GBIF-15
<i>Nineta flava</i>	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15

<i>Nineta vittata</i>	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15
<i>Nineta flava</i>	51.62529	0.13908	10.2	4.2	612	UK	W-GBIF-15
<i>Nineta flava</i>	51.56868	0.03540	10.7	4.7	606	UK	W-GBIF-15
<i>Nineta vittata</i>	51.12546	0.15092	10.0	4.2	686	UK	W-GBIF-15
<i>Nineta flava</i>	51.69723	0.35161	9.8	3.7	602	UK	W-GBIF-15
<i>Nineta vittata</i>	51.25723	0.05028	9.8	4.0	697	UK	W-GBIF-15
<i>Nineta impunctata</i>	51.86965	0.27342	9.7	3.4	599	UK	W-GBIF-15
<i>Nineta flava</i>	51.54243	0.44459	10.0	4.0	597	UK	W-GBIF-15
<i>Nineta vittata</i>	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
<i>Nineta flava</i>	51.68096	0.26396	10.0	3.8	604	UK	W-GBIF-15
<i>Nineta vittata</i>	51.09280	0.21368	9.9	4.1	699	UK	W-GBIF-15
<i>Nineta flava</i>	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
<i>Nineta flava</i>	51.63196	0.23984	10.1	4.0	612	UK	W-GBIF-15
<i>Nineta flava</i>	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
<i>Nineta flava</i>	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
<i>Nineta flava</i>	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
<i>Nineta flava</i>	51.86150	0.22944	9.7	3.4	607	UK	W-GBIF-15
<i>Nineta flava</i>	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
<i>Nineta vittata</i>	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
<i>Nineta vittata</i>	51.84998	1.12931	10.1	4.2	549	UK	W-GBIF-15
<i>Nineta flava</i>	51.15539	1.36100	9.9	4.2	630	UK	W-GBIF-15
<i>Nineta flava</i>	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
<i>Nineta vittata</i>	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
<i>Nineta flava</i>	51.10000	17.03333	8.4	-0.9	552	Poland	W-GBIF-2
<i>Nineta flava</i>	52.00722	-9.52931	10.3	6.4	1317	Ireland	W-GBIF-15
<i>Nineta vittata</i>	52.00722	-9.52931	10.3	6.4	1317	Ireland	W-GBIF-15
<i>Nineta flava</i>	52.00760	-9.52985	10.3	6.4	1317	Ireland	W-GBIF-16
<i>Nineta flava</i>	52.00760	-9.52985	10.3	6.4	1317	Ireland	W-GBIF-16
<i>Nineta flava</i>	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
<i>Nineta vittata</i>	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
<i>Nineta flava</i>	52.82529	-4.61622	9.6	5.1	942	UK	W-GBIF-15
<i>Nineta flava</i>	52.94470	-4.00191	9.2	4.1	1066	UK	W-GBIF-15
<i>Nineta vittata</i>	52.83586	-4.05629	8.8	3.7	1149	UK	W-GBIF-15
<i>Nineta flava</i>	52.31465	-4.06212	8.9	3.9	1256	UK	W-GBIF-15
<i>Nineta vittata</i>	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
<i>Nineta flava</i>	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15

<i>Nineta vittata</i>	-4.44519	9.6	4.9	999	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.15117	9.9	5.0	972	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.63462	9.7	5.1	891	UK	W-GBIF-15
<i>Nineta flava</i>	-4.06354	9.4	4.4	1029	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.01122	8.1	2.9	1225	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.28353	9.6	4.8	992	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.54734	9.7	5.2	937	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.30416	9.8	5.2	945	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.15064	9.4	4.4	1040	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.16009	8.2	3.1	1220	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.05079	8.9	3.8	1163	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.00900	9.2	4.1	1066	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
<i>Nineta vittata</i>	-4.00900	9.2	4.1	1066	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.84437	8.4	3.0	1260	UK	W-GBIF-15
<i>Nineta flava</i>	-3.18281	7.7	2.1	1045	UK	W-GBIF-15
<i>Nineta flava</i>	-3.22011	8.3	2.6	1024	UK	W-GBIF-15
<i>Nineta flava</i>	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.35401	8.2	2.6	1201	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.11761	8.3	2.8	902	UK	W-GBIF-15
<i>Nineta flava</i>	-3.18281	7.7	2.1	1045	UK	W-GBIF-15
<i>Nineta flava</i>	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.32524	8.1	2.5	1073	UK	W-GBIF-15
<i>Nineta flava</i>	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	-3.92237	8.9	3.8	1342	UK	W-GBIF-15

<i>Nineta flava</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	52.26617	-3.97852	8.7	3.6	1368	UK	W-GBIF-15
<i>Nineta flava</i>	52.88646	-3.66847	8.1	2.7	1183	UK	W-GBIF-15
<i>Nineta flava</i>	52.09823	-3.82579	8.5	3.1	1476	UK	W-GBIF-15
<i>Nineta vittata</i>	52.35603	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
<i>Nineta flava</i>	52.35603	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
<i>Nineta vittata</i>	52.60305	-3.36600	8.3	2.7	1128	UK	W-GBIF-15
<i>Nineta flava</i>	52.56243	-3.34039	8.3	2.6	1154	UK	W-GBIF-15
<i>Nineta vittata</i>	52.71545	-3.99880	9.1	4.0	1129	UK	W-GBIF-15
<i>Nineta vittata</i>	52.31898	-3.85541	8.4	3.2	1495	UK	W-GBIF-15
<i>Nineta vittata</i>	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
<i>Nineta flava</i>	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
<i>Nineta flava</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta vittata</i>	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta vittata</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21693	-3.43537	8.7	3.0	1303	UK	W-GBIF-15
<i>Nineta vittata</i>	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta flava</i>	52.44589	-3.98657	9.0	4.1	1213	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
<i>Nineta vittata</i>	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
<i>Nineta vittata</i>	52.66758	-3.22011	8.3	2.6	1024	UK	W-GBIF-15
<i>Nineta flava</i>	52.90371	-3.41261	6.3	0.7	1380	UK	W-GBIF-15
<i>Nineta flava</i>	52.93854	-3.09378	8.1	2.5	950	UK	W-GBIF-15
<i>Nineta vittata</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta flava</i>	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
<i>Nineta vittata</i>	52.90696	-2.39406	8.7	3.1	766	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta flava</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta flava</i>	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
<i>Nineta vittata</i>	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91595	-2.39415	8.7	3.1	766	UK	W-GBIF-15
<i>Nineta flava</i>	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15

<i>Nineta flava</i>	52.72950	-2.281455	8.8	3.1	731	UK	W-GBIF-15
<i>Nineta vittata</i>	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
<i>Nineta flava</i>	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
<i>Nineta vittata</i>	52.78174	-2.03707	9.1	3.4	772	UK	W-GBIF-15
<i>Nineta flava</i>	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
<i>Nineta flava</i>	52.37706	-2.35921	9.3	3.6	680	UK	W-GBIF-15
<i>Nineta vittata</i>	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
<i>Nineta flava</i>	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
<i>Nineta flava</i>	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
<i>Nineta vittata</i>	52.82200	-2.222262	9.1	3.4	735	UK	W-GBIF-15
<i>Nineta vittata</i>	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
<i>Nineta flava</i>	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
<i>Nineta flava</i>	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
<i>Nineta flava</i>	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
<i>Nineta flava</i>	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
<i>Nineta vittata</i>	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
<i>Nineta flava</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta flava</i>	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
<i>Nineta vittata</i>	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
<i>Nineta vittata</i>	52.41170	-1.41922	9.5	3.6	629	UK	W-GBIF-15
<i>Nineta flava</i>	52.28164	-1.48689	9.5	3.7	611	UK	W-GBIF-15
<i>Nineta vittata</i>	52.00773	-1.57017	9.2	3.4	634	UK	W-GBIF-15
<i>Nineta flava</i>	52.64284	-1.07694	9.5	3.4	633	UK	W-GBIF-15
<i>Nineta vittata</i>	52.89745	-1.47222	9.7	3.8	690	UK	W-GBIF-15
<i>Nineta flava</i>	52.00521	-1.11853	9.5	3.4	625	UK	W-GBIF-15
<i>Nineta vittata</i>	52.44906	-1.91906	9.1	3.5	705	UK	W-GBIF-15
<i>Nineta flava</i>	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
<i>Nineta flava</i>	52.94990	-1.20364	9.9	3.7	639	UK	W-GBIF-15
<i>Nineta flava</i>	52.46255	-1.92640	9.1	3.5	715	UK	W-GBIF-15
<i>Nineta vittata</i>	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
<i>Nineta flava</i>	52.34883	-1.43473	9.4	3.6	623	UK	W-GBIF-15
<i>Nineta vittata</i>	52.37581	-1.43438	9.5	3.6	629	UK	W-GBIF-15

<i>Nineta vittata</i>	52.00767	-1.55560	9.2	3.4	634	UK	W-GBIF-15
<i>Nineta vittata</i>	52.64182	-1.63049	9.5	3.8	677	UK	W-GBIF-15
<i>Nineta flava</i>	52.64182	-1.63049	9.5	3.8	677	UK	W-GBIF-15
<i>Nineta flava</i>	52.19227	-1.63423	9.6	3.9	605	UK	W-GBIF-15
<i>Nineta vittata</i>	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
<i>Nineta vittata</i>	52.99751	-1.94785	9.0	3.3	874	UK	W-GBIF-15
<i>Nineta flava</i>	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
<i>Nineta flava</i>	52.41177	-1.43392	9.5	3.6	629	UK	W-GBIF-15
<i>Nineta vittata</i>	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
<i>Nineta vittata</i>	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
<i>Nineta flava</i>	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
<i>Nineta flava</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21412	-0.63060	9.6	3.4	617	UK	W-GBIF-15
<i>Nineta flava</i>	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15
<i>Nineta vittata</i>	52.41869	-0.28674	9.8	3.7	548	UK	W-GBIF-15
<i>Nineta vittata</i>	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
<i>Nineta vittata</i>	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
<i>Nineta flava</i>	52.00012	-0.59416	9.8	3.5	626	UK	W-GBIF-15
<i>Nineta flava</i>	52.18084	-0.31784	9.9	3.8	564	UK	W-GBIF-15
<i>Nineta vittata</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Nineta vittata</i>	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
<i>Nineta flava</i>	52.03182	-0.43352	9.9	3.6	599	UK	W-GBIF-15
<i>Nineta flava</i>	52.03542	-0.50338	9.8	3.5	619	UK	W-GBIF-15
<i>Nineta vittata</i>	52.10576	-0.41559	10.0	3.8	575	UK	W-GBIF-15
<i>Nineta flava</i>	52.29527	-0.43157	9.7	3.5	580	UK	W-GBIF-15
<i>Nineta flava</i>	52.00766	-0.47735	9.9	3.6	605	UK	W-GBIF-15
<i>Nineta flava</i>	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
<i>Nineta flava</i>	52.03214	-0.52827	9.8	3.5	619	UK	W-GBIF-15
<i>Nineta vittata</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Nineta flava</i>	52.18084	-0.31784	9.9	3.8	564	UK	W-GBIF-15
<i>Nineta flava</i>	52.27272	-0.46095	9.7	3.5	589	UK	W-GBIF-15
<i>Nineta flava</i>	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
<i>Nineta flava</i>	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
<i>Nineta flava</i>	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
<i>Nineta vittata</i>	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
<i>Nineta flava</i>	52.69321	0.86365	9.5	3.4	628	UK	W-GBIF-15

<i>Nineta flava</i>	52.04007	0.29665	9.4	3.2	578	UK	W-GBIF-15
<i>Nineta flava</i>	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
<i>Nineta flava</i>	52.01397	0.25159	9.4	3.2	585	UK	W-GBIF-15
<i>Nineta vittata</i>	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
<i>Nineta flava</i>	52.51008	0.61588	9.4	3.2	585	UK	W-GBIF-15
<i>Nineta flava</i>	52.77311	0.51300	9.5	3.3	598	UK	W-GBIF-15
<i>Nineta vittata</i>	52.51008	0.61588	9.4	3.2	585	UK	W-GBIF-15
<i>Nineta flava</i>	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
<i>Nineta flava</i>	52.21181	0.66200	9.2	3.1	568	UK	W-GBIF-15
<i>Nineta flava</i>	52.60565	1.44889	10.2	4.3	614	UK	W-GBIF-15
<i>Nineta vittata</i>	52.60565	1.44889	10.2	4.3	614	UK	W-GBIF-15
<i>Nineta flava</i>	52.59578	1.322255	10.1	4.1	628	UK	W-GBIF-15
<i>Nineta vittata</i>	52.68129	1.47705	10.3	4.4	618	UK	W-GBIF-15
<i>Nineta vittata</i>	52.68129	1.47705	10.3	4.4	618	UK	W-GBIF-15
<i>Nineta flava</i>	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
<i>Nineta vittata</i>	52.87303	1.04642	10.0	3.9	644	UK	W-GBIF-15
<i>Nineta vittata</i>	52.22820	1.58800	9.8	4.1	589	UK	W-GBIF-15
<i>Nineta vittata</i>	52.94300	1.20280	10.4	4.2	651	UK	W-GBIF-15
<i>Nineta flava</i>	52.86504	1.34311	10.6	4.4	643	UK	W-GBIF-15
<i>Nineta vittata</i>	52.72415	1.69529	10.1	4.5	613	UK	W-GBIF-15
<i>Nineta vittata</i>	52.21407	1.60882	9.8	4.1	589	UK	W-GBIF-15
<i>Nineta vittata</i>	52.69211	1.42980	10.3	4.4	624	UK	W-GBIF-15
<i>Nineta vittata</i>	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
<i>Nineta vittata</i>	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
<i>Nineta flava</i>	52.48746	1.62603	9.9	4.3	594	UK	W-GBIF-15
<i>Nineta vittata</i>	53.57660	-10.06104	9.7	5.9	1226	Ireland	W-GBIF-15
<i>Nineta vittata</i>	53.57680	-10.06150	9.7	5.9	1226	Ireland	W-GBIF-16
<i>Nineta vittata</i>	53.18621	-6.25699	8.0	3.5	1115	Ireland	W-GBIF-15
<i>Nineta flava</i>	53.28502	-6.25298	9.1	4.7	890	Ireland	W-GBIF-15
<i>Nineta flava</i>	53.35217	-6.53487	9.4	4.9	810	Ireland	W-GBIF-15
<i>Nineta vittata</i>	53.19408	-6.18185	9.1	4.7	953	Ireland	W-GBIF-15
<i>Nineta flava</i>	53.28588	-6.31293	9.1	4.7	877	Ireland	W-GBIF-15
<i>Nineta vittata</i>	53.62983	-6.49578	9.3	4.9	837	Ireland	W-GBIF-15
<i>Nineta flava</i>	53.35240	-6.53580	9.4	4.9	810	Ireland	W-GBIF-16
<i>Nineta flava</i>	53.28610	-6.31389	9.1	4.7	877	Ireland	W-GBIF-16
<i>Nineta flava</i>	53.28530	-6.25394	9.1	4.7	890	Ireland	W-GBIF-16

<i>Nineta flava</i>	53.63000	-6.49672	9.3	4.9	837	Ireland
<i>Nineta vittata</i>	53.18650	-6.25796	8.0	3.5	1115	Ireland
<i>Nineta vittata</i>	53.19430	-6.18282	9.1	4.7	953	Ireland
<i>Nineta vittata</i>	53.02348	-4.12486	8.7	3.6	1141	UK
<i>Nineta vittata</i>	53.01606	-4.03503	7.9	2.7	1253	UK
<i>Nineta flava</i>	53.19346	-4.09807	9.0	4.0	1069	UK
<i>Nineta flava</i>	53.06942	-4.31374	9.7	5.0	963	UK
<i>Nineta flava</i>	53.06942	-4.31374	9.7	5.0	963	UK
<i>Nineta flava</i>	53.22450	-4.12207	9.6	4.6	967	UK
<i>Nineta flava</i>	53.43420	-4.44117	9.6	5.0	892	UK
<i>Nineta flava</i>	53.08390	-4.26224	9.6	4.8	985	UK
<i>Nineta flava</i>	53.25453	-4.02385	9.7	4.7	912	UK
<i>Nineta vittata</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Nineta vittata</i>	53.30818	-4.28910	9.3	4.5	984	UK
<i>Nineta flava</i>	53.30818	-4.28910	9.3	4.5	984	UK
<i>Nineta flava</i>	53.22113	-4.13463	9.5	4.6	994	UK
<i>Nineta flava</i>	53.25190	-4.17365	9.3	4.4	1005	UK
<i>Nineta vittata</i>	53.39801	-4.29392	9.3	4.6	954	UK
<i>Nineta vittata</i>	53.22032	-4.17954	9.5	4.7	986	UK
<i>Nineta flava</i>	53.22617	-4.12964	9.5	4.6	994	UK
<i>Nineta flava</i>	53.16206	-4.16910	9.1	4.1	1068	UK
<i>Nineta flava</i>	53.24781	-4.15095	9.5	4.6	994	UK
<i>Nineta flava</i>	53.25190	-4.17365	9.3	4.4	1005	UK
<i>Nineta vittata</i>	53.34468	-4.26101	9.5	4.7	944	UK
<i>Nineta flava</i>	53.18741	-4.23251	9.7	4.9	966	UK
<i>Nineta vittata</i>	53.15925	-4.31857	9.9	5.2	930	UK
<i>Nineta flava</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Nineta flava</i>	53.22059	-4.16457	9.5	4.6	994	UK
<i>Nineta vittata</i>	53.25169	-4.10992	9.4	4.4	995	UK
<i>Nineta flava</i>	53.26132	-3.57432	9.0	3.6	871	UK
<i>Nineta flava</i>	53.16939	-3.72057	8.1	2.7	1090	UK
<i>Nineta vittata</i>	53.12629	-3.20317	8.0	2.5	970	UK
<i>Nineta vittata</i>	53.17297	-3.69004	8.5	3.1	1008	UK
<i>Nineta flava</i>	53.35307	-3.42743	9.4	4.0	785	UK
<i>Nineta vittata</i>	53.00974	-3.17011	7.4	1.9	1077	UK
<i>Nineta flava</i>	53.20998	-3.05201	9.5	4.3	740	UK

<i>Nineta flava</i>	53.27150	-2.222495	9.5	3.9	889	UK	W-GBIF-15
<i>Nineta flava</i>	53.44414	-2.89065	9.4	4.1	843	UK	W-GBIF-15
<i>Nineta flava</i>	53.33508	-2.98375	9.4	4.2	773	UK	W-GBIF-15
<i>Nineta flava</i>	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
<i>Nineta vittata</i>	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
<i>Nineta flava</i>	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
<i>Nineta vittata</i>	53.42297	-2.50423	9.7	4.2	937	UK	W-GBIF-15
<i>Nineta vittata</i>	53.35124	-2.08188	9.2	3.6	1029	UK	W-GBIF-15
<i>Nineta vittata</i>	53.34950	-2.65129	9.5	4.2	900	UK	W-GBIF-15
<i>Nineta flava</i>	53.32116	-2.00751	8.6	2.9	1135	UK	W-GBIF-15
<i>Nineta vittata</i>	53.22939	-2.66669	9.0	3.6	876	UK	W-GBIF-15
<i>Nineta flava</i>	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
<i>Nineta vittata</i>	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
<i>Nineta flava</i>	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
<i>Nineta flava</i>	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
<i>Nineta flava</i>	53.53690	-2.00755	9.1	3.4	1092	UK	W-GBIF-15
<i>Nineta flava</i>	53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
<i>Nineta vittata</i>	53.34370	-2.29969	9.8	4.3	870	UK	W-GBIF-15
<i>Nineta flava</i>	53.34751	-2.38309	9.7	4.2	881	UK	W-GBIF-15
<i>Nineta vittata</i>	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
<i>Nineta flava</i>	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
<i>Nineta flava</i>	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
<i>Nineta vittata</i>	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
<i>Nineta vittata</i>	53.09170	-2.222401	8.9	3.3	881	UK	W-GBIF-15
<i>Nineta vittata</i>	53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
<i>Nineta flava</i>	53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
<i>Nineta vittata</i>	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
<i>Nineta flava</i>	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
<i>Nineta vittata</i>	53.86877	-1.58174	9.0	3.5	762	UK	W-GBIF-15
<i>Nineta flava</i>	53.60898	-1.73623	9.1	3.5	917	UK	W-GBIF-15
<i>Nineta flava</i>	53.49833	-1.20848	9.5	3.8	661	UK	W-GBIF-15
<i>Nineta flava</i>	53.49823	-1.19341	9.5	3.8	653	UK	W-GBIF-15
<i>Nineta flava</i>	53.48141	-1.38964	9.4	3.9	721	UK	W-GBIF-15
<i>Nineta vittata</i>	53.43067	-1.11114	9.7	4.0	610	UK	W-GBIF-15
<i>Nineta flava</i>	53.47257	-1.41991	9.4	3.9	742	UK	W-GBIF-15

<i>Nineta flava</i>	53.54023	-1.47180	9.4	3.9	756	UK	W-GBIF-15
<i>Nineta flava</i>	53.33888	-1.75217	8.8	3.2	1014	UK	W-GBIF-15
<i>Nineta flava</i>	53.42809	-1.52587	9.0	3.5	840	UK	W-GBIF-15
<i>Nineta vittata</i>	53.42809	-1.52587	9.0	3.5	840	UK	W-GBIF-15
<i>Nineta vittata</i>	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
<i>Nineta flava</i>	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
<i>Nineta flava</i>	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
<i>Nineta flava</i>	53.34657	-1.39157	9.3	3.7	756	UK	W-GBIF-15
<i>Nineta vittata</i>	53.43039	-1.34748	9.7	4.1	684	UK	W-GBIF-15
<i>Nineta flava</i>	53.31865	-1.22682	9.3	3.5	703	UK	W-GBIF-15
<i>Nineta vittata</i>	53.38260	-1.31964	9.5	3.9	696	UK	W-GBIF-15
<i>Nineta flava</i>	53.53852	-1.17000	9.6	3.9	637	UK	W-GBIF-15
<i>Nineta vittata</i>	53.43970	-1.40756	9.5	4.0	719	UK	W-GBIF-15
<i>Nineta flava</i>	53.88745	-1.91631	8.6	3.0	1030	UK	W-GBIF-15
<i>Nineta flava</i>	53.36045	-1.47403	9.4	3.9	779	UK	W-GBIF-15
<i>Nineta vittata</i>	53.48141	-1.38964	9.4	3.9	721	UK	W-GBIF-15
<i>Nineta flava</i>	53.42950	-1.34749	9.7	4.1	684	UK	W-GBIF-15
<i>Nineta vittata</i>	53.86541	-1.89278	8.9	3.3	1004	UK	W-GBIF-15
<i>Nineta flava</i>	53.86541	-1.89278	8.9	3.3	1004	UK	W-GBIF-15
<i>Nineta vittata</i>	53.34319	-1.53808	9.1	3.5	840	UK	W-GBIF-15
<i>Nineta flava</i>	53.42880	-1.76670	7.9	2.3	1137	UK	W-GBIF-15
<i>Nineta vittata</i>	53.20081	-1.03206	9.6	3.6	639	UK	W-GBIF-15
<i>Nineta vittata</i>	53.52068	-1.12585	9.7	4.0	612	UK	W-GBIF-15
<i>Nineta flava</i>	53.56817	-1.60661	9.2	3.7	838	UK	W-GBIF-15
<i>Nineta flava</i>	53.16742	-1.26620	9.2	3.2	745	UK	W-GBIF-15
<i>Nineta flava</i>	53.40979	-1.45085	9.6	4.1	728	UK	W-GBIF-15
<i>Nineta vittata</i>	53.84994	-1.47779	9.0	3.5	734	UK	W-GBIF-15
<i>Nineta flava</i>	53.44864	-1.17176	9.3	3.6	672	UK	W-GBIF-15
<i>Nineta flava</i>	53.80990	-1.46842	9.3	3.8	701	UK	W-GBIF-15
<i>Nineta vittata</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Nineta flava</i>	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
<i>Nineta flava</i>	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
<i>Nineta flava</i>	53.04958	-1.12348	9.6	3.4	671	UK	W-GBIF-15
<i>Nineta vittata</i>	53.36350	-1.21098	9.4	3.6	692	UK	W-GBIF-15
<i>Nineta flava</i>	53.44205	-1.53249	9.0	3.5	840	UK	W-GBIF-15
<i>Nineta vittata</i>	53.49359	-1.10983	9.7	4.0	604	UK	W-GBIF-15

<i>Nineta vittata</i>	53.84994	-1.47779	9.0	3.5	734	UK
<i>Nineta vittata</i>	53.54274	-1.07106	9.6	4.0	600	UK
<i>Nineta flava</i>	53.54274	-1.07106	9.6	4.0	600	UK
<i>Nineta vittata</i>	53.54274	-1.07106	9.6	4.0	600	UK
<i>Nineta flava</i>	53.54274	-1.07106	9.6	4.0	600	UK
<i>Nineta flava</i>	53.54274	-1.07106	9.6	4.0	600	UK
<i>Nineta vittata</i>	53.47150	-1.16302	9.6	3.9	627	UK
<i>Nineta vittata</i>	53.35875	-1.17350	9.4	3.7	675	UK
<i>Nineta flava</i>	53.27569	-1.51931	9.0	3.4	853	UK
<i>Nineta flava</i>	53.54023	-1.47180	9.4	3.9	756	UK
<i>Nineta flava</i>	53.84994	-1.47779	9.0	3.5	734	UK
<i>Nineta vittata</i>	53.53562	-1.55259	9.0	3.5	843	UK
<i>Nineta vittata</i>	53.38326	-1.55644	9.0	3.4	873	UK
<i>Nineta flava</i>	53.52109	-1.18467	9.6	3.9	637	UK
<i>Nineta flava</i>	53.37362	-1.40622	9.3	3.7	756	UK
<i>Nineta vittata</i>	53.52678	-1.47951	9.4	3.9	756	UK
<i>Nineta flava</i>	53.56807	-1.57641	9.4	3.9	782	UK
<i>Nineta flava</i>	53.63108	-1.77314	9.5	3.9	873	UK
<i>Nineta vittata</i>	53.09170	-1.77599	8.5	2.8	992	UK
<i>Nineta vittata</i>	53.97653	-1.55017	8.8	3.3	767	UK
<i>Nineta flava</i>	53.71714	-1.01494	9.5	3.9	599	UK
<i>Nineta flava</i>	53.34037	-1.50957	9.1	3.5	840	UK
<i>Nineta vittata</i>	53.34037	-1.50957	9.1	3.5	840	UK
<i>Nineta flava</i>	53.73053	-1.84765	9.0	3.4	990	UK
<i>Nineta flava</i>	53.00180	-1.77646	9.2	3.5	850	UK
<i>Nineta vittata</i>	53.09170	-1.77599	8.5	2.8	992	UK
<i>Nineta flava</i>	53.09189	-1.92533	8.2	2.5	1080	UK
<i>Nineta vittata</i>	53.00199	-1.92549	8.8	3.2	917	UK
<i>Nineta flava</i>	53.71062	-0.40896	9.6	3.9	655	UK
<i>Nineta flava</i>	53.89145	-0.85333	9.4	3.9	627	UK
<i>Nineta vittata</i>	53.48056	-0.34975	9.4	3.5	630	UK
<i>Nineta vittata</i>	53.85177	-0.24775	9.6	3.9	700	UK
<i>Nineta vittata</i>	53.61737	-0.86531	9.6	4.0	596	UK
<i>Nineta vittata</i>	53.77799	-0.66216	9.5	3.9	634	UK
<i>Nineta vittata</i>	53.90219	-0.25326	9.6	4.0	703	UK
<i>Nineta flava</i>	53.26320	-0.57557	9.4	3.6	603	UK

<i>Nineta flava</i>	53.90165	-0.21674	9.6	4.0	708	UK	W-GBIF-15
<i>Nineta vittata</i>	53.18026	-0.10687	9.4	3.3	615	UK	W-GBIF-15
<i>Nineta flava</i>	53.81829	-0.91306	9.5	3.8	611	UK	W-GBIF-15
<i>Nineta flava</i>	53.91396	-0.85729	9.4	3.9	627	UK	W-GBIF-15
<i>Nineta flava</i>	53.78512	-0.57844	9.0	3.3	696	UK	W-GBIF-15
<i>Nineta flava</i>	53.75368	-0.36865	9.6	3.9	664	UK	W-GBIF-15
<i>Nineta flava</i>	53.29721	-0.80704	9.7	3.8	593	UK	W-GBIF-15
<i>Nineta flava</i>	53.77202	-0.39525	9.6	3.9	659	UK	W-GBIF-15
<i>Nineta flava</i>	53.81572	-0.36928	9.6	4.0	673	UK	W-GBIF-15
<i>Nineta flava</i>	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
<i>Nineta flava</i>	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
<i>Nineta vittata</i>	53.19595	-0.62945	9.6	3.7	586	UK	W-GBIF-15
<i>Nineta flava</i>	53.61250	0.14602	9.7	3.8	660	UK	W-GBIF-15
<i>Nineta flava</i>	53.40735	0.20339	9.7	3.7	629	UK	W-GBIF-15
<i>Nineta flava</i>	54.68615	-6.65161	8.5	3.6	969	Ireland	W-GBIF-15
<i>Nineta flava</i>	54.08079	-4.64872	8.8	4.1	899	UK	W-GBIF-15
<i>Nineta flava</i>	54.23059	-4.68517	8.7	3.9	931	UK	W-GBIF-15
<i>Nineta flava</i>	54.31970	-4.51410	8.3	3.3	970	UK	W-GBIF-15
<i>Nineta flava</i>	54.16975	-4.52568	8.3	3.4	961	UK	W-GBIF-15
<i>Nineta vittata</i>	54.91932	-4.19239	7.7	2.4	1269	UK	W-GBIF-15
<i>Nineta flava</i>	54.14412	-4.52641	8.5	3.7	936	UK	W-GBIF-15
<i>Nineta flava</i>	54.14412	-4.52641	8.5	3.7	936	UK	W-GBIF-15
<i>Nineta vittata</i>	54.88057	-4.17235	8.3	3.0	1146	UK	W-GBIF-15
<i>Nineta vittata</i>	54.43474	-3.15639	6.2	0.6	1374	UK	W-GBIF-15
<i>Nineta flava</i>	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
<i>Nineta flava</i>	54.43612	-3.00223	8.2	2.4	1072	UK	W-GBIF-15
<i>Nineta flava</i>	54.25558	-3.08996	8.3	2.6	1061	UK	W-GBIF-15
<i>Nineta vittata</i>	54.19020	-2.83533	8.7	2.9	1101	UK	W-GBIF-15
<i>Nineta vittata</i>	54.19020	-2.83533	8.7	2.9	1101	UK	W-GBIF-15
<i>Nineta vittata</i>	54.97457	-2.33592	7.9	2.4	832	UK	W-GBIF-15
<i>Nineta vittata</i>	54.99294	-2.13287	8.1	2.7	757	UK	W-GBIF-15
<i>Nineta flava</i>	54.95572	-2.00859	8.0	2.6	744	UK	W-GBIF-15
<i>Nineta vittata</i>	54.91207	-2.11700	7.6	2.1	840	UK	W-GBIF-15
<i>Nineta vittata</i>	54.91885	-2.74114	8.2	2.5	865	UK	W-GBIF-15
<i>Nineta vittata</i>	54.10186	-2.02218	8.1	2.5	1111	UK	W-GBIF-15
<i>Nineta vittata</i>	54.98372	-2.27349	8.0	2.4	804	UK	W-GBIF-15

<i>Nineta flava</i>	54.25755	-2.84437	8.3	2.6	1150	UK	W-GBIF-15
<i>Nineta vittata</i>	54.92069	-2.31987	7.7	2.1	864	UK	W-GBIF-15
<i>Nineta flava</i>	54.10186	-2.02218	8.1	2.5	1111	UK	W-GBIF-15
<i>Nineta flava</i>	54.89948	-2.94353	8.6	2.8	825	UK	W-GBIF-15
<i>Nineta vittata</i>	54.85585	-2.75556	8.2	2.5	884	UK	W-GBIF-15
<i>Nineta flava</i>	54.61882	-2.54207	8.2	2.5	992	UK	W-GBIF-15
<i>Nineta flava</i>	54.91732	-2.95955	8.6	2.9	827	UK	W-GBIF-15
<i>Nineta vittata</i>	54.18142	-2.80451	8.8	3.0	1108	UK	W-GBIF-15
<i>Nineta flava</i>	54.90078	-2.75640	8.3	2.5	870	UK	W-GBIF-15
<i>Nineta flava</i>	54.90078	-2.75640	8.3	2.5	870	UK	W-GBIF-15
<i>Nineta flava</i>	54.88138	-2.95869	8.5	2.8	835	UK	W-GBIF-15
<i>Nineta flava</i>	54.87264	-2.92731	8.4	2.7	863	UK	W-GBIF-15
<i>Nineta vittata</i>	54.63703	-2.88398	7.4	1.8	1098	UK	W-GBIF-15
<i>Nineta flava</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta vittata</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.95664	-2.32016	7.7	2.1	864	UK	W-GBIF-15
<i>Nineta vittata</i>	54.78386	-2.76977	8.0	2.3	947	UK	W-GBIF-15
<i>Nineta flava</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta vittata</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta vittata</i>	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
<i>Nineta flava</i>	54.20094	-2.90378	8.6	2.8	1099	UK	W-GBIF-15
<i>Nineta vittata</i>	54.18663	-2.68966	8.2	2.5	1251	UK	W-GBIF-15
<i>Nineta vittata</i>	54.92339	-2.73342	8.2	2.5	865	UK	W-GBIF-15
<i>Nineta vittata</i>	54.36495	-2.90814	8.1	2.4	1138	UK	W-GBIF-15
<i>Nineta flava</i>	54.25755	-2.84437	8.3	2.6	1150	UK	W-GBIF-15
<i>Nineta vittata</i>	54.77942	-2.76191	8.0	2.3	947	UK	W-GBIF-15
<i>Nineta vittata</i>	54.18565	-2.84291	8.7	2.9	1101	UK	W-GBIF-15
<i>Nineta flava</i>	54.90391	-2.95143	8.6	2.8	825	UK	W-GBIF-15

<i>Nineta flava</i>	54.94155	-2.70252	8.0	2.3	901	UK
<i>Nineta vittata</i>	54.27435	-2.99830	8.3	2.5	1110	UK
<i>Nineta vittata</i>	54.74807	-1.33423	8.4	3.1	695	UK
<i>Nineta vittata</i>	54.74807	-1.33423	8.4	3.1	695	UK
<i>Nineta vittata</i>	54.16708	-1.01883	9.1	3.6	672	UK
<i>Nineta flava</i>	54.08757	-1.55890	8.9	3.4	733	UK
<i>Nineta vittata</i>	54.88509	-1.86749	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.88509	-1.86749	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.91185	-1.74260	7.9	2.6	729	UK
<i>Nineta vittata</i>	54.91185	-1.74260	7.9	2.6	729	UK
<i>Nineta flava</i>	54.91185	-1.74260	7.9	2.6	729	UK
<i>Nineta flava</i>	54.63070	-1.62896	8.4	3.0	713	UK
<i>Nineta flava</i>	54.24423	-1.17892	8.1	2.7	760	UK
<i>Nineta vittata</i>	54.91192	-1.77380	8.2	2.9	694	UK
<i>Nineta flava</i>	54.24821	-1.04761	8.9	3.5	688	UK
<i>Nineta flava</i>	54.95695	-1.83602	7.9	2.5	734	UK
<i>Nineta flava</i>	54.95695	-1.83602	7.9	2.5	734	UK
<i>Nineta vittata</i>	54.92090	-1.77375	8.1	2.8	697	UK
<i>Nineta flava</i>	54.91197	-1.80500	8.1	2.7	714	UK
<i>Nineta vittata</i>	54.91194	-1.78940	8.2	2.9	694	UK
<i>Nineta flava</i>	54.11146	-1.57930	8.9	3.4	733	UK
<i>Nineta vittata</i>	54.92976	-1.71127	8.4	3.1	672	UK
<i>Nineta flava</i>	54.84018	-1.89878	7.9	2.5	749	UK
<i>Nineta vittata</i>	54.93874	-1.71121	8.4	3.1	672	UK
<i>Nineta flava</i>	54.93874	-1.71121	8.4	3.1	672	UK
<i>Nineta vittata</i>	54.93874	-1.71121	8.4	3.1	672	UK
<i>Nineta vittata</i>	54.67524	-1.87205	7.9	2.5	798	UK
<i>Nineta vittata</i>	54.89406	-1.85187	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.89406	-1.85187	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.90293	-1.77385	8.2	2.9	694	UK
<i>Nineta flava</i>	54.01236	-1.51926	9.1	3.6	714	UK
<i>Nineta flava</i>	54.67524	-1.87205	7.9	2.5	798	UK
<i>Nineta vittata</i>	54.83120	-1.89880	7.4	1.9	837	UK
<i>Nineta flava</i>	54.13814	-1.50249	9.2	3.7	679	UK
<i>Nineta flava</i>	54.13814	-1.50249	9.2	3.7	679	UK

<i>Nineta vittata</i>	54.93878	-1.72682	8.4	3.1	672	UK
<i>Nineta flava</i>	54.93878	-1.72682	8.4	3.1	672	UK
<i>Nineta flava</i>	54.18326	-1.54793	9.1	3.6	695	UK
<i>Nineta flava</i>	54.70789	-1.30152	8.5	3.3	690	UK
<i>Nineta vittata</i>	54.70789	-1.30152	8.5	3.3	690	UK
<i>Nineta vittata</i>	54.67832	-1.82163	8.2	2.8	745	UK
<i>Nineta vittata</i>	54.89394	-1.77390	8.2	2.9	694	UK
<i>Nineta flava</i>	54.89394	-1.77390	8.2	2.9	694	UK
<i>Nineta vittata</i>	54.97498	-1.88282	8.4	3.0	681	UK
<i>Nineta vittata</i>	54.92090	-1.77375	8.1	2.8	697	UK
<i>Nineta vittata</i>	54.25290	-1.13270	8.4	3.0	724	UK
<i>Nineta vittata</i>	54.74855	-1.33966	8.4	3.1	695	UK
<i>Nineta vittata</i>	54.89397	-1.78949	8.2	2.9	694	UK
<i>Nineta flava</i>	54.14311	-1.50932	9.2	3.7	679	UK
<i>Nineta vittata</i>	54.14311	-1.50932	9.2	3.7	679	UK
<i>Nineta vittata</i>	54.28814	-1.03977	8.7	3.3	715	UK
<i>Nineta vittata</i>	54.90305	-1.85183	8.2	2.8	703	UK
<i>Nineta flava</i>	54.90305	-1.85183	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.90305	-1.85183	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.90305	-1.85183	8.2	2.8	703	UK
<i>Nineta flava</i>	54.98347	-1.63275	8.4	3.2	667	UK
<i>Nineta vittata</i>	54.83111	-1.82096	7.9	2.5	753	UK
<i>Nineta vittata</i>	54.83111	-1.82096	7.9	2.5	753	UK
<i>Nineta flava</i>	54.89345	-1.58679	8.7	3.4	645	UK
<i>Nineta vittata</i>	54.25207	-1.02526	8.7	3.3	715	UK
<i>Nineta vittata</i>	54.49085	-1.04198	8.1	2.8	773	UK
<i>Nineta flava</i>	54.98352	-1.64837	8.4	3.2	667	UK
<i>Nineta vittata</i>	54.89404	-1.83627	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.89404	-1.83627	8.2	2.8	703	UK
<i>Nineta vittata</i>	54.98391	-1.83591	8.4	3.1	674	UK
<i>Nineta flava</i>	54.98391	-1.83591	8.4	3.1	674	UK
<i>Nineta vittata</i>	54.84020	-1.91435	7.9	2.5	749	UK
<i>Nineta vittata</i>	54.99286	-1.80461	8.5	3.2	661	UK
<i>Nineta flava</i>	54.99286	-1.80461	8.5	3.2	661	UK
<i>Nineta vittata</i>	54.97495	-1.85157	8.4	3.1	674	UK

<i>Nineta flava</i>	54.97495	-1.85157	8.4	3.1	674	UK	W-GBIF-15
<i>Nineta flava</i>	54.25588	-1.11037	8.4	3.0	738	UK	W-GBIF-15
<i>Nineta flava</i>	54.98342	-1.61712	8.6	3.4	654	UK	W-GBIF-15
<i>Nineta flava</i>	54.97457	-1.66408	8.4	3.2	667	UK	W-GBIF-15
<i>Nineta vittata</i>	54.97457	-1.66408	8.4	3.2	667	UK	W-GBIF-15
<i>Nineta vittata</i>	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
<i>Nineta flava</i>	54.98387	-1.80465	8.5	3.2	661	UK	W-GBIF-15
<i>Nineta flava</i>	54.84890	-1.57089	8.8	3.5	640	UK	W-GBIF-15
<i>Nineta flava</i>	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
<i>Nineta vittata</i>	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
<i>Nineta vittata</i>	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
<i>Nineta vittata</i>	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
<i>Nineta vittata</i>	54.85813	-1.86758	7.9	2.5	744	UK	W-GBIF-15
<i>Nineta vittata</i>	54.30474	-0.65897	8.5	3.2	832	UK	W-GBIF-15
<i>Nineta vittata</i>	54.42322	-0.56569	8.8	3.6	837	UK	W-GBIF-15
<i>Nineta vittata</i>	54.40757	-0.53542	8.6	3.4	868	UK	W-GBIF-15
<i>Nineta vittata</i>	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15
<i>Nineta vittata</i>	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15
<i>Nineta vittata</i>	54.27476	-0.55396	8.7	3.4	837	UK	W-GBIF-15
<i>Nineta vittata</i>	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
<i>Nineta vittata</i>	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
<i>Nineta vittata</i>	54.39552	-0.50504	8.6	3.4	868	UK	W-GBIF-15
<i>Nineta vittata</i>	55.87030	-4.29364	8.6	3.4	1178	UK	W-GBIF-15
<i>Nineta vittata</i>	55.31134	-4.60013	7.7	2.3	1262	UK	W-GBIF-15
<i>Nineta vittata</i>	55.34781	-4.80052	8.4	3.1	1223	UK	W-GBIF-15
<i>Nineta vittata</i>	55.34781	-4.80052	8.4	3.1	1223	UK	W-GBIF-15
<i>Nineta vittata</i>	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
<i>Nineta vittata</i>	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
<i>Nineta vittata</i>	55.87069	-3.35853	7.4	2.2	918	UK	W-GBIF-15
<i>Nineta vittata</i>	55.02016	-3.64014	8.3	3.0	1100	UK	W-GBIF-15
<i>Nineta vittata</i>	55.97462	-3.50240	8.3	3.0	801	UK	W-GBIF-15
<i>Nineta vittata</i>	55.96219	-3.20152	8.8	3.6	664	UK	W-GBIF-15
<i>Nineta vittata</i>	55.87235	-3.19874	8.2	3.0	808	UK	W-GBIF-15
<i>Nineta flava</i>	55.64378	-3.13614	7.4	2.1	985	UK	W-GBIF-15
<i>Nineta vittata</i>	55.23564	-2.57795	7.2	1.6	940	UK	W-GBIF-15
<i>Nineta flava</i>	55.51296	-2.56221	8.0	2.3	791	UK	W-GBIF-15

55.18845	-2.74613	7.2	1.6	1013	UK
55.01005	-2.47696	7.6	2.0	900	UK
55.92773	-2.28410	7.8	2.4	748	UK
55.68496	-2.08748	8.2	2.9	724	UK
55.04688	-2.11739	8.1	2.7	743	UK
55.68485	-2.18292	8.4	3.0	705	UK
55.65801	-1.92847	8.1	2.9	738	UK
55.14549	-1.72541	8.2	3.0	692	UK
55.02836	-1.61669	8.5	3.3	663	UK
55.02831	-1.60105	8.5	3.3	663	UK
55.02831	-1.60105	8.5	3.3	663	UK
55.02831	-1.60105	8.5	3.3	663	UK
55.02831	-1.60105	8.5	3.3	663	UK
55.10039	-1.66302	8.4	3.2	670	UK
55.51386	-1.69117	8.5	3.5	694	UK
55.12776	-1.88237	8.0	2.8	721	UK
55.16361	-1.80377	8.1	2.9	700	UK
55.31649	-1.88181	7.8	2.6	756	UK
55.37942	-1.91319	8.0	2.8	741	UK
55.11812	-1.58447	8.4	3.2	669	UK
55.17220	-1.63101	8.4	3.2	677	UK
55.06385	-1.49108	8.7	3.5	655	UK
55.20868	-1.92928	7.5	2.2	789	UK
55.21760	-1.85067	7.8	2.6	742	UK
55.21760	-1.85067	7.8	2.6	742	UK
55.93333	12.31667	8.0	0.1	627	Denmark
56.57462	-4.36054	5.6	-0.2	1719	UK
56.66439	-4.36616	6.0	0.1	1632	UK
56.11924	-4.65439	8.1	2.8	1609	UK
56.11924	-4.65439	8.1	2.8	1609	UK
56.41285	-3.05359	7.9	2.5	718	UK
56.49812	-3.06407	8.0	2.5	712	UK
56.02902	-3.94991	8.0	2.7	1087	UK
56.02902	-3.94991	8.0	2.7	1087	UK
56.74122	-3.00553	7.2	1.8	790	UK

<i>Nineta flava</i>	56.57383	-3.55457	7.6	1.8	864	UK
<i>Nineta flava</i>	56.48796	-3.19372	7.6	2.1	770	UK
<i>Nineta vittata</i>	56.73210	-3.02163	7.2	1.8	790	UK
<i>Nineta vittata</i>	56.71400	-3.03748	7.2	1.8	790	UK
<i>Nineta flava</i>	56.83335	-2.66380	7.4	2.2	765	UK
<i>Nineta vittata</i>	56.46414	-2.80342	8.2	2.7	676	UK
<i>Nineta flava</i>	56.32533	-2.72773	8.1	2.6	678	UK
<i>Nineta flava</i>	56.51667	21.06398	6.8	-2.2	691	Latvia
<i>Nineta vittata</i>	57.16360	-6.05347	8.0	3.5	1715	UK
<i>Nineta vittata</i>	57.21632	-6.03605	7.6	3.1	1722	UK
<i>Nineta vittata</i>	57.69505	-5.46538	8.2	3.6	1329	UK
<i>Nineta vittata</i>	57.69552	-5.46458	8.2	3.6	1329	UK
<i>Nineta vittata</i>	57.85725	-5.08549	7.6	2.8	1242	UK
<i>Nineta vittata</i>	57.67891	-4.03853	8.0	2.6	693	UK
<i>Nineta flava</i>	57.92102	-4.44826	7.8	2.8	894	UK
<i>Nineta flava</i>	57.47788	-4.23585	8.0	2.3	747	UK
<i>Nineta flava</i>	57.48321	-4.18779	7.9	2.2	741	UK
<i>Nineta vittata</i>	57.61676	-4.67311	7.4	2.0	1116	UK
<i>Nineta vittata</i>	57.37570	-4.74456	6.4	0.8	1361	UK
<i>Nineta vittata</i>	57.37570	-4.74456	6.4	0.8	1361	UK
<i>Nineta flava</i>	57.48512	-4.18123	7.9	2.2	741	UK
<i>Nineta flava</i>	57.92102	-4.44826	7.8	2.8	894	UK
<i>Nineta vittata</i>	57.37972	-4.19659	6.9	0.9	907	UK
<i>Nineta flava</i>	57.42033	-4.28731	7.8	2.0	820	UK
<i>Nineta vittata</i>	57.48897	-4.16644	7.7	1.9	756	UK
<i>Nineta vittata</i>	57.47545	-4.27073	7.7	2.0	811	UK
<i>Nineta flava</i>	57.48321	-4.18779	7.9	2.2	741	UK
<i>Nineta flava</i>	57.48987	-4.16649	7.7	1.9	756	UK
<i>Nineta flava</i>	57.47090	-4.22375	8.0	2.3	747	UK
<i>Nineta flava</i>	57.59598	-4.10920	7.4	1.8	769	UK
<i>Nineta flava</i>	57.48512	-4.18123	7.9	2.2	741	UK
<i>Nineta flava</i>	57.48321	-4.18779	7.9	2.2	741	UK
<i>Nineta flava</i>	57.35188	-4.36867	7.2	1.3	979	UK
<i>Nineta flava</i>	57.47788	-4.23585	8.0	2.3	747	UK
<i>Nineta flava</i>	57.48512	-4.18123	7.9	2.2	741	UK
<i>Nineta flava</i>	57.48512	-4.18123	7.9	2.2	741	UK

<i>Nineta flava</i>	-4.19607	7.9	2.2	741	UK	
<i>Nineta flava</i>	-4.16644	7.7	1.9	756	UK	
<i>Nineta vittata</i>	-4.25708	7.8	2.0	820	UK	
<i>Nineta vittata</i>	-3.92833	8.1	3.0	675	UK	
<i>Nineta flava</i>	-2.71675	7.1	2.1	830	UK	
<i>Nineta vittata</i>	-2.24845	7.9	3.0	793	UK	
<i>Nineta flava</i>	-2.74172	7.5	2.4	770	UK	
<i>Nineta vittata</i>	-2.57830	7.2	2.2	821	UK	
<i>Nineta flava</i>	10.73765	5.9	-3.6	752	Norway	
<i>Nineta vittata</i>	10.60834	5.7	-3.9	751	Norway	
<i>Nineta vittata</i>	62.93750	7.73731	5.0	-0.9	1203	Norway
<i>Nineta vittata</i>	62.57996	7.78956	3.7	-2.7	1047	Norway
<i>Nineta vittata</i>	62.57996	7.78956	3.7	-2.7	1047	Norway
<i>Nineta vittata</i>	62.56781	7.75967	3.7	-2.7	1047	Norway
<i>Nineta vittata</i>	62.56781	7.75967	3.7	-2.7	1047	Norway
<i>Nineta vittata</i>	62.58269	7.93036	2.2	-4.4	1047	Norway
<i>Nineta vittata</i>	62.93750	7.73731	5.0	-0.9	1203	Norway
<i>Nineta vittata</i>	62.93750	7.73731	5.0	-0.9	1203	Norway
<i>Oviedus ruficeps</i>	-19.59811	29.08992	18.6	14.0	622	S. Rhodesia
<i>Oviedus ruficeps</i>	-18.37820	31.70723	17.0	12.9	833	S. Rhodesia
<i>Oviedus virgatus</i>	-30.09936	30.85984	20.6	17.4	1007	Natal
<i>Oviedus illonus</i>	-30.13331	30.83267	20.4	17.3	1016	Natal
<i>Oviedus illonus</i>	-17.87917	31.07417	18.5	14.6	811	S. Rhodesia
<i>Oviedus macrostigma</i>	-8.58372	23.00770	22.8	22.1	1463	DR Congo
<i>Oviedus macrostigma</i>	-8.35353	22.64966	23.4	22.8	1455	DR Congo
<i>Oviedus auricollis</i>	-5.26413	12.94843	25.2	22.3	1188	DR Congo
<i>Oviedus macrostigma</i>	-8.58372	23.00770	22.8	22.1	1463	DR Congo
<i>Oviedus macrostigma</i>	-8.35353	22.64966	23.4	22.8	1455	DR Congo
<i>Oyochrysa ancora</i>	0.01039	18.31603	25.5	24.8	1692	DR Congo
<i>Oyochrysa ancora</i>	0.01039	18.31603	25.5	24.8	1692	DR Congo
<i>Parankyllopteryx polysticta</i>	-22.96450	29.93519	17.1	12.5	1194	South Africa
<i>Parankyllopteryx polysticta</i>	-22.93210	29.61425	19.4	14.5	545	South Africa
<i>Parankyllopteryx polysticta</i>	-24.19995	28.63841	16.8	11.6	657	South Africa
<i>Parankyllopteryx polysticta</i>	-24.05000	30.10000	15.4	11.4	1100	South Africa
<i>Plesiochrysa ramburi</i>	-36.60000	144.30000	14.8	8.6	521	Australia
<i>Plesiochrysa ramburi</i>	-34.50000	116.10000	14.9	11.1	1121	Australia

<i>Plesiochrysa ramburi</i>	-34.01000	151.05000	17.3	12.1	1194	Australia
<i>Plesiochrysa ramburi</i>	-33.99000	151.06000	17.5	12.3	1118	Australia
<i>Plesiochrysa ramburi</i>	-33.90000	151.20000	17.6	12.6	1246	Australia
<i>Plesiochrysa ramburi</i>	-33.90000	151.20000	17.6	12.6	1246	Australia
<i>Plesiochrysa ramburi</i>	-33.62000	151.31000	17.4	12.3	1263	Australia
<i>Plesiochrysa ramburi</i>	-33.88393	151.26963	17.5	12.6	1262	Australia
<i>Plesiochrysa ramburi</i>	-33.60000	151.30000	17.4	12.3	1263	Australia
<i>Plesiochrysa ramburi</i>	-33.80000	151.10000	17.5	12.2	1129	Australia
<i>Plesiochrysa ramburi</i>	-32.40000	142.20000	18.5	11.3	249	Australia
<i>Plesiochrysa ramburi</i>	-33.00000	146.20000	17.6	10.1	425	Australia
<i>Plesiochrysa ramburi</i>	-32.10000	148.50000	17.4	10.1	617	Australia
<i>Plesiochrysa ramburi</i>	-32.20000	148.60000	17.3	10.0	635	Australia
<i>Plesiochrysa ramburi</i>	-32.20000	151.30000	14.0	8.0	1023	Australia
<i>Plesiochrysa ramburi</i>	-31.10000	142.40000	18.7	11.0	270	Australia
<i>Plesiochrysa ramburi</i>	-31.20000	142.30000	18.3	10.6	280	Australia
<i>Plesiochrysa ramburi</i>	-31.60000	143.00000	19.0	11.5	268	Australia
<i>Plesiochrysa ramburi</i>	-31.26000	149.15000	15.3	7.9	813	Australia
<i>Plesiochrysa ramburi</i>	-31.88000	149.08000	16.3	9.1	662	Australia
<i>Plesiochrysa ramburi</i>	-30.10000	141.40000	19.9	12.0	196	Australia
<i>Plesiochrysa ramburi</i>	-30.30000	150.20000	13.8	6.5	1021	Australia
<i>Plesiochrysa ramburi</i>	-30.50000	152.50000	16.3	10.7	1425	Australia
<i>Plesiochrysa ramburi</i>	-29.70000	141.80000	20.1	12.0	219	Australia
<i>Plesiochrysa ramburi</i>	-29.90000	141.70000	19.9	11.8	210	Australia
<i>Plesiochrysa ramburi</i>	-29.70000	141.10000	20.2	12.2	187	Australia
<i>Plesiochrysa ramburi</i>	-29.40000	142.50000	20.6	12.4	243	Australia
<i>Plesiochrysa ramburi</i>	-29.90000	143.20000	20.1	12.0	264	Australia
<i>Plesiochrysa ramburi</i>	-29.70000	143.70000	20.2	12.1	278	Australia
<i>Plesiochrysa ramburi</i>	-29.90000	145.20000	20.2	12.4	336	Australia
<i>Plesiochrysa ramburi</i>	-30.00000	145.20000	20.2	12.3	337	Australia
<i>Plesiochrysa ramburi</i>	-28.80000	141.70000	20.8	12.5	202	Australia
<i>Plesiochrysa ramburi</i>	-28.53000	153.55000	19.9	15.3	1829	Australia
<i>Plesiochrysa ramburi</i>	-27.46000	153.02000	20.3	15.2	1163	Australia
<i>Plesiochrysa ramburi</i>	-26.60000	152.90000	19.2	14.1	1750	Australia
<i>Plesiochrysa ramburi</i>	-26.00000	129.80000	20.0	11.8	296	Australia
<i>Plesiochrysa ramburi</i>	-25.40000	142.70000	23.0	14.7	288	Australia
<i>Plesiochrysa ramburi</i>	-23.60000	145.40000	22.8	15.7	507	Australia

<i>Plesiochrysa ramburi</i>	-23.00000	145.10000	23.4	16.4	490	Australia
<i>Plesiochrysa ramburi</i>	-22.82000	147.63000	22.0	15.5	656	Australia
<i>Plesiochrysa ramburi</i>	-15.10000	131.10000	26.5	21.9	985	Australia
<i>Plesiochrysa ramburi</i>	-12.20000	96.90000	26.6	25.8	1939	Australia
<i>Plesiochrysa brasiliensis</i>	4.79768	-52.33333	26.4	25.9	3532	Fr. Guiana
<i>Plesiochrysa elongata</i>	8.89147	-82.79290	20.0	19.3	3159	Costa Rica
<i>Plesiochrysa</i>	10.88970	-85.39890	23.0	22.2	2664	Costa Rica
<i>Plesiochrysa elongata</i>	10.96250	-85.49520	21.7	20.9	2723	Costa Rica
<i>Plesiochrysa brasiliensis</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica
<i>Plesiochrysa elongata</i>	10.83640	-85.61550	24.9	24.1	1725	Costa Rica
<i>Plesiochrysa elongata</i>	10.85630	-85.61190	24.9	24.1	1725	Costa Rica
<i>Plesiochrysa elongata</i>	10.32800	-84.08040	23.7	23.0	4369	Costa Rica
<i>Plesiochrysa elongata</i>	-4.68267	55.48040	24.9	24.2	2281	Seyshelles
<i>Plesiochrysa litorosa</i>	-4.68267	55.48040	24.9	24.2	2281	Seyshelles
<i>Plesiochrysa scotti</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Plesiochrysa brasiliensis</i>	-21.29178	-50.35180	21.9	18.4	1209	Brazil
<i>Plesiochrysa brasiliensis</i>	-23.11776	-46.54929	18.3	15.3	1371	Brazil
<i>Plesiochrysa brasiliensis</i>	-22.48834	-47.21535	20.0	16.7	1302	Brazil
<i>Plesiochrysa brasiliensis</i>	-21.60331	-48.36621	21.3	18.4	1324	Brazil
<i>Plesiochrysa brasiliensis</i>	-20.73824	-48.91404	23.0	20.1	1311	Brazil
<i>Plesiochrysa brasiliensis</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Plesiochrysa brasiliensis</i>	-20.75297	-42.87663	20.1	17.1	1263	Brazil
<i>Plesiochrysa brasiliensis</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Plesiochrysa brasiliensis</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Plesiochrysa elongata</i>	-21.25556	-48.32240	21.7	18.9	1340	Brazil
<i>Plesiochrysa elongata</i>	-17.20852	-54.15202	23.5	21.0	1566	Brazil
<i>Plesiochrysa elongata</i>	-9.69778	22.94111	23.2	21.8	1307	DR Congo
<i>Plesiochrysa elongata</i>	-26.66547	16.26051	13.7	8.6	132	S.W. Africa
<i>Plesiochrysa alytos</i>	10.30696	-84.80967	18.8	18.0	2950	Costa Rica
<i>Plesiochrysa alytos</i>	16.59026	-96.05990	22.0	19.8	740	Mexico
<i>Plesiochrysa alytos</i>	18.77695	-99.26667	23.7	21.3	903	Mexico
<i>Plesiochrysa alytos</i>	18.77695	-99.26667	23.7	21.3	903	Mexico
<i>Stigmatochrysa elisabethae</i>	18.38831	-97.44798	18.3	15.7	491	Mexico
<i>Turnerochrysa mirifica</i>	19.73333	-104.33330	23.1	20.6	871	Mexico
<i>Ungla pallidescens</i>	21.13333	-104.50000	18.0	14.9	954	Mexico
<i>Yumachrysa apache</i>	23.65019	-100.58050	19.4	14.5	446	Mexico
<i>Yumachrysa apache</i>						
<i>Yumachrysa apache sp.</i>						
<i>Yumachrysa apache</i>						
<i>Yumachrysa sp.</i>						
<i>Yumachrysa apache</i>						

<i>Yumachrysa apache</i>	23.65019	-100.58050	19.4	14.5	446	Mexico
<i>Yumachrysa apache</i>	23.65019	-100.58050	19.4	14.5	446	Mexico
<i>Yumachrysa apache</i>	29.54871	-103.27580	19.4	10.1	331	USA
<i>Yumachrysa apache</i>	29.55551	-103.27230	19.4	10.1	331	USA
<i>Yumachrysa apache</i>	29.54941	-101.01960	20.9	11.5	407	USA
<i>Yumachrysa apache</i>	29.88438	-100.99340	20.0	10.4	466	USA
<i>Yumachrysa apache</i>	30.62196	-104.09370	14.3	6.3	394	USA
<i>Yumachrysa apache</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Yumachrysa apache</i>	30.62833	-104.08361	13.7	5.9	435	USA
<i>Yumachrysa apache</i>	30.62196	-104.09370	14.3	6.3	394	USA
<i>Yumachrysa apache</i>	30.58821	-103.89460	15.4	7.2	370	USA
<i>Yumachrysa apache</i>	30.71017	-101.48120	18.1	8.1	444	USA
<i>Yumachrysa apache</i>	30.01084	-101.17310	19.7	10.0	449	USA
<i>Yumachrysa apache</i>	30.04743	-99.14031	18.6	9.6	732	USA
<i>Yumachrysa apache</i>	31.85416	-106.54111	16.4	6.9	241	USA
<i>Yumachrysa sp.</i>	32.22762	-112.69040	21.2	12.6	240	USA
<i>Yumachrysa apache</i>	32.33563	-110.69650	14.5	6.6	556	USA
<i>Yumachrysa apache</i>	33.83030	-116.54530	19.5	11.7	226	USA
<i>Yumachrysa apache</i>	35.94833	-117.55388	12.5	3.7	231	USA
<i>Yumachrysa apache</i>	35.86828	-117.47510	13.8	4.7	191	USA
<i>Yumachrysa apache</i>	36.11661	-117.75650	12.6	3.8	239	USA
<i>Yumachrysa apache</i>	37.01000	-117.50638	15.5	4.8	111	USA
<i>Yumachrysa apache</i>	60.33278	49.61445	1.7	-13.1	609	Russia
<i>Chrysopa perla</i>	60.45917	51.01028	1.5	-13.5	596	Russia
<i>Chrysopa perla</i>	63.56667	53.70000	-0.9	-15.9	599	Russia
<i>Chrysopa perla</i>	59.60178	49.40860	1.9	-12.7	633	Russia
<i>Chrysopa perla</i>	61.68298	50.82227	0.7	-14.3	567	Russia
<i>Chrysopa abbrevata</i>	62.27150	57.80893	-1.8	-17.6	680	Russia
<i>Chrysopa commata</i>	63.58333	53.93333	-1.0	-16.0	602	Russia
<i>Chrysopa perla</i>	52.64889	59.57167	1.8	-15.9	346	Russia
<i>Chrysopa perla</i>	52.72500	58.89167	2.1	-15.4	355	Russia
<i>Chrysopa phyllochroma</i>	52.61300	58.98400	2.1	-15.5	351	Russia
<i>Chrysoperla carnea</i>	54.77800	56.81850	2.9	-13.5	522	Russia
<i>Chrysoperla carnea</i>	55.08500	60.26100	1.9	-14.5	542	Russia
<i>Chrysops dasyptera</i>	55.02400	60.06600	1.8	-14.7	559	Russia
<i>Chrysopa pallens</i>	54.29555	60.69706	1.8	-15.1	455	Russia

<i>Dichochrysa prasina</i>	55.15200	58.76200	1.5	-15.0	551	Russia	Makarkin & Lagunov 2010
<i>Dichochrysa prasina</i>	54.09200	60.40300	2.0	-15.0	435	Russia	Makarkin & Lagunov 2010
<i>Chrysopa commata</i>	54.11700	61.39600	2.6	-14.6	400	Russia	Makarkin & Lagunov 2010
<i>Chrysopa phyllochroma</i>	54.00000	61.20278	2.4	-14.8	405	Russia	Makarkin & Lagunov 2010
<i>Chrysopa dasyptera</i>	54.08200	61.25900	2.5	-14.6	403	Russia	Makarkin & Lagunov 2010
<i>Chrysopa commata</i>	54.67900	61.09300	2.3	-14.4	451	Russia	Makarkin & Lagunov 2010
<i>Chrysopa dasyptera</i>	56.28972	61.30750	2.6	-13.2	487	Russia	Makarkin & Lagunov 2010
<i>Chrysopa phyllochroma</i>	54.64300	60.75500	2.0	-14.7	470	Russia	Makarkin & Lagunov 2010
<i>Chrysopa formosa</i>	55.13400	61.11500	2.2	-14.2	475	Russia	Makarkin & Lagunov 2010
<i>Chrysoperla carnea</i>	54.98333	60.36667	1.9	-14.6	530	Russia	Makarkin & Lagunov 2010
<i>Chrysopa carnea</i>	56.26667	44.00000	4.2	-9.8	604	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	58.60000	49.65000	2.6	-12.1	634	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	53.23333	50.31667	4.9	-11.1	524	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	53.45000	51.43333	4.7	-11.4	525	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	56.13333	47.25000	3.7	-11.0	552	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	55.79083	49.11444	3.9	-11.3	534	Russia	Kovrigina 1978
<i>Chrysopa carnea</i>	54.31667	48.38333	4.3	-11.0	518	Russia	Kovrigina 1978
<i>Chrysopa septempunctata</i>	62.45500	66.05833	-2.0	-19.1	584	Russia	Dubatolov 1998
<i>Nineta carinthiaca</i>	57.15000	65.50000	0.8	-16.1	475	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	58.19528	68.25806	-0.2	-17.4	482	Russia	Dubatolov 1998
<i>Chrysopa formosa</i>	55.45000	65.33333	1.2	-16.3	381	Russia	Dubatolov 1998
<i>Chrysopa intima</i>	56.50000	84.96667	0.7	-16.2	538	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	54.93333	73.40000	1.4	-16.2	394	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	55.03312	82.91663	1.2	-16.1	443	Russia	Dubatolov 1998
<i>Chrysopa formosa</i>	53.71667	91.41667	1.5	-16.8	373	Russia	Dubatolov 1998
<i>Chrysopa prasina</i>	56.92623	97.52587	-1.5	-20.8	393	Russia	Pleshanov 1974
<i>Chrysopa perla</i>	58.06200	93.28500	-1.7	-19.9	477	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	61.40800	98.89200	-7.5	-29.6	443	Russia	Dubatolov 1998
<i>Chrysopa formosa</i>	56.16900	92.99600	0.4	-15.9	497	Russia	Dubatolov 1998
<i>Chrysopa formosa</i>	53.60600	91.58900	1.4	-17.1	373	Russia	Dubatolov 1998
<i>Chrysopa carnea</i>	52.26667	104.40000	-0.1	-17.6	489	Russia	Pleshanov 1974
<i>Chrysopa carnea</i>	52.29889	105.32361	-1.4	-19.8	496	Russia	Pleshanov 1974
<i>Chrysopa prasina</i>	51.90694	105.07056	-0.3	-18.6	518	Russia	Pleshanov 1974
<i>Chrysopa carnea</i>	53.29524	105.01179	-3.4	-22.2	449	Russia	Pleshanov 1974
<i>Chrysopa perla</i>	56.83750	104.89444	-3.8	-24.6	388	Russia	Pleshanov 1974
<i>Chrysopa perla</i>	53.91667	102.05000	-1.1	-19.7	367	Russia	Pleshanov 1974

<i>Chrysopa carnea</i>	51.83333	107.61667	-1.0	-21.4	264	Russia
<i>Chrysopa formosa</i>	52.10000	113.38333	-1.8	-22.4	350	Russia
<i>Chrysoperla carnea</i>	62.01300	129.69800	-10.0	-38.4	243	Russia
<i>Chrysoperla carnea</i>	61.54700	129.21700	-9.4	-37.2	262	Russia
<i>Chrysopa commata</i>	63.39900	143.25600	-16.3	-44.4	220	Russia
<i>Chrysopa intima</i>	49.19370	129.82810	0.0	-22.9	615	Russia
<i>Chrysopa intima</i>	50.24400	127.63400	1.0	-20.4	566	Russia
<i>Chrysopa intima</i>	48.33600	134.99800	1.9	-18.4	673	Russia
<i>Chrysopa intima</i>	47.21200	134.36200	2.3	-17.7	660	Russia
<i>Chrysopa intima</i>	50.61667	136.98333	-0.4	-20.7	553	Russia
<i>Chrysopa intima</i>	50.53888	137.08632	-0.8	-20.8	573	Russia
<i>Chrysopa intima</i>	43.12200	131.59900	5.6	-9.7	700	Russia
<i>Chrysopa intima</i>	43.12000	131.57200	4.7	-10.7	721	Russia
<i>Chrysopa intima</i>	43.29900	131.82500	5.5	-10.2	694	Russia
<i>Chrysopa intima</i>	43.71300	132.11900	5.0	-11.2	668	Russia
<i>Chrysopa intima</i>	43.64800	132.16500	4.9	-11.2	683	Russia
<i>Chrysopa intima</i>	43.59900	132.30300	3.8	-12.2	725	Russia
<i>Chrysopa intima</i>	44.19400	132.43800	4.8	-12.1	655	Russia
<i>Chrysopa intima</i>	44.41200	132.06800	4.5	-12.6	623	Russia
<i>Chrysopa intima</i>	44.33900	132.06500	4.5	-12.5	626	Russia
<i>Chrysopa intima</i>	45.11400	131.97000	4.5	-13.5	569	Russia
<i>Chrysopa intima</i>	44.56200	132.90600	4.2	-13.2	671	Russia
<i>Chrysopa intima</i>	44.43000	133.44800	4.0	-13.0	692	Russia
<i>Chrysopa intima</i>	44.14800	133.85100	3.8	-12.5	737	Russia
<i>Chrysopa intima</i>	43.83100	131.82200	5.3	-11.2	634	Russia
<i>Chrysopa intima</i>	43.92800	131.57600	5.2	-11.5	608	Russia
<i>Chrysopa intima</i>	43.93900	133.04000	3.8	-12.5	720	Russia
<i>Chrysopa intima</i>	44.08300	133.28100	3.1	-13.3	742	Russia
<i>Chrysopa intima</i>	44.17300	133.23900	4.4	-12.3	697	Russia
<i>Chrysopa intima</i>	42.95400	131.73300	5.8	-9.2	726	Russia
<i>Chrysopa intima</i>	43.17500	131.74400	5.4	-10.1	708	Russia
<i>Chrysopa intima</i>	43.63700	131.92700	5.3	-10.8	661	Russia
<i>Chrysopa intima</i>	43.39700	131.99600	5.1	-10.7	703	Russia
<i>Chrysopa intima</i>	43.17000	131.95600	5.0	-10.5	736	Russia
<i>Chrysopa intima</i>	43.23100	132.02200	5.3	-10.3	722	Russia
<i>Chrysopa intima</i>	43.24800	132.14700	4.7	-10.8	743	Russia

<i>Chrysopa intima</i>	42.81500	132.88000	6.2	-8.1	712	Russia
<i>Chrysopa intima</i>	43.16900	132.94500	4.0	-11.1	765	Russia
<i>Chrysopa intima</i>	43.35300	132.49600	5.0	-10.5	715	Russia
<i>Chrysopa intima</i>	43.19700	132.59700	5.1	-10.1	728	Russia
<i>Chrysopa intima</i>	43.18900	132.74200	4.2	-10.9	754	Russia
<i>Chrysopa intima</i>	43.16700	132.80000	3.9	-11.3	766	Russia
<i>Chrysopa intima</i>	43.12000	132.75300	1.7	-13.3	854	Russia
<i>Chrysopa intima</i>	43.11600	132.79400	1.8	-13.3	853	Russia
<i>Chrysopa intima</i>	43.322300	132.35300	5.6	-9.9	703	Russia
<i>Chrysopa intima</i>	42.88800	131.26300	5.7	-9.2	693	Russia
<i>Chrysopa intima</i>	43.47500	131.58100	4.1	-11.9	685	Russia
<i>Chrysopa intima</i>	43.63700	131.65900	4.4	-11.9	665	Russia
<i>Chrysopa intima</i>	43.66200	131.57200	4.4	-12.0	657	Russia
<i>Chrysopa intima</i>	44.68300	135.23300	-0.5	-16.2	898	Russia
<i>Chrysopa intima</i>	44.41400	135.80000	4.4	-10.0	756	Russia
<i>Chrysopa intima</i>	43.75800	135.26100	4.6	-9.8	836	Russia
<i>Chrysopa intima</i>	43.30100	134.59400	5.9	-8.4	808	Russia
<i>Chrysopa intima</i>	43.45700	134.02900	3.3	-11.7	831	Russia
<i>Chrysopa intima</i>	45.76500	135.47600	2.0	-14.8	766	Russia
<i>Chrysopa intima</i>	45.80400	135.30800	1.9	-15.2	758	Russia
<i>Chrysopa intima</i>	45.92700	134.92000	2.1	-15.9	728	Russia
<i>Chrysopa intima</i>	45.13600	136.69900	2.8	-11.1	871	Russia
<i>Chrysopa intima</i>	45.17400	136.46600	2.1	-12.2	871	Russia
<i>Chrysopa intima</i>	46.74700	134.30900	2.5	-17.2	660	Russia
<i>Chrysopa intima</i>	45.34800	133.47000	3.7	-15.1	633	Russia
<i>Diochrysia cognatella</i>	53.89033	157.70457	-1.7	-11.9	882	Russia
<i>Nineta vittata</i>	56.03333	159.06667	-2.8	-15.0	712	Russia
<i>Chrysopa intima</i>	52.41662	157.50002	-0.7	-9.8	921	Russia
<i>Nineta vittata</i>	53.89038	157.69545	-1.7	-11.9	882	Russia
<i>Chrysopa intima</i>	53.89080	157.69646	-1.7	-11.9	882	Russia
<i>Chrysopa intima</i>	43.91917	145.52917	5.3	-5.0	1122	Russia
<i>Chrysopa intima</i>	45.03551	147.75698	4.6	-5.2	1305	Russia
<i>Chrysopa intima</i>	43.87056	146.82778	5.4	-3.9	1268	Russia
<i>Chrysopa dasyptera</i>	50.03667	82.49500	3.2	-14.4	452	Kazakhstan
<i>Chrysopa formosa</i>	54.83333	69.15000	1.5	-16.1	347	Kazakhstan
<i>Chrysopa</i> sp.	38.43333	56.30000	15.7	3.1	225	Turmenistan

<i>Chrysopa</i> sp.					V. Makarkin pers. data
<i>Chrysopa septempunctata</i>	37.95000	58.38333	15.5	3.2	228
<i>Chrysopa septempunctata</i>	38.56667	63.18333	16.2	3.8	143
<i>Chrysopa septempunctata</i>	41.26667	69.26667	14.8	3.0	414
<i>Chrysopa septempunctata</i>	41.38333	60.36667	13.4	-0.7	102
<i>Chrysopa phyllochroma</i>	49.70001	91.73333	-5.4	-24.6	213
<i>Chrysopa phyllochroma</i>	49.95000	91.11667	-5.7	-23.4	233
<i>Chrysopa hummeli</i>	50.63329	92.39992	-3.2	-27.3	250
<i>Chrysopa formosa</i>	49.06667	90.20000	0.1	-16.4	118
<i>Chrysopa formosa</i>	49.98939	92.71493	-2.3	-27.8	169
<i>Chrysopa carnea</i>	49.07501	93.30070	-1.7	-26.1	134
<i>Chrysopa formosa</i>	46.99999	92.40000	-1.5	-20.4	136
<i>Chrysopa formosa</i>	46.27100	91.54976	1.7	-18.2	105
<i>Chrysopa formosa</i>	45.75000	92.08333	3.8	-16.1	75
<i>Chrysopa hummeli</i>	46.14734	90.98393	2.9	-16.3	107
<i>Chrysopa formosa</i>	48.50000	91.50000	0.5	-20.1	109
<i>Chrysopa formosa</i>	47.33333	95.80000	0.3	-19.2	120
<i>Chrysopa phyllochroma</i>	46.95000	93.66668	1.4	-19.0	81
<i>Chrysopa dibitans</i>	46.20000	95.33333	4.3	-15.1	66
<i>Chrysopa dibitans</i>	47.46863	92.12595	1.1	-21.1	95
<i>Chrysopa dibitans</i>	37.00000	93.00000	3.3	-9.4	44
<i>Mallada sjoestedti</i>	2.22200	45.25000	27.4	26.3	506
<i>Mallada sjoestedti</i>	1.32000	44.13000	26.1	25.0	441
<i>Mallada sjoestedti</i>	0.10000	42.45000	27.6	26.1	483
<i>Mallada nicolainus</i>	2.22200	45.18000	27.5	26.3	510
<i>Mallada nicolainus</i>	2.45000	45.25000	27.7	26.4	519
<i>Mallada nicolainus</i>	2.48000	44.01000	28.2	27.0	539
<i>Mallada nicolainus</i>	2.52000	44.01000	28.2	27.0	543
<i>Mallada nicolainus</i>	1.27000	44.10000	26.2	24.9	444
<i>Mallada nicolainus</i>	1.35000	44.20000	26.2	25.0	431
<i>Mallada nicolainus</i>	0.04000	41.53000	28.2	26.4	404
<i>Mallada nicolainus</i>	0.40000	43.24000	26.1	24.8	485
<i>Mallada boninensis</i>	2.38000	45.18000	27.7	26.4	520
<i>Mallada boninensis</i>	2.45000	45.21000	27.7	26.4	519
<i>Mallada boninensis</i>	2.52000	43.50000	27.5	26.1	544
<i>Mallada boninensis</i>	2.59000	44.01000	28.3	27.2	550
<i>Mallada boninensis</i>	0.48000	43.23000	26.2	24.8	488

<i>Mallada boninensis</i>	1.35000	44.20000	26.2	25.0	431	Somalia	Höfzel & Ohm 1991
<i>Mallada boninensis</i>	0.10000	42.00450	28.0	26.2	445	Somalia	Höfzel & Ohm 1991
<i>Mallada boninensis</i>	0.15000	42.00450	28.0	26.2	453	Somalia	Höfzel & Ohm 1991
<i>Crassochrysa somalica</i>	2.36000	45.30000	27.6	26.4	519	Somalia	Höfzel & Ohm 1991
<i>Crassochrysa</i> sp.	2.38000	45.18000	27.7	26.4	520	Somalia	Höfzel & Ohm 1991
<i>Crassochrysa</i> sp.	1.35000	44.10000	26.3	25.1	450	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla pudica</i>	2.53000	44.01000	28.2	27.0	543	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla pudica</i>	2.52000	44.01000	28.2	27.0	543	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla pudica</i>	2.59000	43.50000	27.6	26.2	541	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla congrua</i>	2.22000	45.25000	27.4	26.3	506	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla congrua</i>	1.27000	44.20000	26.0	24.8	432	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla congrua</i>	1.35000	44.10000	26.3	25.1	450	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla congrua</i>	0.15000	42.00000	28.1	26.2	449	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.28000	45.18000	27.5	26.4	511	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.38000	45.18000	27.7	26.4	520	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.53000	44.01000	28.2	27.0	543	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.52000	44.01000	28.2	27.0	543	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	1.27000	44.20000	26.0	24.8	432	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	0.65008	43.38334	26.3	25.0	482	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	0.04000	42.43000	27.5	26.1	455	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.53000	44.01000	28.2	27.0	543	Somalia	Höfzel & Ohm 1991
<i>Chrysoperla plicata</i>	2.59000	43.50000	27.6	26.2	541	Somalia	Höfzel & Ohm 1991
<i>Stuarius mosconicus</i>	0.20000	41.55000	28.4	26.4	419	Somalia	Höfzel & Ohm 1991
<i>Stuarius mosconicus</i>	53.32722	89.88112	0.0	-17.7	433	Russia	Dubatolov 1998
<i>Chrysopa intima</i>	50.26667	85.60000	0.9	-14.7	450	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	53.35667	83.78722	2.0	-14.8	427	Russia	Dubatolov 1998
<i>Chrysopa perla</i>	55.83333	83.52917	0.8	-16.3	471	Russia	Dubatolov 1998
<i>Nineta vitata</i>	57.56195	86.40362	-0.2	-17.4	535	Russia	Dubatolov 1998
<i>Chrysopa abbreviata</i>	55.11200	73.81200	1.0	-16.6	397	Russia	Dubatolov 1998
<i>Chrysopa phyllochroma</i>	55.43417	74.93917	0.5	-17.4	403	Russia	Dubatolov 1998
<i>Chrysopa reichardti</i>	54.80700	71.40100	1.4	-16.1	372	Russia	Dubatolov 1998
<i>Chrysopa septempunctata</i>	55.23600	83.42100	0.7	-16.4	475	Russia	Dubatolov 1998
<i>Chrysotropia ciliata</i>	55.26700	83.54700	0.7	-16.3	477	Russia	Dubatolov 1998
<i>Chrysopa phyllochroma</i>	55.58400	79.79000	0.2	-17.5	400	Russia	Dubatolov 1998
<i>Mallada prasina</i>	56.03194	83.02583	0.4	-16.8	462	Russia	Dubatolov 1998
<i>Mallada prasina</i>	54.12639	81.62056	1.5	-16.0	390	Russia	Dubatolov 1998

Chrysopa perla	54.47188	82.17372	1.2	-16.1	416	Russia
Chrysopa formosa	53.72501	77.81611	1.4	-16.8	306	Russia
Chrysopa phyllochroma	53.85000	78.05000	1.3	-16.8	316	Russia
Nineta carinthiaca	55.00000	83.83300	0.9	-16.1	479	Russia
Chrysopa perla	55.41833	83.15445	1.1	-16.2	453	Russia
Chrysopa phyllochroma	54.12639	81.62056	1.5	-16.0	390	Russia
Chrysopa perla	54.53889	81.89252	1.0	-16.4	411	Russia
Chrysopa perla	54.33333	84.21667	1.5	-15.4	470	Russia
Chrysopa formosa	55.12222	83.90000	0.6	-16.3	488	Russia
Chrysopa formosa	54.30000	83.31389	0.9	-16.1	458	Russia
Chrysopa phyllochroma	55.16700	83.53300	0.8	-16.2	472	Russia
Chrysopa phyllochroma	55.15000	82.05000	0.7	-16.7	424	Russia
Chrysopa dasypiera	55.51667	83.26667	1.0	-16.2	459	Russia
Chrysoperla carneae	54.63900	78.26300	0.7	-17.3	348	Russia
Chrysoperla carneae	55.98889	82.70833	0.4	-16.9	456	Russia
Chrysoperla carneae	54.99722	82.43889	1.0	-16.4	432	Russia
Chrysoperla carneae	54.59829	83.92557	1.3	-15.6	466	Russia
Chrysoperla carneae	53.33694	87.19278	2.2	-14.7	487	Russia
Nineta carinthiaca	53.32587	84.25209	2.2	-14.4	469	Russia
Chrysopa perla	51.31389	82.57028	1.9	-14.4	638	Russia
Chrysopa perla	52.36666	84.08331	3.2	-13.1	495	Russia
Chrysopa phyllochroma	53.00000	78.65000	1.9	-16.1	296	Russia
Chrysopa phyllochroma	52.26667	79.16667	2.4	-15.5	282	Russia
Chrysopa phyllochroma	51.70000	82.83333	3.0	-13.5	563	Russia
Chrysopa richardti	51.67083	82.72889	3.0	-13.6	561	Russia
Chrysopa phyllochroma	53.79194	81.34861	1.7	-15.8	381	Russia
Chrysopa septempunctata	52.51667	85.16667	3.2	-13.3	510	Russia
Nineta carinthiaca	51.76944	87.60278	2.0	-15.0	534	Russia
Chrysotropia ciliata	51.79111	87.25583	1.9	-15.0	525	Russia
Chrysopa perla	51.78331	87.25475	1.9	-15.0	525	Russia
Chrysopa perla	51.40600	87.81200	1.5	-15.5	512	Russia
Chrysopa formosa	50.18350	86.04300	0.6	-15.1	425	Russia
Chrysopa richardti	50.75000	86.13333	0.5	-15.2	430	Russia
Chrysopa richardti	56.20000	89.51667	0.3	-16.8	452	Russia
Chrysopa perla	52.58333	93.43333	-3.3	-24.3	820	Russia
Chrysopa carnea	51.77055	103.25027	-0.8	-18.7	629	Pleshanov 1974

<i>Chrysopa septempunctata</i>	52.56384	103.90313	-0.1	-18.1	480	Russia
<i>Chrysopa septempunctata</i>	52.20000	103.26667	-0.3	-18.4	525	Russia
<i>Chrysopa septempunctata</i>	52.58400	103.92000	-0.1	-18.1	471	Russia
<i>Chrysopa formosa</i>	53.00736	106.72412	-2.2	-21.5	342	Russia
<i>Chrysopinae</i> sp.	53.20306	105.20722	-2.7	-21.6	411	Russia
<i>Chrysopinae</i> sp.	55.76120	108.47308	-3.9	-22.6	379	Russia
<i>Chrysopinae</i> sp.	53.19505	104.21803	-1.4	-20.0	445	Russia
<i>Chrysopinae</i> sp.	53.19411	104.21624	-1.4	-20.0	445	Russia
<i>Chrysopinae</i> sp.	53.11484	106.83746	-2.0	-21.4	329	Russia
<i>Chrysopinae</i> sp.	52.29010	104.11168	0.0	-17.6	507	Russia
<i>Chrysopinae</i> sp.	52.26416	104.28092	0.1	-17.4	485	Russia
<i>Chrysopinae</i> sp.	52.24147	104.31891	0.0	-17.4	493	Russia
<i>Chrysopinae</i> sp.	56.37343	98.32953	-1.1	-20.0	397	Russia
<i>Chrysopinae</i> sp.	51.73300	102.85000	-0.8	-19.0	498	Russia
<i>Chrysopa formosa</i>	51.45400	104.63100	0.4	-17.9	541	Russia
<i>Chrysopa formosa</i>	50.59611	107.59611	-1.0	-21.7	310	Russia
<i>Chrysopa carnea</i>	51.55861	105.13028	0.1	-18.4	513	Russia
<i>Chrysopa ventralis</i>	51.20167	106.39222	-0.2	-19.5	386	Russia
<i>Chrysopa septempunctata</i>	51.67444	100.99000	-5.1	-23.6	329	Russia
<i>Chrysopa abbreviata</i>	52.51000	99.82111	-6.5	-26.5	348	Russia
<i>Chrysopa intima</i>	53.86834	109.95222	-2.9	-23.7	339	Russia
<i>Chrysopa intima</i>	54.36596	110.04350	-7.0	-25.9	445	Russia
<i>Chrysopa septempunctata</i>	51.83300	106.06700	-0.7	-19.7	470	Russia
<i>Chrysopinae</i> sp.	51.49177	104.85499	0.3	-18.1	526	Russia
<i>Chrysopinae</i> sp.	55.66875	109.39897	-4.4	-22.2	391	Russia
<i>Chrysopinae</i> sp.	51.72995	107.14092	-1.7	-21.5	322	Russia
<i>Chrysopa intima</i>	51.81735	112.53223	-2.6	-22.8	366	Russia
<i>Chrysopa intima</i>	51.86500	116.03600	-2.5	-24.8	352	Russia
<i>Chrysopa intima</i>	51.18300	116.65000	-5.3	-27.0	393	Russia
<i>Chrysopa intima</i>	50.51111	115.12750	-1.2	-21.9	339	Russia
<i>Chrysopinae</i> sp.	51.29499	108.67123	-2.8	-22.6	361	Russia
<i>Chrysopa intima</i>	49.10000	130.75000	-0.6	-23.4	619	Russia
<i>Chrysopa pallens</i>	49.68300	129.88300	-0.8	-24.1	626	Russia
<i>Chrysopa pallens</i>	48.89600	130.27500	0.3	-22.2	593	Russia
<i>Chrysopa pallens</i>	51.91300	127.30200	-2.1	-24.8	527	Russia
<i>Chrysopa pallens</i>	51.57700	126.84800	-1.3	-23.9	488	Russia

<i>Chrysopa pallens</i>	48.88900	130.65600	0.3	-22.2	595	Russia
<i>Cintameva perlula</i>	53.02400	158.68300	0.9	-7.9	1027	Russia
<i>Chrysopa perlula</i>	50.08000	82.95400	2.9	-13.7	503	Kazakhstan
<i>Chrysopa perlula</i>	49.69250	83.28917	2.6	-14.0	473	Kazakhstan
<i>Chrysopa intima</i>	50.43400	83.68100	0.6	-13.5	641	Kazakhstan
<i>Chrysopa phyllochroma</i>	52.36000	76.88800	2.3	-15.9	280	Kazakhstan
<i>Chrysops sp.</i>	43.15750	77.05861	1.9	-12.5	359	Kazakhstan
<i>Chrysops sp.</i>	37.91600	58.09100	13.1	0.8	274	Turkmenistan
<i>Chrysopa septempunctata</i>	38.57100	68.77600	15.1	4.3	613	Tajikistan
<i>Chrysopa septempunctata</i>	38.52500	68.54700	15.0	4.2	543	Tajikistan
<i>Chrysopa septempunctata</i>	37.91000	69.78400	16.1	4.4	432	Tajikistan
<i>Chrysopa septempunctata</i>	37.49167	71.55750	5.8	-7.1	379	Tajikistan
<i>Chrysopa septempunctata</i>	39.76900	64.43000	15.1	2.6	157	Uzbekistan
<i>Chrysopa cognata</i>	30.65000	104.06700	16.5	7.0	971	China
<i>Chrysopera gujaratensis</i>	22.24100	68.98600	25.9	21.4	406	India
<i>Chrysopa carnea</i>	27.24437	60.46712	26.4	16.5	109	Iran
<i>Chrysopa carnea</i>	30.81320	48.66160	25.1	13.9	204	Iran
<i>Chrysopa abbreviata</i>	47.00000	92.50000	-3.2	-20.6	165	Mongolia
<i>Chrysopa formosa</i>	47.91148	106.91832	-0.7	-19.3	265	Mongolia
<i>Dichochrysa flavinotata</i>	24.06644	102.19142	21.3	15.5	903	China
<i>Dichochrysa flavinotata</i>	24.03333	97.86667	21.1	15.1	1453	China
<i>Dichochrysa flavinotata</i>	24.44750	118.05940	21.7	14.4	1156	China
<i>Dichochrysa pilinota</i>	26.42890	106.66916	16.3	7.2	1203	China
<i>Chrysopa cognata</i> .	28.76667	104.56670	18.2	9.2	1161	China
<i>Chrysopa alethes</i>	28.85000	121.11667	17.2	7.2	1566	China
<i>Chrysopa carnea</i>	43.80000	87.58333	7.1	-11.1	227	China
<i>Anisochrysa oblonga</i>	27.58333	86.53333	7.3	1.3	1372	Nepal
<i>Anisochrysa obvia</i>	27.63333	86.23333	12.2	6.0	2045	Nepal
<i>Anisochrysa astur</i>	27.60000	85.40000	15.2	8.6	2032	Nepal
<i>Anisochrysa carnea</i>	27.70000	85.33333	18.0	10.8	1475	Nepal
<i>Anisochrysa jubingensis</i>	27.62000	86.73000	10.5	4.5	1962	Nepal
<i>Tumeochrysa olympia</i>	27.81667	86.71667	5.6	-0.5	1067	Nepal
<i>Tumeochrysa caesarea</i>	27.57356	85.39905	12.7	6.3	2021	Nepal
<i>Semachrysa contorta.</i>	25.58333	91.63333	16.0	10.4	4016	India
<i>Nothochrysa aequalis</i>	24.85000	88.61667	25.6	19.1	1468	India
<i>Tumeochrysa cirrai</i>	27.03333	88.26667	14.6	8.8	2646	India

Makarkin pers.data
Navás 1925
Dubatolov 1998
Dubatolov 1998
Dubatolov 1998
Dubatolov 1998
Makarkin pers.data
Makarkin pers.data
Luppova 1970
Luppova 1970
Luppova 1970
Luppova 1970
Luppova 1970
Banks 1940
Ghosh 1976
Höfzel 1966
Höfzel 1966
Höfzel 1980b
Höfzel 1980b
Dong et al. 2004
Dong et al. 2004
Dong et al. 2004
Dong et al. 2004
Banks 1940
Tjeder 1936
Höfzel 1973
Höfzel 1973
Höfzel 1973
Höfzel 1973
Höfzel 1973
Höfzel 1973
Brooks 1983
Banks 1913c
Ghosh 1999

<i>Chrysopa ignobilis</i>	22.56972	88.36972	26.3	20.4	1731	India
<i>Semachrysa sagitta</i>	-15.13333	167.10000	25.0	23.9	2891	Vanuatu
<i>Chrysopa isolata</i>	14.17889	121.22560	27.1	25.6	1962	Philippines
<i>Ancylopteryx doleschalli</i>	9.73917	118.73530	27.2	26.8	1688	Philippines
<i>Chrysopa morota</i>	14.12166	121.18253	25.6	24.4	2226	Philippines
<i>Chrysopa obliquata</i>	16.41667	120.60000	19.2	18.2	3020	Philippines
<i>Chrysopa zeylanica</i>	7.29639	80.63500	24.6	23.6	1986	Sri Lanka
<i>Chrysopa splendida</i>	6.88333	116.83330	26.9	26.2	2247	Malaysia
<i>Chrysopa rizali</i>	5.92013	117.76258	27.1	26.4	3265	Malaysia
<i>Chrysopa alticola</i>	6.08333	116.55000	10.0	9.1	2095	Malaysia
<i>Chrysopa rizali</i>	3.13570	101.68800	27.1	26.6	2475	Malaysia
<i>Chrysopa rizali</i>	6.26667	100.41667	27.5	26.9	2077	Malaysia
<i>Chrysopa nigribasis</i>	5.40000	100.23333	25.6	25.1	2841	Malaysia
<i>Chrysopa splendida</i>	2.51667	101.80000	27.7	27.4	2302	Malaysia
<i>Nothochrysa karlentoni</i>	31.96000	77.10000	15.9	8.1	1674	India
<i>Cintameva benaventi</i>	19.05530	72.83140	26.8	24.2	2508	India
<i>Ancylopteryx 8-punctata</i>	18.77122	73.35232	25.8	22.9	4599	India
<i>Chrysopa vulgaris</i>	34.61667	9.60000	18.2	10.1	182	Tunisia
<i>Cintameva althaudii</i>	-20.31472	57.52028	20.5	17.7	1903	Mauritius
<i>Nothochrysa variegata</i>	-12.36361	44.51028	24.2	22.5	1699	Comores
<i>Chrysopa thieli</i>	-4.24485	152.18644	27.0	26.6	2144	Pap. N. Guinea
<i>Chrysopa rubida</i>	5.39160	95.84120	27.2	26.3	1708	Indonesia
<i>Cintameva cognata</i>	33.93222	107.99833	6.7	-3.7	887	China
<i>Ancylopteryx nonelli</i>	1.28915	103.79725	26.8	26.2	2399	Singapore
<i>Chrysopa vulgaris</i>	30.00865	31.21221	21.3	14.1	17	Egypt
<i>Chrysopa vulgaris</i>	30.15278	31.33833	21.6	14.5	23	Egypt
<i>Chrysopa parishi</i>	5.78969	-57.62211	27.0	26.3	1813	Guyana
<i>Chrysopa latithorax</i>	-32.89018	-68.84405	16.2	8.9	218	Argentina
<i>Allochrysa titan</i>	10.10662	-83.50587	25.7	24.8	3714	Costa Rica
<i>Chrysopa figuralis</i>	-11.94115	-76.70354	17.3	14.8	73	Peru
<i>Chrysopa incalis</i>	-11.84914	-76.39059	11.0	9.3	295	Peru
<i>Chrysopa asoralis</i>	3.60479	-76.56603	19.0	18.6	1470	Colombia
<i>Nothochrysa hudekingi</i>	6.36926	99.67966	26.9	26.5	2524	Maylasia

REFERENCES FOR TABLE S5 (WEB REFERENCES ABOVE)

- ADAMS, P.A., and PENNY, N.D., 1985, Neuroptera of the Amazon Basin. Part 11a. Introduction and Chrysopini: *Acta Amazonica*, v. 15, p. 413–479.
- BANKS, N., 1913a, New exotic neuropteroid insects: *Proceedings of the Entomological Society of Washington*, v. 15, p. 137–143.
- BANKS, N., 1913b, On a collection of neuropteroid insects from the Philippine Islands: *Proceedings of the Entomological Society of Washington*, v. 15, p. 170–180.
- BANKS, N., 1913c, Synopses and descriptions of exotic Neuroptera: *Transactions of the American Entomological Society*, v. 39, p. 201–242.
- BANKS, N., 1914–1915, New neuropteroid insects, native and exotic: *Proceedings of the Academy of Natural Sciences of Philadelphia*, v. 66, p. 608–632.
- BANKS, N., 1916, Neuropteroid insects of the Philippine Islands: *Philippine Journal of Science*, v. 11, p. 195–217.
- BANKS, N., 1931a, Some neuropteroid insects from North Borneo, particularly from Mt. Kinabalu, 13,455 ft.: *Journal of the Federated Malay States Museums*, v. 16, p. 411–429.
- BANKS, N., 1931b, Some neuropteroid insects from the Malay Peninsula: *Journal of the Federated Malay States Museums*, v. 16, p. 377–409.
- BANKS, N., 1931c, Some oriental neuropteroid insects: *Psyche*, v. 38, p. 56–70.
- BANKS, N., 1938, Further neuropteroid insects from Malaya: *Journal of the Federated Malay States Museums*, v. 18, p. 220–235.
- BANKS, N., 1939, New genera and species of neuropteroid insects: *Bulletin of the Museum of Comparative Zoology*, v. 85, p. 439–504.
- BANKS, N., 1940, Report on certain groups of neuropteroid insects from Szechwan, China: *Proceedings of the United States National Museum*, v. 88, p. 173–220.
- BROOKS, S.J., 1983, A new genus of oriental lacewings (Neuroptera: Chrysopidae): *Bulletin of the British Museum of Natural History (Entomology)*, v. 47, p. 1–26.
- DE FREITAS, S., and PENNY, N.D., 2001, The green lacewings (Neuroptera: Chrysopidae) of Brazilian agro-ecosystems: *Proceedings of the California Academy of Sciences*, v. 73, p. 164–170.
- DONG, K.Z., LI, W.Z., CUI, J.Z., and YANG, X.K., 2004, Three new species of *Dichochrysa* (Insecta: Neuroptera: Chrysopidae) from China, with a checklist of Chinese *Dichochrysa*: *Raffles Bulletin of Zoology*, v. 52, p. 67–74.
- DUBATOLOV, V.V., 1998, A review of the Neuropteroidea (Insecta, Neuropteroidea: Megaloptera, Raphidioptera, Neuroptera) of West Siberia, in Utkin, N.A., chief ed., *The Invertebrate Animals of the South Transural Region and Neighboring Territories: Materials of the All-Russian conference, 14–16 April 1988*, Kurgan State University, Kurgan, p. 113–123. In Russian.
- DUBATOLOV, V.V., 1999, Insecta Neuropteroidea (Megaloptera, Raphidioptera, Neuroptera) of the Dahuria International Nature Reserve and its surroundings, in Dubatolov, V.V., ed., *Insects of Dahuria and adjacent territories: Proceedings of the Dahurskii State Biosphere Nature Reserve*, Novosibirsk, v. 2, p. 57–66. In Russian.
- ESBEN-PETERSEN, P., 1920, South African Neuroptera. I: *Annals of the South African Museum*, v. 17, p. 507–521.
- GARLAND, J.A., and KEVAN, D.K.M.C., 2007, Chrysopidae of Canada and Alaska (Insecta, Neuroptera): revised checklist, new and noteworthy records, and geo-referenced localities: *Zootaxa*, v. 1486, p. 1–84 [Errata: 1507, p. 68].
- GERSTAECER, C.E.A., 1884, Vier decaden von Neuropteren aus der Familie Megaloptera Burm: *Mitt[h]eilungen aus dem Naturwissenschaftlichen Verein für Neu-Vorpommern und Rügen*, v. 16, p. 1–49.

- GHOSH, S.K., 1976, *Chrysopa (Chrysoperla) gujaratensis* n. sp. from India (Neuroptera: Chrysopidae): Entomologica Scandinavica, v. 7, p. 74–75.
- GHOSH, S.K., 1999, Insecta: Neuroptera, in Director, Zoological Survey of India, ed., Fauna of West Bengal. Part 8. Insecta (Trichoptera, Thysanoptera, Neuroptera, Hymenoptera and Anoplura): Zoological Survey of India, Calcutta, p. 111–148.
- HÖLZEL, H., 1966, Beitrag zur Kenntnis der Chrysopiden des Iran (Planipennia, Chrysopidae): Stuttgarter Beiträge zur Naturkunde [aus dem Staatlichen Museum für Naturkunde in Stuttgart], v. 148, p. 1–7.
- HÖLZEL, H., 1967, Chrysopiden aus der Mongolei. Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962, Nr. 31: Mitteilungen aus dem Zoologischen Museum in Berlin, v. 43, p. 251–260.
- HÖLZEL, H., 1973, Neuroptera aus Nepal I. Chrysopidae: Khumbu Himal, v. 4, p. 333–388.
- HÖLZEL, H., 1980a, Insects of Saudi Arabia. Neuroptera: Fam. Chrysopidae: Fauna of Saudi Arabia, v. 2, p. 164–173.
- HÖLZEL, H., 1980b, Planipennia aus den zentralen und westlichen Teilen der Mongolei mit Bemerkungen zur Synonymie mongolischer Chrysopiden: Mitteilungen aus dem Zoologischen Museum in Berlin, v. 56, p. 191–194.
- HÖLZEL, H., and OHM, P., 1991, Beitrag zur Kenntnis der Chrysopidae von Somalia (Neuroptera, Chrysopidae): Entomofauna, v. 12, p. 49–70.
- KUWAYAMA, S., 1962, A revisional synopsis of the Neuroptera in Japan: Pacific Insects, v. 4, p. 325–412.
- KOVROGINA, A.M., 1978, Neuropteroidea of the Middle Volga region: Entomologicheskoe Obozrenie, v. 57, p. 746–751. In Russian.
- LUPPOVA, E.P., 1970, Data on the biology and distribution of two chrysopid species (Neuroptera, Chrysopidae) in Tajikistan: Izvestiya Akademii Nauk Tadzhiksho SSR, Otdelenie Biologicheskikh Nauk, v. 1, p. 44–55. In Russian.
- MAKARKIN, V.N., 1987, Lacewings (Neuroptera) of Transbaikalia, in Lehr, P.A., and Kanyukova, E.V., eds., Taxonomy of insects of Siberia and the Far East of the USSR: Far Eastern Scientific Centre, Vladivostok, p. 72–77. In Russian.
- MAKARKIN, V.N., 1992, Order Neuroptera – Lacewings, in Yu. A., and Chistyakov, ed., Insects of the Khingan Nature Reserve. Part. I.: Dalnauka, Vladivostok, p. 41–44. In Russian.
- MAKARKIN, V.N., and LAGUNOV, A.V., 2010, Contribution to our knowledge of the Neuroptera fauna of Chelyabinskaya Oblast': Euroasian Entomological Journal, v. 9, p. 683–688. In Russian.
- MCLACHLAN, R., 1887, Insecta in itinere Cl. N. Przewalskii in Asia centrali novissime lecta. XII. Neuroptera II. Perlides, Planipennes et Trichoptères: Horae Societatis Entomologicae Rossicae, v. 21, p. 448–457.
- NAVÁS, L., 1910, Crisópidos (Ins. Neur.) nuevos: Brotéria (Zoológica), v. 9, p. 38–59.
- NAVÁS, L., 1912, Crisópidos y Hemeróbidos (Ins. Neur.) nuevos ó críticos: Brotéria (Zoológica), v. 10, p. 98–113.
- NAVÁS, L., 1914, Notes sur quelques Névroptères du Congo Belge [I]: Revue de Zoologie Africaine, Bruxelles, v. 3, p. 365–377.
- NAVÁS, L., 1915, Neuroptera nova africana. V Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 1, p. 19–29.
- NAVÁS, L., 1925, Entomologische Ergebnisse der schwedischen Kamtchatka-Expedition 1920–1922. 6. Neuroptera et Mecoptera: Arkiv för Zoologi, v. 18B, p. 1–4.
- NAVÁS, L., 1926, Névroptères d'Egypte et de Palestine. 3me partie: Bulletin de la Société [Royale] Entomologique d'Egypte, v. 10, p. 192–216.

- NAVÁS, L., 1929a, Insecta orientalia. VI Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 12, p. 33–42.
- NAVÁS, L., 1929b, Insecta orientalia. VII Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 12, p. 43–56.
- NAVÁS, L., 1929c, Insectos del Museo de Hamburgo. 2.a serie: Boletín de la Sociedad Entomologica de España, v. 12, p. 73–83.
- NAVÁS, L., 1930a, Insectos del Museo de Paris. 5.a serie: Brotéria (Zoológica), v. 26, p. 5–24.
- NAVÁS, L., 1930b, Insectos del Museo de Paris. 6.a serie: Brotéria (Zoológica), v. 26, p. 120–144.
- NAVÁS, L., 1930c, Insecta orientalia. VIII Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 14, p. 419–434.
- NAVÁS, L., 1933, Neurópteros exóticos [1.a serie]: Memorias de la Real Academia de Ciencias y Artes de Barcelona , v. 23, p. 203–216.
- New, T.R., 1980, A revision of the Australian Chrysopidae (Insecta: Neuroptera): Australian Journal of Zoology, Supplementary Series, v. 77, p. 1–143.
- Penny, N.D., 1998, New Chrysopinae from Costa Rica (Neuroptera: Chrysopidae): Journal of Neuropterology, v. 1, p. 55–78.
- PLESHANOV, A.S., 1974, Review of the Neuroptera of Siberia and the Far East, in Fauna of insects of East Siberia and Far East: Irkutsk, p. 180–193. In Russian.
- TAUBER, C.A., 2004, A systematic review of the genus *Leucochrysa* (Neuroptera: Chrysopidae) in the United States: Annals of the Entomological Society of America, v. 97, p. 1129–1158.
- TAUBER, C.A., 2010, Revision of *Neosuarius*, a subgenus of *Chrysopodes* (Neuroptera, Chrysopidae): ZooKeys, v. 44 (Spec. Issue), p. 1–104.
- TJEDER, B., 1936, Schwedisch-chinesische wissenschaftliche expedition nach den nordwestlichen provinzen Chinas, unter leitung von Dr. Sven Hedin und Prof. Su Ping-chang. 62. Neuroptera: Arkiv för zoology, v. 29A, p. 1–36.
- TJEDER, B., 1966, Neuroptera-Planipennia. The Lace-wings of Southern Africa. 5. Family Chrysopidae, in Hanstrom, B., Brinck, P., and Rudebec, G., eds., South African Animal Life: Swedish Natural Science Research Council, Stockholm, v. 12, p. 228–534.
- TSUKAGUCHI, S., and KURANISHI, R.B., 2000, The lacewings (Insecta: Neuroptera) collected from the Kamchatka peninsula and the north Kuril Islands in 1996–1997: Natural History Research, v. 7 (Spec. Issue), p. 8–92.
- ZAKHARENKO, A.V., and SEDYKH, K.F., 1981, Neuroptera of the Komi Auton. SSR. Entomologicheskoe Obozrenie, v. 60, p. 598–600. In Russian.